

KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration

ACGIH (G) American Conference of Governmental Industrial Hygienists

- A1 Confirmed human carcinogen.
- A2 Suspected human carcinogen.
- A3 Animal carcinogen. "Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure."
- A4 Not classifiable as a human carcinogen. "There are inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals."
- A5 Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer (World Health Organization)

- 1 The agent (mixture) is carcinogenic to humans.
- 2A The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program (Health and Human Services Dept., Public Health Service, NIH/NIEHS)

- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

CP65 California Proposition 65, "Chemicals Known to the State to Cause Cancer."

Abbreviation:

n.o.s. Not otherwise specified; i.e., there is no PEL or TLV.

Note: CASRN's fitting the pattern 0-##-0 or 1-##-0 are generated for electronic database purposes only.

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|----|-------------|------------------|--|------------------|--|----------------------------|------------------|
| 1 | 26148-68-5 | ? | A- <i>alpha</i> -C | | n.o.s. | I-2B, CP65 | |
| 2 | 75-07-0 | ? | Acetaldehyde | | C 25 ppm TLV {C 45 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 3 | 16568-02-8 | | Acetaldehyde Methylformylhydrazone | | n.o.s. | CP65 | |
| 4 | 60-35-5 | ? | Acetamide | | n.o.s. | I-2B, CP65 | |
| 5 | 34256-82-1 | | Acetochlor | | n.o.s. | CP65 | |
| 6 | 53-96-3 | ✓ | 2-Acetylaminofluorene | IS | [1910.1003] | O, N-2, CP65 | |
| 7 | 62476-59-9 | | Acifluorfen | | n.o.s. | CP65 | |
| 8 | 79-06-1 | ? | Acrylamide | IS | 0.03 mg/m ³ TLV | G-A3, I-2A, N-2, CP65 | |
| 9 | 107-13-1 | ✓ | Acrylonitrile [1910.1045] | IS | 2 ppm PEL {4.3 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 10 | 77536-66-4 | ✓ | Actinolite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 11 | 50-76-0 | | Actinomycin D | | n.o.s. | CP65 | |
| 12 | 23214-92-8 | ? | Adriamycin [®] | | n.o.s. | I-2A, N-2, CP65 | |
| 13 | 25316-40-9 | ? | Adriamycin [®] | | n.o.s. | I-2A, N-2, CP65 | |
| 14 | 3688-53-7 | ? | AF-2 | | n.o.s. | I-2B, CP65 | |
| 15 | 6795-23-9 | ? | Aflatoxin M1 | | n.o.s. | I-2B, CP65 | |
| 16 | 1402-68-2 | ✓ | Aflatoxins | IG | n.o.s. | I-1, N-1, CP65 | |
| 17 | 15972-60-8 | | Alachlor | | 1 mg/m ³ TLV {Sensitizer} | G-A3, CP65 | |
| 18 | 0-01-0 | ✓ | Alcoholic Beverages (CP65: assoc. w/alcohol abuse) | G | n.o.s. | I-1, N-1, CP65 | |
| 19 | 309-00-2 | | Aldrin | S | 0.05 mg/m ³ TLV | G-A3, CP65 | |
| 20 | 0-80-0 | ✓ | Aluminum Production | I | n.o.s. | I-1 | |
| 21 | 61-82-5 | ? | 3-Amino-1,2,4-triazole | | 0.2 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 22 | 62450-06-0 | ? | 3-Amino-1,4-dimethyl-5H-pyrido[4,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 23 | 62450-07-1 | ? | 3-Amino-1-methyl-5H-pyrido[4,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 24 | 105650-23-5 | ? | 2-Amino-1-methyl-6-phenylimidazo[4,5- <i>b</i>]pyridine | | n.o.s. | I-2B, N-2, CP65 | |
| 25 | 81-49-2 | ? | 1-Amino-2,4-dibromoanthraquinone | | n.o.s. | N-2, CP65 | |
| 26 | 82-28-0 | ? | 1-Amino-2-methylantraquinone | I | n.o.s. | N-2, CP65 | |
| 27 | 119-34-6 | | 4-Amino-2-nitrophenol | | n.o.s. | CP65 | |
| 28 | 77094-11-2 | ? | 2-Amino-3,4-dimethylimidazo[4,5- <i>f</i>]quinoline | | n.o.s. | I-2B, N-2, CP65 | |
| 29 | 77500-04-0 | ? | 2-Amino-3,8-dimethylimidazo[4,5- <i>f</i>]quinoxaline | | n.o.s. | I-2B, N-2, CP65 | |
| 30 | 68006-83-7 | ? | 2-Amino-3-methyl-9H-pyrido[2,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 31 | 76180-96-6 | ? | 2-Amino-3-methylimidazo[4,5- <i>f</i>]quinoline | | n.o.s. | I-2A, N-2, CP65 | |
| 32 | 712-68-5 | ? | 2-Amino-5-(5-nitro-2-furyl)-1,3,4-thiadiazole | | n.o.s. | I-2B, CP65 | |
| 33 | 67730-11-4 | ? | 2-Amino-6-methyldipyrido[1,2- <i>a</i> :3',2'- <i>d</i>]imidazole | | n.o.s. | I-2B, CP65 | |
| 34 | 6109-97-3 | | 3-Amino-9-ethylcarbazole Hydrochloride | | n.o.s. | CP65 | |
| 35 | 26148-68-5 | ? | 2-Amino-9H-pyrido[2,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 36 | 117-79-3 | ? | 2-Aminoanthraquinone | | n.o.s. | N-2, CP65 | |
| 37 | 60-09-3 | ? | <i>p</i> -Aminoazobenzene | | n.o.s. | I-2B, CP65 | |
| 38 | 97-56-3 | ? | <i>o</i> -Aminoazotoluene | | n.o.s. | I-2B, N-2, CP65 | |
| 39 | 92-67-1 | ✓ | 4-Aminobiphenyl | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 40 | 92-67-1 | ✓ | 4-Aminodiphenyl | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|----|------------|------------------|--|------------------|-------------------------------------|----------------------------|------------------|
| 41 | 67730-10-3 | ? | 2-Aminodipyrido[1,2- <i>a</i> :3',2'- <i>d</i>]imidazole | | n.o.s. | I-2B, CP65 | |
| 42 | 153-78-6 | | 2-Aminofluorene | | n.o.s. | CP65 | |
| 43 | 91-59-8 | ✓ | 2-Aminonaphthalene | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 44 | 61-82-5 | ? | Amitrole | | 0.2 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 45 | 7788-98-9 | ✓ | Ammonium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 46 | 7789-09-5 | ✓ | Ammonium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 47 | 12172-73-5 | ✓ | Amosite | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 48 | 51264-14-3 | ? | Amsacrine | | n.o.s. | I-2B | |
| 49 | 0-41-0 | ✓ | Analgesic mixtures containing phenacetin | | n.o.s. | I-1, N-1, CP65 | |
| 50 | 0-30-0 | ? | Androgenic (anabolic) steroids | | n.o.s. | I-2A | |
| 51 | 62-53-3 | | Aniline | S | 2 ppm TLV {7.6 mg/m ³ } | G-A3, CP65 | |
| 52 | 142-04-1 | | Aniline Hydrochloride | | n.o.s. | CP65 | |
| 53 | 90-04-0 | ? | <i>o</i> -Anisidine | S | 0.5 mg/m ³ PEL {0.1 ppm} | G-A3, I-2B, CP65 | |
| 54 | 29191-52-4 | ? | <i>o</i> -Anisidine | S | 0.5 mg/m ³ PEL {0.1 ppm} | G-A3, I-2B | |
| 55 | 134-29-2 | ? | <i>o</i> -Anisidine Hydrochloride | | n.o.s. | N-2, CP65 | |
| 56 | 77536-67-5 | ✓ | Anthophyllite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 57 | 1309-64-4 | ? | Antimony Trioxide (ACGIH [®] : Production) | I | 0.5 mg/m ³ PEL | G-A2, I-2B, CP65 | |
| 58 | 140-57-8 | ? | Aramite [®] | | n.o.s. | I-2B, CP65 | |
| 59 | 0-02-0 | ✓ | Areca Nut | | n.o.s. | I-1, CP65 | |
| 60 | 0-03-0 | ? | Aristolochic Acids (naturally occurring mixtures) | | n.o.s. | I-2A, CP65 | |
| 61 | 11097-69-1 | ? | Aroclor [®] 1254 {PCBs} | S | 0.5 mg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 62 | 11096-82-5 | ? | Aroclor [®] 1260 {PCBs} | S | n.o.s. | N-2, CP65 | |
| 63 | 7440-38-2 | ✓ | Arsenic in Drinking Water | IG | n.o.s. | I-1 | |
| 64 | 10102-53-1 | ✓ | <i>m</i> -Arsenic Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 65 | 7778-39-4 | ✓ | <i>o</i> -Arsenic Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 66 | 7774-41-6 | ✓ | Arsenic Acid Hemihydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 67 | 1303-32-8 | ✓ | Arsenic Disulfide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 68 | 1303-28-2 | ✓ | Arsenic Pentoxide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 69 | 7784-33-0 | ✓ | Arsenic Tribromide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 70 | 7784-34-1 | ✓ | Arsenic Trichloride | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 71 | 7784-35-2 | ✓ | Arsenic Trifluoride | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 72 | 7784-45-4 | ✓ | Arsenic Triiodide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 73 | 1327-53-3 | ✓ | Arsenic Trioxide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 74 | 1303-36-2 | ✓ | Arsenic Triselenide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 75 | 1303-33-9 | ✓ | Arsenic Trisulfide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 76 | 7440-38-2 | ✓ | Arsenic, Inorganic [1910.1018] - [see specific compound] | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 77 | 8024-75-9 | ✓ | Arsenical Dip | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 78 | 14060-38-9 | ✓ | Arsenious Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 79 | 0-88-0 | ? | Art Glass, Glass Containers, and Pressed Ware (manufacture of) | I | n.o.s. | I-2A | |
| 80 | 1332-21-4 | ✓ | Asbestos | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|------------|------------------|--|------------------|--|----------------------------|------------------|
| 81 | 8052-42-4 | ? | Asphalt (Petroleum) Fumes | I | 0.5 mg/m ³ TLV | I-2B, CP65 | |
| 82 | 12174-11-7 | ? | Attapulgit (long fibers, > 5 µm) | I | n.o.s. | I-2B, CP65 | |
| 83 | 0-81-0 | ✓ | Auramine (manufacture of) | | n.o.s. | I-1 | |
| 84 | 492-80-8 | ? | Auramine (manufacture of) | | n.o.s. | I-2B, CP65 | |
| 85 | 320-67-2 | ? | 5-AzaC | | n.o.s. | I-2A, N-2, CP65 | |
| 86 | 320-67-2 | ? | Azacitidine | | n.o.s. | I-2A, N-2, CP65 | |
| 87 | 320-67-2 | ? | 5-Azacytidine [®] | | n.o.s. | I-2A, N-2, CP65 | |
| 88 | 115-02-6 | ? | Azaserine | | n.o.s. | I-2B, CP65 | |
| 89 | 446-86-6 | ✓ | Azathioprine | J | n.o.s. | I-1, N-1, CP65 | |
| 90 | 151-56-4 | ✓ | Aziridine | IS | [1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ } | O, G-A3, I-2B, CP65 | |
| 91 | 52-24-4 | ✓ | tris(1-Aziridinyl)phosphine Sulfide | | n.o.s. | I-1, N-1, CP65 | |
| 92 | 103-33-3 | | Azobenzene | | n.o.s. | CP65 | |
| 93 | 30516-87-1 | ? | AZT | | n.o.s. | I-2B | |
| 94 | 10294-40-3 | ✓ | Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 95 | 12000-34-9 | ✓ | Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 96 | 12231-18-4 | ✓ | Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 97 | 37235-82-8 | ✓ | Basic Bismuth Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 98 | 1308-09-4 | ✓ | Basic Copper (II) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 99 | 1319-48-8 | ? | Basic Lead Carbonate Sulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 100 | 1344-38-3 | ✓ | Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 101 | 18454-12-1 | ✓ | Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 102 | 54692-53-4 | ✓ | Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 103 | 3296-90-0 | ? | BBMP | | n.o.s. | I-2B, N-2, CP65 | |
| 104 | 154-93-8 | ? | BCNU | | n.o.s. | I-2A, N-2, CP65 | |
| 105 | 56-55-3 | ? | Benz[<i>a</i>]anthracene {PAH} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 106 | 202-33-5 | ? | Benz[<i>j</i>]aceanthrylene {PAH} | I | 0.2 mg/m ³ PEL | I-2B | |
| 107 | 98-87-3 | ? | Benzal Chloride (and Benzoyl Chloride [combined exposure]) | | n.o.s. | I-2A | |
| 108 | 71-43-2 | ✓ | Benzene [1910.1028] | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 109 | 1684-47-5 | ✓ | Benzene-1,3,5-d ₃ {C ₆ H ₃ D ₃ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 110 | 1120-89-4 | ✓ | Benzene-d {C ₆ H ₅ D ₁ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 111 | 1076-43-3 | ✓ | Benzene-d ₆ {C ₆ D ₆ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 112 | 92-87-5 | ✓ | Benzidine | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 113 | 0-27-0 | ? | Benzidine-based Dyes | | n.o.s. | I-2A, CP65 | |
| 114 | 50-32-8 | ✓ | Benzo[<i>a</i>]pyrene {PAH} | | 0.2 mg/m ³ PEL | G-A2, I-1, N-2, CP65 | |
| 115 | 205-99-2 | ? | Benzo[<i>b</i>]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 116 | 195-19-7 | ? | Benzo[<i>c</i>]phenanthrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B | |
| 117 | 205-82-3 | ? | Benzo[<i>j</i>]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 118 | 207-08-9 | ? | Benzo[<i>k</i>]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 119 | 271-89-6 | ? | Benzofuran | | n.o.s. | I-2B, CP65 | |
| 120 | 98-07-7 | ? | Benzotrithloride | S | C 0.1 ppm TLV {C 0.8 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|---|-----------------------------------|-------------------------|
| 121 | 98-88-4 | ? | Benzoyl Chloride (and <i>alpha</i> -Chlorinated Toluenes [combined exposure]) | | C 0.5 ppm TLV | I-2A | |
| 122 | 100-44-7 | ? | Benzyl Chloride | | 1 ppm PEL {5 mg/m ³ } | G-A3, I-2A, CP65 | |
| 123 | 1694-09-3 | ? | Benzyl Violet 4B | | n.o.s. | I-2B, CP65 | |
| 124 | 12161-82-9 | ✓ | Bertrandite | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 125 | 1302-52-9 | ✓ | Beryl Ore | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 126 | 7440-41-7 | ✓ | Beryllium & compounds, as Be - [see specific compound] | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 127 | 543-81-7 | ✓ | Beryllium Acetate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 128 | 1332-52-1 | ✓ | Beryllium Acetate, Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 129 | 19049-40-2 | ✓ | Beryllium Acetate, Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 130 | 10210-64-7 | ✓ | Beryllium Acetylacetonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 131 | 1302-52-9 | ✓ | Beryllium Aluminum Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 132 | 17440-85-6 | ✓ | Beryllium Borohydride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 133 | 7787-46-4 | ✓ | Beryllium Bromide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 134 | 506-66-1 | ✓ | Beryllium Carbide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 135 | 13106-47-3 | ✓ | Beryllium Carbonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 136 | 66104-24-3 | ✓ | Beryllium Carbonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 137 | 1319-43-3 | ✓ | Beryllium Carbonate Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 138 | 7787-47-5 | ✓ | Beryllium Chloride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 139 | 7787-49-7 | ✓ | Beryllium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 140 | 1111-71-3 | ✓ | Beryllium Formate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 141 | 7787-52-2 | ✓ | Beryllium Hydride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 142 | 13327-32-7 | ✓ | Beryllium Hydroxide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 143 | 7787-53-3 | ✓ | Beryllium Iodide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 144 | 13597-99-4 | ✓ | Beryllium Nitrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 145 | 13510-48-0 | ✓ | Beryllium Nitrate Tetrahydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 146 | 7787-55-5 | ✓ | Beryllium Nitrate Trihydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 147 | 1304-54-7 | ✓ | Beryllium Nitride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 148 | 1304-56-9 | ✓ | Beryllium Oxide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 149 | 13597-95-0 | ✓ | Beryllium Perchlorate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 150 | 13598-15-7 | ✓ | Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 151 | 13598-26-0 | ✓ | Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 152 | 35089-00-0 | ✓ | Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 153 | 7787-50-0 | ✓ | Beryllium Potassium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 154 | 53684-48-3 | ✓ | Beryllium Potassium Sulfate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 155 | 10039-31-3 | ✓ | Beryllium Selenate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 156 | 13598-00-0 | ✓ | Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 157 | 15191-85-2 | ✓ | Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 158 | 58500-38-2 | ✓ | Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 159 | 12161-82-9 | ✓ | Beryllium Silicate Hydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 160 | 13871-27-7 | ✓ | Beryllium Sodium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|------------|------------------|--|------------------|---|----------------------------|------------------|
| 161 | 13510-49-1 | ✓ | Beryllium Sulfate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 162 | 7787-56-6 | ✓ | Beryllium Sulfate Tetrahydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 163 | 39413-47-3 | ✓ | Beryllium Zinc Silicate, as Be | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 164 | 12770-50-2 | ✓ | Beryllium-Aluminum Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 165 | 11133-98-5 | ✓ | Beryllium-Copper Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 166 | 55158-44-6 | ✓ | Beryllium-Copper-Cobalt Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 167 | 37227-61-5 | ✓ | Beryllium-Nickel Alloy, as Be fume or dust [also see Ni] | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 168 | 0-04-0 | ✓ | Betel quid with or without tobacco | n.o.s. | | I-1, CP65 | |
| 169 | 25013-16-5 | ? | BHA | n.o.s. | | I-2B, N-2, CP65 | |
| 170 | 8052-42-4 | ? | Bitumen (extracts of steam-refined and air-refined) | I | 0.5 mg/m ³ TLV | I-2B, CP65 | |
| 171 | 11056-06-7 | ? | Bleomycins | n.o.s. | | I-2B | |
| 172 | 0-89-0 | ✓ | Boot and Shoe Manufacture and Repair | n.o.s. | | I-1 | |
| 173 | 0-05-0 | ? | Bracken Fern | n.o.s. | | I-2B, CP65 | |
| 174 | 0-68-0 | ✓ | Broad Spectrum Ultraviolet Radiation | S | n.o.s. | N-1 | |
| 175 | 15541-45-4 | | Bromate | n.o.s. | | CP65 | |
| 176 | 75-27-4 | ? | Bromodichloromethane | n.o.s. | | I-2B, N-2, CP65 | |
| 177 | 74-96-4 | | Bromoethane | S | 5 ppm TLV {23 mg/m ³ } | G-A3, CP65 | |
| 178 | 75-25-2 | | Bromoform | S | 0.5 ppm PEL {5 mg/m ³ } | G-A3, CP65 | |
| 179 | 3296-90-0 | ? | 2,2-bis(Bromomethyl)-1,3-propanediol | n.o.s. | | I-2B, N-2, CP65 | |
| 180 | 3296-90-0 | ? | 2,2-bis(Bromomethyl)propane-1,3-diol | n.o.s. | | I-2B, N-2, CP65 | |
| 181 | 55-98-1 | ✓ | Busulfan | G | n.o.s. | I-1, N-1, CP65 | |
| 182 | 106-99-0 | ✓ | 1,3-Butadiene [1910.1051] | I | 1 ppm PEL {2.2 mg/m ³ } | O, G-A2, I-2A, N-1, CP65 | |
| 183 | 55-98-1 | ✓ | 1,4-Butanediol Dimethylsulfonate | G | n.o.s. | I-1, N-1, CP65 | |
| 184 | 1189-85-1 | ✓ | tert-Butyl Chromate, as Cr ⁶⁺ | S | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 185 | 25013-16-5 | ? | Butylated Hydroxyanisole | n.o.s. | | I-2B, N-2, CP65 | |
| 186 | 140-57-8 | ? | Butylphenoxyisopropyl Chloroethyl Sulfite | n.o.s. | | I-2B, CP65 | |
| 187 | 3068-88-0 | ? | beta-Butyrolactone | n.o.s. | | I-2B, CP65 | |
| 188 | 6459-94-5 | ? | C.I. Acid Red 114 | I | n.o.s. | I-2B, CP65 | |
| 189 | 569-61-9 | ? | C.I. Basic Red 9 Monohydrochloride | IS | n.o.s. | I-2B, N-2, CP65 | |
| 190 | 72-57-1 | ? | C.I. Direct Blue 14 | I | n.o.s. | I-2B, CP65 | |
| 191 | 2429-74-5 | ? | C.I. Direct Blue 15 | I | n.o.s. | I-2B, CP65 | |
| 192 | 28407-37-6 | | C.I. Direct Blue 218 | n.o.s. | | CP65 | |
| 193 | 82-28-0 | ? | C.I. Disperse Orange 11 | I | n.o.s. | N-2, CP65 | |
| 194 | 1307-96-6 | ? | C.I. Pigment Black 13 | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 195 | 1344-38-3 | ✓ | C.I. Pigment Orange 21, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 196 | 54692-53-4 | ✓ | C.I. Pigment Orange 21, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 197 | 8005-36-5 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 198 | 12213-61-5 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 199 | 12656-85-8 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 200 | 12709-98-7 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|--|-----------------------------------|-------------------------|
| 201 | 64523-06-4 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 202 | 7758-97-6 | ✓ | C.I. Pigment Yellow 34, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A2, I-1, N-1, CP65 | |
| 203 | 1308-13-0 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 204 | 1328-67-2 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 205 | 13530-65-9 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 206 | 14675-41-3 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 207 | 37300-23-5 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 208 | 57486-12-1 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 209 | 10294-52-7 | ✓ | C.I. Pigment Yellow 45, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 210 | 2646-17-5 | ? | C.I. Solvent Orange 2 | | n.o.s. | I-2B, CP65 | |
| 211 | 842-07-9 | | C.I. Solvent Yellow 14 | | n.o.s. | CP65 | |
| 212 | 75-60-5 | | Cacodylic Acid | | 0.5 mg/m ³ PEL | CP65 | |
| 213 | 7440-43-9 | ✓ | Cadmium & Cd compounds, as Cd [1910.1027] - [see specific compound] | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 214 | 543-90-8 | ✓ | Cadmium Acetate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 215 | 7789-42-6 | ✓ | Cadmium Bromide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 216 | 513-78-0 | ✓ | Cadmium Carbonate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 217 | 10108-64-2 | ✓ | Cadmium Chloride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 218 | 542-83-6 | ✓ | Cadmium Cyanide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 219 | 14486-19-2 | ✓ | Cadmium Fluoborate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 220 | 7790-79-6 | ✓ | Cadmium Fluoride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 221 | 21041-95-2 | ✓ | Cadmium Hydroxide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 222 | 7790-80-9 | ✓ | Cadmium Iodide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 223 | 10325-94-7 | ✓ | Cadmium Nitrate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 224 | 1306-19-0 | ✓ | Cadmium Oxide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 225 | 14402-75-6 | ✓ | Cadmium Potassium Cyanide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 226 | 13814-62-5 | ✓ | Cadmium Selenate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 227 | 1306-24-7 | ✓ | Cadmium Selenide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 228 | 2223-93-0 | ✓ | Cadmium Stearate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 229 | 10124-36-4 | ✓ | Cadmium Sulfate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 230 | 1306-23-6 | ✓ | Cadmium Sulfide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 231 | 1306-25-8 | ✓ | Cadmium Telluride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 232 | 7790-85-4 | ✓ | Cadmium Tungstate (VI) | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 233 | 12685-29-9 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 234 | 37364-06-0 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 235 | 132295-56-8 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 236 | 132295-57-9 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 237 | 331-39-5 | ? | Caffeic Acid | | n.o.s. | I-2B, CP65 | |
| 238 | 7778-44-1 | ✓ | Calcium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 239 | 10103-62-5 | ✓ | Calcium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 240 | 52740-16-6 | ✓ | Calcium Arsenite, 1:1 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|-------------|------------------|--|------------------|---|----------------------------|------------------|
| 241 | 15194-98-6 | ✓ | Calcium Arsenite, 2:1 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 242 | 27152-57-4 | ✓ | Calcium Arsenite, 2:3 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 243 | 13765-19-0 | ✓ | Calcium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL {1 µg/m ³ TLV} | O, G-A2, I-1, N-1, CP65 | |
| 244 | 2425-06-1 | ? | Captafol | S | 0.1 mg/m ³ PEL | I-2A, CP65 | |
| 245 | 133-06-2 | | Captan | | 5 mg/m ³ TLV {Sensitizer} | G-A3, CP65 | |
| 246 | 51-79-6 | ? | Carbamic Acid, Ethyl Ester | | n.o.s. | I-2A, N-2, CP65 | |
| 247 | 86-74-8 | | Carbazole | | n.o.s. | CP65 | |
| 248 | 1333-86-4 | ? | Carbon Black (CP65: airborne, unbound particles of respirable size) | I | 3.5 mg/m ³ PEL | I-2B, CP65 | |
| 249 | 0-51-0 | ? | Carbon Black extracts (benzene solvent) {PAH} | | n.o.s. | I-2B, CP65 | |
| 250 | 0-82-0 | ? | Carbon electrode manufacture | I | n.o.s. | I-2A | |
| 251 | 56-23-5 | ? | Carbon Tetrachloride | IS | 5 ppm TLV {31.5 mg/m ³ } | G-A2, I-2B, N-2, CP65 | |
| 252 | 60391-92-6 | | N-Carboxymethyl-N-nitrosourea | | n.o.s. | CP65 | |
| 253 | 154-93-8 | ? | Carmustine | | n.o.s. | I-2A, N-2, CP65 | |
| 254 | 0-90-0 | ? | Carpentry and Joinery | I | n.o.s. | I-2B | |
| 255 | 9000-07-1 | ? | Carrageenan, degraded | | n.o.s. | I-2B | |
| 256 | 120-80-9 | ? | Catechol | S | 5 ppm TLV | G-A3, I-2B, CP65 | |
| 257 | 13010-47-4 | ? | CCNU | | n.o.s. | I-2A, N-2, CP65 | |
| 258 | 409-21-2 | ? | Ceramic Fiber (CP65: airborne particles of respirable size) | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 259 | 13454-78-9 | ✓ | Cesium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 260 | 0-91-0 | ✓ | Chimney Sweeping | IS | n.o.s. | I-1 | |
| 261 | 305-03-3 | ✓ | Chlorambucil | G | n.o.s. | I-1, N-1, CP65 | |
| 262 | 56-75-7 | ? | Chloramphenicol | | n.o.s. | I-2A, N-2, CP65 | |
| 263 | 57-74-9 | ? | Chlordane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, CP65 | |
| 264 | 12789-03-6 | ? | Chlordane (technical grade) | S | 0.5 mg/m ³ TLV | G-A3, I-2B | |
| 265 | 143-50-0 | ? | Chlordecone | | n.o.s. | I-2B, N-2, CP65 | |
| 266 | 6164-98-3 | | Chlordimeform | | n.o.s. | CP65 | |
| 267 | 115-28-6 | ? | Chlorendic Acid | | n.o.s. | I-2B, N-2, CP65 | |
| 268 | 8001-35-2 | ? | Chlorinated Camphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 269 | 63449-39-8 | ? | Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine) | | n.o.s. | I-2B, N-2 | |
| 270 | 108171-26-2 | ? | Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine) | | n.o.s. | I-2B, N-2, CP65 | |
| 271 | 0-22-0 | ? | alpha-Chlorinated Toluenes and Benzoyl Chloride (combined exposures) | | n.o.s. | I-2A | |
| 272 | 494-03-1 | ✓ | Chlornaphazine | | n.o.s. | I-1, CP65 | |
| 273 | 108-60-1 | | bis(2-Chloro-1-methylethyl) Ether (technical grade) | | n.o.s. | CP65 | |
| 274 | 106-89-8 | ? | 1-Chloro-2,3-epoxy-propane | IS | 0.5 ppm TLV {1.9 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 275 | 95-69-2 | ? | 4-Chloro-2-methylbenzenamine (and its strong acid salts) | | n.o.s. | I-2A, N-2, CP65 | |
| 276 | 3165-93-3 | ? | 4-Chloro-2-methylbenzenamine Hydrochloride | | n.o.s. | I-2A, N-2, CP65 | |
| 277 | 513-37-1 | ? | 1-Chloro-2-methylpropene | | n.o.s. | I-2B, N-2, CP65 | |
| 278 | 563-47-3 | ? | 3-Chloro-2-methylpropene | | n.o.s. | N-2, CP65 | |
| 279 | 77439-76-0 | ? | 3-Chloro-4-dichloromethyl-5-hydroxy-2(5H)-furanone | | n.o.s. | I-2B, CP65 | |
| 280 | 100-00-5 | | 1-Chloro-4-nitrobenzene | S | 1 mg/m ³ PEL {0.1 ppm TLV} | G-A3, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|---|----------------------------|------------------|
| 281 | 106-47-8 | ? 4-Chloroaniline | n.o.s. | | I-2B, CP65 | |
| 282 | 106-47-8 | ? <i>p</i> -Chloroaniline | n.o.s. | | I-2B, CP65 | |
| 283 | 20265-96-7 | <i>p</i> -Chloroaniline Hydrochloride | n.o.s. | | CP65 | |
| 284 | 53469-21-9 | ? Chlorodiphenyl (42% chlorine) {PCBs} | S | 1 mg/m ³ PEL | I-2A, CP65 | |
| 285 | 11097-69-1 | ? Chlorodiphenyl (54% chlorine) {PCBs} | S | 0.5 mg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 286 | 75-00-3 | Chloroethane | S | 100 ppm TLV {264 mg/m ³ } | G-A3, CP65 | |
| 287 | 111-44-4 | <i>bis</i> (2-Chloroethyl) Ether | S | 5 ppm TLV {29 mg/m ³ } | CP65 | |
| 288 | 154-93-8 | ? <i>bis</i> (Chloroethyl) Nitrosourea | n.o.s. | | I-2A, N-2, CP65 | |
| 289 | 115-96-8 | <i>tris</i> (2-Chloroethyl) Phosphate | n.o.s. | | CP65 | |
| 290 | 494-03-1 | ✓ N,N- <i>bis</i> (2-Chloroethyl)-2-naphthylamine | n.o.s. | | I-1, CP65 | |
| 291 | 13909-09-6 | ✓ 1-(2-Chloroethyl)-3-(4-methylcyclohexyl)-1-nitrosourea | n.o.s. | | I-1, N-1, CP65 | |
| 292 | 13010-47-4 | ? 1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea | n.o.s. | | I-2A, N-2, CP65 | |
| 293 | 75-01-4 | ✓ Chloroethylene [1910.1017] | | 1 ppm PEL | O, G-A1, I-1, N-1, CP65 | |
| 294 | 67-66-3 | ? Chloroform | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 295 | 865-49-6 | ? Chloroform-d {CDCl ₃ } | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 296 | 107-30-2 | ✓ Chloromethyl Methyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 297 | 542-88-1 | ✓ <i>bis</i> (Chloromethyl) Ether | I | [1910.1003] {1 ppb TLV, 4.7 µg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 298 | 95-83-0 | ? 4-Chloro- <i>o</i> -phenylenediamine | n.o.s. | | I-2B, N-2, CP65 | |
| 299 | 95-69-2 | ? 4-Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | I-2A, N-2, CP65 | |
| 300 | 95-79-4 | 5-Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | CP65 | |
| 301 | 95-69-2 | ? <i>p</i> -Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | I-2A, N-2, CP65 | |
| 302 | 3165-93-3 | ? <i>p</i> -Chloro- <i>o</i> -toluidine Hydrochloride | n.o.s. | | I-2A, N-2, CP65 | |
| 303 | 95-57-8 | ? 2-Chlorophenol | S | n.o.s. | I-2B | |
| 304 | 108-43-0 | ? 3-Chlorophenol | S | n.o.s. | I-2B | |
| 305 | 106-48-9 | ? 4-Chlorophenol | S | n.o.s. | I-2B | |
| 306 | 0-23-0 | ? Chlorophenoxy Herbicides | S | 10 mg/m ³ PEL | I-2B | |
| 307 | 126-99-8 | ? <i>beta</i> -Chloroprene | S | 10 ppm TLV | I-2B, N-2, CP65 | |
| 308 | 1897-45-6 | ? Chlorothalonil | n.o.s. | | I-2B, CP65 | |
| 309 | 569-57-3 | Chlorotrianisene | n.o.s. | | CP65 | |
| 310 | 54749-90-5 | ? Chlorozotocin | n.o.s. | | I-2A, N-2, CP65 | |
| 311 | 18454-12-1 | ✓ Chrome Red, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 312 | 1066-30-4 | ✓ Chromic Acetate, as Cr ⁶⁺ [water-soluble] | | 5 µg/m ³ PEL | O, N-1, CP65 | |
| 313 | 1333-82-0 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 314 | 12324-05-9 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 315 | 12324-08-2 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 316 | 24613-89-6 | ✓ Chromic Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 317 | 0-83-0 | ✓ Chromite Ore Processing, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | G-A1 | |
| 318 | 18540-29-9 | ✓ Chromium (VI) & inorganic Cr ⁶⁺ compounds - [see specific compound] | I | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 319 | 14986-48-2 | ✓ Chromium [VI] Chloride | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 320 | 29689-14-3 | ✓ Chromium Carbonate, as Cr ⁶⁺ [water-soluble] | | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|-------------|------------------|---|------------------|----------------------------|----------------------------|------------------|
| 321 | 13007-92-6 | ✓ | Chromium Carbonyl, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 322 | 13930-94-4 | ✓ | Chromium Carbonyl, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 323 | 14986-48-2 | ✓ | Chromium Hexachloride, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 324 | 1333-82-0 | ✓ | Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 325 | 12324-05-9 | ✓ | Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 326 | 12324-08-2 | ✓ | Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 327 | 7789-04-0 | ✓ | Chromium Phosphate, as Cr ⁶⁺ [water-soluble] | I | 5 µg/m ³ PEL | O, N-1, CP65 | |
| 328 | 1333-82-0 | ✓ | Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 329 | 12324-05-9 | ✓ | Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 330 | 12324-08-2 | ✓ | Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 331 | 14977-61-8 | ✓ | Chromyl Chloride, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 332 | 117-10-2 | ? | Chrysazin | | n.o.s. | I-2B, N-2, CP65 | |
| 333 | 218-01-9 | ? | Chrysene | S | 0.2 mg/m ³ PEL | G-A3, CP65 | |
| 334 | 12001-29-5 | ✓ | Chrysotile | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 335 | 59865-13-3 | ✓ | Ciclosporin | | n.o.s. | I-1, N-1, CP65 | |
| 336 | 79217-60-0 | ✓ | Ciclosporin | | n.o.s. | I-1, CP65 | |
| 337 | 59865-13-3 | ✓ | Ciclosporine | | n.o.s. | I-1, N-1, CP65 | |
| 338 | 113852-37-2 | | Cidofovir | | n.o.s. | CP65 | |
| 339 | 87-29-6 | | Cinnamyl Anthranilate | | n.o.s. | CP65 | |
| 340 | 15663-27-1 | ? | Cisplatin | | n.o.s. | I-2A, N-2, CP65 | |
| 341 | 6358-53-8 | ? | Citrus Red No.2 | | n.o.s. | I-2B, CP65 | |
| 342 | 637-07-0 | | Clofibrate | | n.o.s. | CP65 | |
| 343 | 0-57-0 | ✓ | Coal Gasification | I | n.o.s. | I-1 | |
| 344 | 65996-93-2 | ✓ | Coal Tar Pitch Volatiles (as benzene solubles) | I | 0.2 mg/m ³ PEL | G-A1, I-1, N-1 | |
| 345 | 8007-45-2 | ✓ | Coal Tars | I | n.o.s. | I-1, N-1 | |
| 346 | 65996-89-6 | ✓ | Coal Tars & Extracts, and high-temp. coal tars | I | n.o.s. | I-1, N-1 | |
| 347 | 0-56-0 | ✓ | Coal-tar Distillation | I | n.o.s. | I-1 | |
| 348 | 7440-48-4 | | Cobalt metal powder | I | 0.02 mg/m ³ TLV | CP65 | |
| 349 | 0-12-0 | ? | Cobalt metal with tungsten carbide | I | 0.02 mg/m ³ TLV | G-A3, I-2A | |
| 350 | 71-48-7 | ? | Cobalt (II) Acetate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 351 | 6147-53-1 | ? | Cobalt (II) Acetate Tetrahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 352 | 7785-24-2 | ✓ | Cobalt (II) Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 353 | 7789-43-7 | ? | Cobalt (II) Bromide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 354 | 513-79-1 | ? | Cobalt (II) Carbonate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 355 | 12069-68-0 | ? | Cobalt (II) Carbonate Hydroxide (1:1) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 356 | 12602-23-2 | ? | Cobalt (II) Carbonate Hydroxide (2:3) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 357 | 51839-24-8 | ? | Cobalt (II) Carbonate Hydroxide (2:3) Monohydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 358 | 7646-79-9 | ? | Cobalt (II) Chloride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 359 | 7791-13-1 | ? | Cobalt (II) Chloride Hexahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 360 | 13455-25-9 | ? | Cobalt (II) Chromate (III) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|------------|------------------|---|------------------|---|----------------------------|------------------|
| 361 | 542-84-7 | ? | Cobalt (II) Cyanide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 362 | 10026-17-2 | ? | Cobalt (II) Fluoride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 363 | 544-18-3 | ? | Cobalt (II) Formate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 364 | 21041-93-0 | ? | Cobalt (II) Hydroxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 365 | 15238-00-3 | ? | Cobalt (II) Iodide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 366 | 13762-14-6 | ? | Cobalt (II) Molybdenum (VI) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 367 | 61789-51-3 | ? | Cobalt (II) Naphthenate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 368 | 10141-05-6 | ? | Cobalt (II) Nitrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 369 | 10026-22-9 | ? | Cobalt (II) Nitrate Hexahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 370 | 814-89-1 | ? | Cobalt (II) Oxalate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 371 | 1307-96-6 | ? | Cobalt (II) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 372 | 13455-36-2 | ? | Cobalt (II) Phosphate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 373 | 13596-22-0 | ? | Cobalt (II) Potassium Sulfate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 374 | 10124-43-3 | ? | Cobalt (II) Sulfate | I | 0.02 mg/m ³ TLV | G-A3, I-2B, N-2, CP65 | |
| 375 | 1317-42-6 | ? | Cobalt (II) Sulfide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 376 | 3017-60-5 | ? | Cobalt (II) Thiocyanate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 377 | 1308-06-1 | ? | Cobalt (II, III) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 378 | 917-69-1 | ? | Cobalt (III) Acetate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 379 | 10026-18-3 | ? | Cobalt (III) Fluoride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 380 | 1307-86-4 | ? | Cobalt (III) Hydroxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 381 | 1308-04-9 | ? | Cobalt (III) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 382 | 12016-80-7 | ? | Cobalt (III) Oxide Monohydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 383 | 13782-01-9 | ? | Cobalt (III) Potassium Nitrite | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 384 | 10210-68-1 | ? | Cobalt Carbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 385 | 11114-92-4 | ✓ | Cobalt Chromium Alloy, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 386 | 16842-03-8 | ? | Cobalt Hydrocarbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 387 | 1307-96-6 | ? | Cobalt Monoxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 388 | 10026-24-1 | ? | Cobalt Sulfate Heptahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 389 | 0-06-0 | ? | Coffee (urinary bladder only) | G | n.o.s. | I-2B | |
| 390 | 0-58-0 | ✓ | Coke Oven Emissions [1910.1029] {PAH} | IS | 150 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 391 | 12002-03-8 | ✓ | Copper (II) Acetoarsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 392 | 0-13-0 | ✓ | Copper (II) Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 393 | 13548-42-0 | ✓ | Copper Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 394 | 1308-09-4 | ✓ | Copper Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 395 | 18906-50-8 | ✓ | Copper Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 396 | 8001-58-9 | ✓ | Creosotes | IS | n.o.s. | I-2A, N-1, CP65 | |
| 397 | 8021-39-4 | ✓ | Creosotes (wood) | IS | n.o.s. | N-1, CP65 | |
| 398 | 120-71-8 | ? | <i>p</i> -Cresidine | | n.o.s. | I-2B, N-2, CP65 | |
| 399 | 14464-46-1 | ✓ | Cristobalite {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 400 | 12001-28-4 | ✓ | Crocidolite | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--------------------------------------|------------------|--|----------------------------|------------------|
| 401 | ? | Cupferron | | n.o.s. | N-2, CP65 | |
| 402 | ✓ | Cupric Acetoarsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 403 | ✓ | Cupric Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 404 | ✓ | Cupric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 405 | ? | Cycasin | | n.o.s. | I-2B, CP65 | |
| 406 | ? | Cyclopenta[cd]pyrene {PAH} | | 0.2 mg/m ³ PEL | I-2A | |
| 407 | ✓ | Cyclophosphamide (hydrated) | GJ | n.o.s. | I-1, N-1, CP65 | |
| 408 | ✓ | Cyclophosphamide (hydrated) | GJ | n.o.s. | I-1, CP65 | |
| 409 | ✓ | Cyclosporin | | n.o.s. | I-1, CP65 | |
| 410 | ✓ | Cyclosporin A | | n.o.s. | I-1, N-1, CP65 | |
| 411 | ✓ | Cyclosporine | | n.o.s. | I-1, CP65 | |
| 412 | | Cytembena | | n.o.s. | CP65 | |
| 413 | ? | 2,4-D | S | 10 mg/m ³ PEL | I-2B | |
| 414 | | D&C Orange No. 17 | | n.o.s. | CP65 | |
| 415 | | D&C Red No. 19 | | n.o.s. | CP65 | |
| 416 | | D&C Red No. 8 | | n.o.s. | CP65 | |
| 417 | | D&C Red No. 9 | | n.o.s. | CP65 | |
| 418 | ? | DAAB | | n.o.s. | N-2, CP65 | |
| 419 | ? | Dacarbazine | | n.o.s. | I-2B, N-2, CP65 | |
| 420 | | Daminozide | | n.o.s. | CP65 | |
| 421 | ? | Dantron | | n.o.s. | I-2B, N-2, CP65 | |
| 422 | ? | Daunomycin | | n.o.s. | I-2B, CP65 | |
| 423 | ✓ | DBCP [1910.1044] | IS | 1 ppb PEL | O, I-2B, N-2, CP65 | |
| 424 | ? | DBP | | n.o.s. | I-2B, N-2, CP65 | |
| 425 | | DDD | | n.o.s. | CP65 | |
| 426 | | DDE | | n.o.s. | CP65 | |
| 427 | ? | DDT | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 428 | ? | <i>p,p'</i> -DDT | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 429 | ? | DDVP | S | 0.1 mg/m ³ TLV {Sensitizer} | I-2B, CP65 | |
| 430 | ? | Decabromobiphenyl {PBBs} | | n.o.s. | N-2, CP65 | |
| 431 | ? | DEHP | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 432 | ? | DEN | | n.o.s. | I-2A, N-2, CP65 | |
| 433 | ✓ | DES | G | n.o.s. | I-1, N-1, CP65 | |
| 434 | ? | DGRE | | n.o.s. | I-2B, N-2, CP65 | |
| 435 | ? | N,N'-Diacetylbenzidine | | n.o.s. | I-2B, CP65 | |
| 436 | ? | 2,4-Diaminoanisole | | n.o.s. | I-2B, CP65 | |
| 437 | ? | 2,4-Diaminoanisole Sulfate | | n.o.s. | N-2, CP65 | |
| 438 | ? | 4,4'-Diaminodiphenyl Ether | | n.o.s. | I-2B, N-2, CP65 | |
| 439 | | Diaminotoluene (mixed) | | n.o.s. | CP65 | |
| 440 | ? | 2,4-Diaminotoluene | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 441 | ? | o-Dianisidine Based Dyes | | n.o.s. | I-2B, N-2, CP65 | |
| 442 | ? | o-Dianisidine Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 443 | ? | Diazoaminobenzene | | n.o.s. | N-2, CP65 | |
| 444 | ? | Diazomethane | | 0.2 ppm PEL {0.34 mg/m ³ } | G-A2 | |
| 445 | ? | Dibenz[<i>a,h</i>]acridine {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 446 | ? | Dibenz[<i>a,h</i>]anthracene {PAH} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 447 | ? | Dibenz[<i>a,j</i>]acridine {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 448 | ? | Dibenzo[<i>a,e</i>]pyrene {PAH} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 449 | ? | Dibenzo[<i>a,h</i>]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 450 | ? | Dibenzo[<i>a,i</i>]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 451 | ? | Dibenzo[<i>a,l</i>]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 452 | ? | 7H-Dibenzo[<i>c,g</i>]carbazole {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 453 | ? | 2,3-Dibromo-1-propanol | | n.o.s. | I-2B, N-2, CP65 | |
| 454 | ✓ | 1,2-Dibromo-3-chloropropane [1910.1044] | IS | 1 ppb PEL | O, I-2B, N-2, CP65 | |
| 455 | ? | 1,2-Dibromoethane | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 456 | ? | 2,3-Dibromopropan-1-ol | | n.o.s. | I-2B, N-2, CP65 | |
| 457 | ? | tris(2,3-Dibromopropyl) Phosphate | | n.o.s. | I-2A, N-2, CP65 | |
| 458 | ? | 1,4-Dichloro-2-butene | S | 5 ppb TLV {25 µg/m ³ } | G-A2, CP65 | |
| 459 | ? | 3,3'-Dichloro-4,4'-diaminodiphenyl Ether | | n.o.s. | I-2B, CP65 | |
| 460 | ? | Dichloroacetic Acid | S | 0.5 ppm TLV | G-A3, I-2B, CP65 | |
| 461 | ? | 1,4-Dichlorobenzene | IA | 10 ppm TLV {60 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 462 | ? | p-Dichlorobenzene | IA | 10 ppm TLV {60 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 463 | ✓ | 3,3'-Dichlorobenzidine | IS | [1910.1003] | O, G-A3, I-2B, N-2, CP65 | |
| 464 | ? | 3,3'-Dichlorobenzidine Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 465 | ✓ | 2,2'-Dichlorodiethylsulfide | IA | n.o.s. | I-1, N-1, CP65 | |
| 466 | | Dichlorodiphenyldichloroethane | | n.o.s. | CP65 | |
| 467 | | Dichlorodiphenyldichloroethylene | | n.o.s. | CP65 | |
| 468 | ? | Dichlorodiphenyltrichloroethane | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 469 | | 1,1-Dichloroethane | | 100 ppm PEL {400 mg/m ³ } | CP65 | |
| 470 | ? | 1,2-Dichloroethane | | 10 ppm TLV {40.5 mg/m ³ } | I-2B, N-2, CP65 | |
| 471 | | Dichloroethyl Ether | S | 5 ppm TLV {29 mg/m ³ } | CP65 | |
| 472 | ✓ | Dichloromethane [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 473 | ✓ | Dichloromethane-d ₂ {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 474 | ? | (2,4-Dichlorophenoxy) Acetic Acid | S | 10 mg/m ³ PEL | I-2B | |
| 475 | ? | 2,4-Dichlorophenyl-p-nitrophenyl Ether | | n.o.s. | I-2B, N-2, CP65 | |
| 476 | | 1,2-Dichloropropane | | 10 ppm TLV {46 mg/m ³ ; Sensitizer} | CP65 | |
| 477 | ? | 1,3-Dichloropropene (technical grade) | S | 1 ppm TLV {4.5 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 478 | ? | Dichlorvos | S | 0.1 mg/m ³ TLV {Sensitizer} | I-2B, CP65 | |
| 479 | ? | Dicobalt Octacarbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 480 | | Dieldrin | S | 0.25 mg/m ³ PEL | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|---|----------------------------|------------------|
| 481 | | 84-17-3 Dienestrol | | n.o.s. | CP65 | |
| 482 | | 1464-53-5 ? Diepoxybutane | | n.o.s. | I-2B, N-2, CP65 | |
| 483 | | 0-47-0 ? Diesel Engine Exhaust | I | n.o.s. | I-2A, N-2, CP65 | |
| 484 | | 68476-30-2 ? Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 485 | | 68476-31-3 ? Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 486 | | 77650-28-3 ? Diesel Fuel, Marine | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 487 | | 68476-34-6 ? Diesel Fuel #2 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 488 | | 68334-30-5 ? Diesel Fuel #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 489 | | 77650-28-3 ? Diesel Fuel #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 490 | | 95-06-7 ? N, N-Diethyldithiocarbamic Acid 2-Chloroallyl Ester | | n.o.s. | I-2B, N-2, CP65 | |
| 491 | | 1615-80-1 ? 1,2-Diethylhydrazine | | n.o.s. | I-2B, CP65 | |
| 492 | | 55-18-5 ? Diethylnitrosamine | | n.o.s. | I-2A, N-2, CP65 | |
| 493 | | 56-53-1 ✓ Diethylstilbestrol | G | n.o.s. | I-1, N-1, CP65 | |
| 494 | | 64-67-5 ? Diethylsulfate | | n.o.s. | I-2A, N-2, CP65 | |
| 495 | | 101-90-6 ? Diglycidyl Resorcinol Ether | | n.o.s. | I-2B, N-2, CP65 | |
| 496 | | 94-58-6 ? Dihydrosafrole | | n.o.s. | I-2B, CP65 | |
| 497 | | 117-10-2 ? 1,8-Dihydroxyanthraquinone | | n.o.s. | I-2B, N-2, CP65 | |
| 498 | | 2973-10-6 ? Diisopropylsulfate | | n.o.s. | I-2B, CP65 | |
| 499 | | 119-90-4 ? 3,3'-Dimethoxybenzidine | | n.o.s. | I-2B, N-2, CP65 | |
| 500 | | 20325-40-0 ? 3,3'-Dimethoxybenzidine Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 501 | | 90-94-8 ? 4,4'-(Dimethylamino) Benzophenone | | n.o.s. | N-2, CP65 | |
| 502 | | 90-94-8 ? bis(Dimethylamino) Benzophenone | | n.o.s. | N-2, CP65 | |
| 503 | | 25962-77-0 ? trans-2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole | | n.o.s. | I-2B | |
| 504 | | 55738-54-0 trans-2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole | | n.o.s. | CP65 | |
| 505 | | 60-11-7 ✓ 4-Dimethylaminoazobenzene | S | [1910.1003] | O, I-2B, N-2, CP65 | |
| 506 | | 60-11-7 ✓ p-Dimethylaminoazobenzene | S | [1910.1003] | O, I-2B, N-2, CP65 | |
| 507 | | 87-62-7 ? 2,6-Dimethylaniline | | n.o.s. | I-2B, CP65 | |
| 508 | | 57-97-6 7,12-Dimethylbenz(a)anthracene | | n.o.s. | CP65 | |
| 509 | | 119-93-7 ? 3,3'-Dimethylbenzidine | S | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 510 | | 612-82-8 3,3'-Dimethylbenzidine Dihydrochloride | | n.o.s. | CP65 | |
| 511 | | 79-44-7 ? Dimethylcarbonyl Chloride | IS | 5 ppb TLV | G-A2, I-2A, N-2, CP65 | |
| 512 | | 57-14-7 ? 1,1-Dimethylhydrazine | IS | 0.01 ppm TLV {0.025 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 513 | | 540-73-8 ? 1,2-Dimethylhydrazine | | n.o.s. | I-2A, CP65 | |
| 514 | | 62-75-9 ✓ N,N-Dimethylnitrosoamine | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 515 | | 77-78-1 ? Dimethylsulfate | S | 0.1 ppm TLV {0.5 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 516 | | 513-37-1 ? Dimethylvinyl Chloride | | n.o.s. | I-2B, N-2, CP65 | |
| 517 | | 105735-71-5 ? 3,7-Dinitrofluoranthene | | n.o.s. | I-2B, CP65 | |
| 518 | | 22506-53-2 ? 3,9-Dinitrofluoranthene | | n.o.s. | I-2B, CP65 | |
| 519 | | 42397-64-8 ? 1,6-Dinitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 520 | | 42397-65-9 ? 1,8-Dinitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 521 | 121-14-2 | ? 2,4-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | I-2B, CP65 | |
| 522 | 0-15-0 | 2,4-/2,6-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | CP65 | |
| 523 | 606-20-2 | ? 2,6-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | I-2B, CP65 | |
| 524 | 123-91-1 | ? 1,4-Dioxane | IS | 20 ppm TLV {72 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 525 | 17647-74-4 | ? 1,4-Dioxane-d ₈ | IS | 20 ppm TLV {72 mg/m ³ } | G-A3, I-2B, N-2 | |
| 526 | 57-41-0 | ? Diphenylhydantoin | n.o.s. | | I-2B, N-2, CP65 | |
| 527 | 630-93-3 | Diphenylhydantoin | n.o.s. | | CP65 | |
| 528 | 122-66-7 | ? 1,2-Diphenylhydrazine | n.o.s. | | N-2, CP65 | |
| 529 | 1937-37-7 | ✓ Direct Black 38 (technical grade) | n.o.s. | | I-2A, N-1, CP65 | |
| 530 | 1937-37-7 | ✓ Direct Black GX | n.o.s. | | I-2A, N-1, CP65 | |
| 531 | 2602-46-2 | ✓ Direct Blue 6 (technical grade) | n.o.s. | | I-2A, N-1, CP65 | |
| 532 | 16071-86-6 | ? Direct Brown 95 (technical grade) | n.o.s. | | I-2A, CP65 | |
| 533 | 7778-43-0 | ✓ Disodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 534 | 10048-95-0 | ✓ Disodium Arsenate Heptahydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 535 | 10048-95-0 | ✓ Disodium Hydrogen Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 536 | 2475-45-8 | ? Disperse Blue 1 | I | n.o.s. | I-2B, N-2, CP65 | |
| 537 | 330-54-1 | Diuron | | 10 mg/m ³ TLV | CP65 | |
| 538 | 62-75-9 | ✓ DMN | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 539 | 8012-54-2 | ✓ Donovan's Solution, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 540 | 23214-92-8 | ? Doxorubicin Hydrochloride | n.o.s. | | I-2A, N-2, CP65 | |
| 541 | 25316-40-9 | ? Doxorubicin Hydrochloride | n.o.s. | | I-2A, N-2, CP65 | |
| 542 | 0-92-0 | ? Dry Cleaning (occ. exposure in) | n.o.s. | | I-2B | |
| 543 | 119-90-4 | ? Dyes that metabolize to 3,3'-Dimethylbenzidine | n.o.s. | | N-2 | |
| 544 | 119-93-7 | ? Dyes that metabolize to 3,3'-Dimethylbenzidine | S | n.o.s. | N-2 | |
| 545 | 0-28-0 | ✓ Dyes that metabolize to benzidine | IS | n.o.s. | N-1 | |
| 546 | 106-93-4 | ? EDB | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 547 | 0-48-0 | ? Engine Exhaust, Gasoline (condensates/extracts) | I | n.o.s. | I-2B, CP65 | |
| 548 | 759-73-9 | ? ENU | n.o.s. | | I-2A, N-2, CP65 | |
| 549 | 106-89-8 | ? Epichlorohydrin | IS | 0.5 ppm TLV {1.9 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 550 | 106-88-7 | ? 1,2-Epoxybutane | n.o.s. | | I-2B | |
| 551 | 75-56-9 | ? 1,2-Epoxypropane | | 2 ppm TLV {4.8 mg/m ³ ; Sensitizer} | G-A3, I-2B, N-2, CP65 | |
| 552 | 96-09-3 | ? Epoxystyrene | n.o.s. | | I-2A, N-2, CP65 | |
| 553 | 12510-42-8 | ✓ Erionite | I | n.o.s. | I-1, N-1, CP65 | |
| 554 | 66733-21-9 | ✓ Erionite | I | n.o.s. | I-1, N-1, CP65 | |
| 555 | 50-28-2 | ✓ Estradiol-17B | SG | n.o.s. | I-1, N-2, CP65 | |
| 556 | 140-67-0 | Estragole | n.o.s. | | CP65 | |
| 557 | 0-32-0 | ✓ Estrogen, Nonsteroidal | SG | n.o.s. | I-1 | |
| 558 | 0-33-0 | ✓ Estrogen, Steroidal | SG | n.o.s. | I-1, N-1, CP65 | |
| 559 | 0-37-0 | ✓ Estrogen Therapy, Postmenopausal | n.o.s. | | I-1 | |
| 560 | 0-36-0 | ✓ Estrogen-Progestogen Menopausal Therapy (combined) | n.o.s. | | I-1 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|---|----------------------------|------------------|
| 561 | 0-38-0 | ✓ Estrogen-progestogen oral contraceptives (combined) | G | n.o.s. | I-1, CP65 | |
| 562 | 0-31-0 | Estrogens, Conjugated (Indirect) | SG | n.o.s. | CP65 | |
| 563 | 53-16-7 | ✓ Estrone | SG | n.o.s. | I-1, N-2, CP65 | |
| 564 | 7280-37-7 | ✓ Estropipate | | n.o.s. | N-1, CP65 | |
| 565 | 0-01-0 | ✓ Ethanol in alcoholic beverages | G | n.o.s. | I-1, N-1, CP65 | |
| 566 | 57-63-6 | ✓ Ethinylestradiol | SG | n.o.s. | I-1, N-2, CP65 | |
| 567 | 13194-48-4 | Ethoprop | | n.o.s. | CP65 | |
| 568 | 140-88-5 | ? Ethyl Acrylate | IS | 5 ppm TLV {20 mg/m ³ } | I-2B, CP65 | |
| 569 | 0-01-0 | ✓ Ethyl Alcohol (in alcoholic beverages) | G | n.o.s. | I-1, N-1, CP65 | |
| 570 | 74-96-4 | Ethyl Bromide | S | 5 ppm TLV {23 mg/m ³ } | G-A3, CP65 | |
| 571 | 51-79-6 | ? Ethyl Carbamate | | n.o.s. | I-2A, N-2, CP65 | |
| 572 | 75-00-3 | Ethyl Chloride | S | 100 ppm TLV {264 mg/m ³ } | G-A3, CP65 | |
| 573 | 62-50-0 | ? Ethyl Methanesulfonate | | n.o.s. | I-2B, N-2, CP65 | |
| 574 | 510-15-6 | Ethyl-4,4'-dichlorobenzilate | | n.o.s. | CP65 | |
| 575 | 100-41-4 | ? Ethylbenzene | | 100 ppm PEL {435 mg/m ³ } | G-A3, I-2B, CP65 | |
| 576 | 106-93-4 | ? Ethylene Dibromide | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 577 | 107-06-2 | ? Ethylene Dichloride | | 10 ppm TLV {40.5 mg/m ³ } | I-2B, N-2, CP65 | |
| 578 | 75-21-8 | ✓ Ethylene Oxide [1910.1047] | I | 1 ppm PEL {1.8 mg/m ³ } | O, G-A2, I-1, N-1, CP65 | |
| 579 | 96-45-7 | ? Ethylene Thiourea | | n.o.s. | N-2, CP65 | |
| 580 | 151-56-4 | ✓ Ethyleneimine | IS | [1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ } | O, G-A3, I-2B, CP65 | |
| 581 | 117-81-7 | ? bis(2-Ethylhexyl) Phthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 582 | 117-81-7 | ? di(2-Ethylhexyl) Phthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 583 | 759-73-9 | ? N-Ethyl-N-nitrosoarea | | n.o.s. | I-2A, N-2, CP65 | |
| 584 | 33419-42-0 | ✓ Etoposide | | n.o.s. | I-1 | |
| 585 | 72490-01-8 | Fenoxycarb | | n.o.s. | CP65 | |
| 586 | 10294-52-7 | ✓ Ferric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 587 | 59536-65-1 | ? Firemaster BP-6 {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 588 | 67774-32-7 | ? Firemaster FF-1 {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 589 | 133-07-3 | Folpet | | n.o.s. | CP65 | |
| 590 | 50-00-0 | ✓ Formaldehyde [1910.1048] | IA | C 0.3 ppm TLV {C 0.37 mg/m ³ ; Sensitizer} | O, G-A2, I-1, N-2, CP65 | |
| 591 | 3570-75-0 | ? 2-(2-Formylhydrazino)-4-(5-nitro-2-furyl)thiazole | | n.o.s. | I-2B, CP65 | |
| 592 | 1327-53-3 | ✓ Fowler's Solution, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 593 | 68476-33-5 | ? Fuel Oil, Residual (Heavy) | IS | n.o.s. | I-2B, CP65 | |
| 594 | 68476-30-2 | ? Fuel Oil #2 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 595 | 68476-31-3 | ? Fuel Oil #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 596 | 116355-83-0 | ? Fumonisin B1 | | n.o.s. | I-2B, CP65 | |
| 597 | 110-00-9 | ? Furan | | n.o.s. | I-2B, N-2, CP65 | |
| 598 | 531-82-8 | ? Furathiazole | | n.o.s. | I-2B, CP65 | |
| 599 | 67-45-8 | Furazolidone | | n.o.s. | CP65 | |
| 600 | 60568-05-0 | Furmecyclox | | n.o.s. | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 601 | 0-93-0 | ✓ Furniture and Cabinet Making | I | n.o.s. | I-1 | |
| 602 | 3688-53-7 | ? 2-(2-Furyl)-3-(5-nitro-2-furyl)acrylamide | | n.o.s. | I-2B, CP65 | |
| 603 | 79748-81-5 | Fusarin C | | n.o.s. | CP65 | |
| 604 | 1303-00-0 | ✓ Gallium Arsenide | IG | 0.3 µg/m ³ TLV {Respirable} | O, G-A3, I-1, N-1, CP65 | |
| 605 | 0-73-0 | ✓ Gamma Radiation | | n.o.s. | I-1, N-1 | |
| 606 | 82410-32-0 | Ganciclovir Sodium | | n.o.s. | CP65 | |
| 607 | 8006-61-9 | ? Gasoline | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B | |
| 608 | 86290-81-5 | ? Gasoline | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B | |
| 609 | 0-49-0 | ? Gasoline, unleaded (wholly vaporized) | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B, CP65 | |
| 610 | 0-48-0 | ? Gasoline Engine Exhaust (condensates/extracts) | I | n.o.s. | I-2B, CP65 | |
| 611 | 25812-30-0 | Gemfibrozil | | n.o.s. | CP65 | |
| 612 | 0-43-0 | ? Glasswool (CP65: airborne particles of respirable size) | IS | 1 f/cc TLV (respirable fibers) | G-A3, I-2B, N-2, CP65 | |
| 613 | 67730-11-4 | ? Glu-P-1 | | n.o.s. | I-2B, CP65 | |
| 614 | 67730-10-3 | ? Glu-P-2 | | n.o.s. | I-2B, CP65 | |
| 615 | 765-34-4 | ? Glycidaldehyde | | n.o.s. | I-2B, CP65 | |
| 616 | 556-52-5 | ? Glycidol | ISG | 2 ppm TLV {6.1 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 617 | 126-07-8 | ? Griseofulvin | | n.o.s. | I-2B, CP65 | |
| 618 | 16568-02-8 | Gyromitrin | | n.o.s. | CP65 | |
| 619 | 0-94-0 | ? Hairdresser or Barber (occ. exposure as a) | | n.o.s. | I-2A | |
| 620 | 2784-94-3 | ? HC Blue No.1 | I | n.o.s. | I-2B, CP65 | |
| 621 | 0-84-0 | ✓ Hematite Mining (underground) with exposure to radon | | n.o.s. | I-1 | |
| 622 | 76-44-8 | ? Heptachlor | S | 0.05 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 623 | 1024-57-3 | ? Heptachlor Epoxide | S | 0.05 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 624 | 0-07-0 | ✓ Herbal Remedies (containing plant species of the genus Aristolochia) | | n.o.s. | I-1, CP65 | |
| 625 | 36355-01-8 | ? Hexabromobiphenyl {PBBs} | | n.o.s. | N-2 | |
| 626 | 67774-32-7 | ? Hexabromobiphenyl {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 627 | 118-74-1 | ? Hexachlorobenzene | S | 2 µg/m ³ TLV | G-A3, I-2B, N-2, CP65 | |
| 628 | 608-73-1 | ? Hexachlorocyclohexane | | n.o.s. | I-2B, N-2, CP65 | |
| 629 | 319-84-6 | ? <i>alpha</i> -Hexachlorocyclohexane | | n.o.s. | I-2B, N-2, CP65 | |
| 630 | 319-85-7 | ? <i>beta</i> -Hexachlorocyclohexane | | n.o.s. | I-2B, N-2, CP65 | |
| 631 | 58-89-9 | ? <i>gamma</i> -Hexachlorocyclohexane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 632 | 34465-46-8 | Hexachlorodibenzodioxin | | n.o.s. | CP65 | |
| 633 | 67-72-1 | ? Hexachloroethane | SG | 1 ppm PEL {9.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 634 | 0-16-0 | 2,4-Hexadienal (89% trans, trans isomer, 11% cis, trans isomer) | | n.o.s. | CP65 | |
| 635 | 680-31-9 | ? Hexamethylphosphoramide | IS | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 636 | 0-53-0 | ? High-temperature frying, emissions from | I | n.o.s. | I-2A | |
| 637 | 0-08-0 | ? Hot Mate | | n.o.s. | I-2A | |
| 638 | 0-55-0 | ✓ Household combustion of coal, indoor emissions from | I | n.o.s. | I-1 | |
| 639 | 0-54-0 | ? Household combustion of biomass fuel (primarily wood), indoor emissions from | I | n.o.s. | I-2A | |
| 640 | 302-01-2 | ? Hydrazine | S | 10 ppb TLV {13 µg/m ³ } | G-A3, I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|----------------------------|-----------------------------------|-------------------------|
| 641 | 10034-93-2 | ? | Hydrazine Sulfate | | n.o.s. | N-2, CP65 | |
| 642 | 122-66-7 | ? | Hydrazobenzene | | n.o.s. | N-2, CP65 | |
| 643 | 129-43-1 | ? | 1-Hydroxyanthraquinone | | n.o.s. | I-2B, CP65 | |
| 644 | 193-39-5 | ? | Indeno[1,2,3- <i>cd</i>]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 645 | 22398-80-7 | ? | Indium Phosphide | | 0.1 mg/m ³ TLV | I-2A, CP65 | |
| 646 | 7440-38-2 | ✓ | Inorganic Arsenic [1910.1018] - [see specific compound] | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 647 | 0-10-0 | ✓ | Involuntary Smoking (exposure to secondhand or 'environmental' tobacco smoke) | I | n.o.s. | I-1 | |
| 648 | 36734-19-7 | | Iprodione | | n.o.s. | CP65 | |
| 649 | 76180-96-6 | ? | IQ | | n.o.s. | I-2A, N-2, CP65 | |
| 650 | 10294-52-7 | ✓ | Iron (III) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 651 | 10294-53-8 | ✓ | Iron (III) Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 652 | 0-85-0 | ✓ | Iron and Steel Founding | I | n.o.s. | I-1 | |
| 653 | 9004-66-4 | ? | Iron Dextran Complex | | n.o.s. | I-2B, N-2, CP65 | |
| 654 | 542-56-3 | | Isobutyl Nitrite | | C 1 ppm TLV | G-A3, CP65 | |
| 655 | 78-79-5 | ? | Isopentadiene | | n.o.s. | I-2B, N-2, CP65 | |
| 656 | 78-79-5 | ? | Isoprene | | n.o.s. | I-2B, N-2, CP65 | |
| 657 | 0-66-0 | ✓ | Isopropyl Alcohol Manufacture (strong-acid process) | IS | n.o.s. | I-1, N-1 | |
| 658 | 141112-29-0 | | Isoxaflutole | | n.o.s. | CP65 | |
| 659 | 37317-41-2 | ? | Kanechlor [®] 500 {PCBs} | | n.o.s. | N-2, CP65 | |
| 660 | 143-50-0 | ? | Kepone [®] | | n.o.s. | I-2B, N-2, CP65 | |
| 661 | 77501-63-4 | | Lactofen | | n.o.s. | CP65 | |
| 662 | 303-34-4 | ? | Lasiocarpine | | n.o.s. | I-2B, CP65 | |
| 663 | 7439-92-1 | ? | Lead & Pb compounds, inorganic, as Pb - [see specific compound] | IG | 50 µg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 664 | 301-04-2 | ? | Lead Acetate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 665 | 13510-89-9 | ? | Lead Antimonate (V) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 666 | 3687-31-8 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 667 | 7645-25-2 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 668 | 7784-40-9 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 669 | 10102-48-4 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 670 | 10031-13-7 | ✓ | Lead Arsenite, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 671 | 13424-46-9 | ? | Lead Azide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 672 | 10214-39-8 | ? | Lead Borate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 673 | 34018-28-5 | ? | Lead Bromate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 674 | 10031-22-8 | ? | Lead Bromide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 675 | 819-73-8 | ? | Lead Butyrate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 676 | 10294-47-0 | ? | Lead Chlorate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 677 | 7758-95-4 | ? | Lead Chloride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 678 | 7758-97-6 | ✓ | Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A2, I-1, N-1, CP65 | |
| 679 | 8049-64-7 | ✓ | Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 680 | 18454-12-1 | ✓ | Lead Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|----------------------------|-----------------------------------|-------------------------|
| 681 | 1309-60-0 | ? | Lead Dioxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 682 | 7783-46-2 | ? | Lead Fluoride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 683 | 811-54-1 | ? | Lead Formate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 684 | 25808-74-6 | ? | Lead Hexafluorosilicate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 685 | 1311-11-1 | ? | Lead Hydroxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 686 | 10294-58-3 | ? | Lead Hypophosphite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 687 | 10101-63-0 | ? | Lead Iodide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 688 | 10190-55-3 | ? | Lead Molybdate (VI) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 689 | 1317-36-8 | ? | Lead Monoxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 690 | 10099-74-8 | ? | Lead Nitrate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 691 | 7446-27-7 | ? | Lead Phosphate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 692 | 7446-15-3 | ? | Lead Selenate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 693 | 7488-51-9 | ? | Lead Selenite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 694 | 1314-27-8 | ? | Lead Sesquioxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 695 | 10101-94-7 | ? | Lead Sodium Thiosulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 696 | 1335-32-6 | ? | Lead Subacetate | | n.o.s. | G-A3, I-2A, N-2, CP65 | |
| 697 | 7446-14-2 | ? | Lead Sulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 698 | 1314-87-0 | ? | Lead Sulfide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 699 | 1314-91-6 | ? | Lead Telluride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 700 | 7783-59-7 | ? | Lead Tetrafluoride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 701 | 1314-41-6 | ? | Lead Tetraoxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 702 | 592-87-0 | ? | Lead Thiocyanate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 703 | 7759-01-5 | ? | Lead Tungstate (VI) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 704 | 10099-79-3 | ? | Lead Vanadate (V) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 705 | 1319-48-8 | ? | Leadhillite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 706 | 58-89-9 | ? | Lindane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 707 | 0-17-0 | ✓ | Lithium Bichromate Dihydrate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 708 | 7789-01-7 | ✓ | Lithium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 709 | 14307-35-8 | ✓ | Lithium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 710 | 13843-81-7 | ✓ | Lithium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 711 | 13010-47-4 | ? | Lomustine | | n.o.s. | I-2A, N-2, CP65 | |
| 712 | 52-76-6 | | Lynestrenol | | n.o.s. | CP65 | |
| 713 | 0-86-0 | ✓ | Magenta (manufacture of) | I | n.o.s. | I-1 | |
| 714 | 10103-50-1 | ✓ | Magnesium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 715 | 13423-61-5 | ✓ | Magnesium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 716 | 0-79-0 | ? | Magnetic Fields (extremely low frequency) | | n.o.s. | I-2B | |
| 717 | 8018-01-7 | | Mancozeb | | n.o.s. | CP65 | |
| 718 | 12427-38-2 | | Maneb | | n.o.s. | CP65 | |
| 719 | 68334-30-5 | ? | Marine Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 720 | 77650-28-3 | ? | Marine Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 721 | 101-14-4 | ? MBOCA | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 722 | 101-77-9 | ✓ MDA [1910.1050] | S | 10 ppb PEL {0.081 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 723 | 68006-83-7 | ? MeA- <i>alpha</i> -C | n.o.s. | | I-2B, CP65 | |
| 724 | 13909-09-6 | ✓ MeCCNU | n.o.s. | | I-1, N-1, CP65 | |
| 725 | 51-75-2 | ? Mechlorethamine | n.o.s. | | I-2A, N-2, CP65 | |
| 726 | 55-86-7 | ? Mechlorethamine Hydrochloride | n.o.s. | | N-2, CP65 | |
| 727 | 71-58-9 | ? Medroxyprogesterone Acetate | n.o.s. | | I-2B, CP65 | |
| 728 | 77094-11-2 | ? MeIQ | n.o.s. | | I-2B, N-2, CP65 | |
| 729 | 77500-04-0 | ? MeIQx | n.o.s. | | I-2B, N-2, CP65 | |
| 730 | 148-82-3 | ✓ Melphalan | n.o.s. | | I-1, N-1, CP65 | |
| 731 | 13444-75-2 | ✓ Mercuric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 732 | 7789-10-8 | ✓ Mercuric Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 733 | 13444-75-2 | ✓ Mercury (II) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 734 | 7789-10-8 | ✓ Mercury (II) Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 735 | 531-76-0 | ? Merphalan | n.o.s. | | I-2B, CP65 | |
| 736 | 72-33-3 | ✓ Mestranol | SG | n.o.s. | I-1, N-2, CP65 | |
| 737 | 137-42-8 | Metham Sodium | n.o.s. | | CP65 | |
| 738 | 75-09-2 | ✓ Methane Dichloride [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 739 | 1665-00-5 | ✓ Methane-d ₂ Dichloride {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 740 | 298-81-7 | ✓ Methoxsalen | S | n.o.s. | I-1 | |
| 741 | 298-81-7 | ✓ Methoxsalen plus UV-A radiation | S | n.o.s. | I-1, N-1, CP65 | |
| 742 | 484-20-8 | ? 5-Methoxypsoralen | n.o.s. | | I-2A | |
| 743 | 484-20-8 | ? 5-Methoxypsoralen plus UV-A radiation | n.o.s. | | I-2A, CP65 | |
| 744 | 298-81-7 | ✓ 8-Methoxypsoralen plus UV-A radiation | S | n.o.s. | I-1, N-1, CP65 | |
| 745 | 598-55-0 | Methyl Carbamate | n.o.s. | | CP65 | |
| 746 | 74-88-4 | Methyl Iodide | S | 2 ppm TLV {11.6 mg/m ³ } | CP65 | |
| 747 | 66-27-3 | ? Methyl Methanesulfonate | n.o.s. | | I-2A, N-2, CP65 | |
| 748 | 78-79-5 | ? 2-Methyl-1,3-butadiene | n.o.s. | | I-2B, N-2, CP65 | |
| 749 | 129-15-7 | ? 2-Methyl-1-nitroanthraquinone | n.o.s. | | I-2B, CP65 | |
| 750 | 75-55-8 | ? 2-Methylaziridine | S | 2 ppm PEL {4.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 751 | 590-96-5 | Methylazoxymethanol | n.o.s. | | CP65 | |
| 752 | 592-62-1 | ? Methylazoxymethanol Acetate | n.o.s. | | I-2B, CP65 | |
| 753 | 51-75-2 | ? N-Methyl- <i>bis</i> (2-chloroethyl) Amine | n.o.s. | | I-2A, N-2, CP65 | |
| 754 | 13909-09-6 | ✓ Methyl-CCNU | n.o.s. | | I-1, N-1, CP65 | |
| 755 | 107-30-2 | ✓ Methylchloro Methyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 756 | 56-49-5 | 3-Methylcholanthrene | n.o.s. | | CP65 | |
| 757 | 3697-24-3 | ? 5-Methylchrysene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 758 | 101-14-4 | ? 4,4'-Methylene <i>bis</i> (2-Chloroaniline) | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 759 | 838-88-0 | ? 4,4'-Methylene <i>bis</i> (2-Methylaniline) | n.o.s. | | I-2B, CP65 | |
| 760 | 101-61-1 | ? 4,4'-Methylene <i>bis</i> (N,N-dimethyl) Benzenamine | n.o.s. | | N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|---|----------------------------|------------------|
| 761 | ✓ | Methylene Chloride [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 762 | ✓ | Methylene-d ₂ Chloride {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 763 | ✓ | 4,4'-Methylenedianiline [1910.1050] | S | 10 ppb PEL {0.081 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 764 | ? | 4,4'-Methylenedianiline Dihydrochloride | n.o.s. | | N-2, CP65 | |
| 765 | ? | Methyleugenol | n.o.s. | | N-2, CP65 | |
| 766 | ? | Methylhydrazine (and its salts) | S | 0.01 ppm TLV {19 µg/m ³ } | G-A3, CP65 | |
| 767 | ? | Methylhydrazine Sulfate | n.o.s. | | CP65 | |
| 768 | ? | Methylhydrazine Sulfate | n.o.s. | | CP65 | |
| 769 | ? | Methylmercury Chloride | n.o.s. | | I-2B, CP65 | |
| 770 | ? | Methylmercury compounds | n.o.s. | 0.01 mg/m ³ PEL | I-2B, CP65 | |
| 771 | ? | Methylmercury Dicyandiamide | n.o.s. | | I-2B, CP65 | |
| 772 | ? | N-Methyl-N'-nitro-N-nitrosoguanidine | n.o.s. | | I-2A, N-2, CP65 | |
| 773 | ? | N-Methyl-N-nitrosoourea | n.o.s. | | I-2A, N-2, CP65 | |
| 774 | ? | N-Methyl-N-nitrosoourethane | n.o.s. | | I-2B, CP65 | |
| 775 | ? | Methyl- <i>o</i> -anisidine | n.o.s. | | I-2B, N-2, CP65 | |
| 776 | ? | N-Methylolacrylamide | n.o.s. | | CP65 | |
| 777 | ? | Methylthiouracil | n.o.s. | | I-2B, CP65 | |
| 778 | ? | Metiram | n.o.s. | | CP65 | |
| 779 | ? | Metronidazole | n.o.s. | | I-2B, N-2, CP65 | |
| 780 | ? | MGK Repellant 326 | n.o.s. | | CP65 | |
| 781 | ? | Michler's Base | n.o.s. | | N-2, CP65 | |
| 782 | ? | Michler's Ketone | n.o.s. | | N-2, CP65 | |
| 783 | ? | Microcystin-LR | n.o.s. | | I-2B | |
| 784 | ✓ | Mineral Oil (untreated/poorly and mildly refined/treated) | ISG | 0.2 mg/m ³ TLV (inhalable particulate) | G-A2, I-1, N-1, CP65 | 2001 |
| 785 | ? | Mirex | n.o.s. | | I-2B, N-2, CP65 | |
| 786 | ? | Mitomycin C | n.o.s. | | I-2B, CP65 | |
| 787 | ? | Mitoxantrone | n.o.s. | | I-2B | |
| 788 | ? | MNNG | n.o.s. | | I-2A, N-2, CP65 | |
| 789 | ? | MOCA [®] | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 790 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 791 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 792 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 793 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 794 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 795 | ✓ | Monochlorodimethyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 796 | ? | Monocrotaline | n.o.s. | | I-2B, CP65 | |
| 797 | ✓ | MOPP and other combined chemotherapy including alkylating agents | n.o.s. | | I-1 | |
| 798 | ? | 5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone | n.o.s. | | CP65 | |
| 799 | ? | 5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone | n.o.s. | | I-2B | |
| 800 | ✓ | Mustard Gas | IA | n.o.s. | I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|--|-------------------------|--|-----------------------------------|-------------------------|
| 801 | 77439-76-0 | ? | MX | | n.o.s. | I-2B, CP65 | |
| 802 | 55-98-1 | ✓ | Myleran [®] | G | n.o.s. | I-1, N-1, CP65 | |
| 803 | 3771-19-5 | ? | Nafenopin | | n.o.s. | I-2B, CP65 | |
| 804 | 389-08-2 | | Nalidixic Acid | | n.o.s. | CP65 | |
| 805 | 91-20-3 | ? | Naphthalene | IS | 10 ppm PEL {50 mg/m ³ } | I-2B, N-2, CP65 | |
| 806 | 134-32-7 | ✓ | 1-Naphthylamine | | [1910.1003] | O, CP65 | |
| 807 | 91-59-8 | ✓ | 2-Naphthylamine | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 808 | 134-32-7 | ✓ | alpha-Naphthylamine | | [1910.1003] | O, CP65 | |
| 809 | 91-59-8 | ✓ | beta-Naphthylamine | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 810 | 55-18-5 | ? | NDEA | | n.o.s. | I-2A, N-2, CP65 | |
| 811 | 16565-95-0 | ✓ | Neodymium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 812 | 16569-87-2 | ✓ | Neodymium Chromate Heptahydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 813 | 0-74-0 | ✓ | Neutrons | | n.o.s. | I-1, N-1 | |
| 814 | 7440-02-0 | ✓ | Nickel metal powder & Ni alloys/compounds, as Ni - [see specific compound] | I | 1 mg/m ³ PEL {inhalable fraction} | I-2B, N-1, CP65 | |
| 815 | 13478-00-7 | ✓ | Nickel (II) Nitrate Hexahydrate, as Ni [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 816 | 373-02-4 | ✓ | Nickel Acetate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 817 | 3264-82-2 | ✓ | Nickel Acetylacetonate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 818 | 13462-88-9 | ✓ | Nickel Bromide [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 819 | 3333-39-3 | ✓ | Nickel Carbonate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 820 | 3333-67-3 | ✓ | Nickel Carbonate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 821 | 12607-70-4 | ✓ | Nickel Carbonate Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 822 | 13463-39-3 | ✓ | Nickel Carbonyl | I | 1 ppb PEL {7 µg/m ³ } | I-1, N-1, CP65 | |
| 823 | 7718-54-9 | ✓ | Nickel Chloride [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 824 | 557-19-7 | ✓ | Nickel Cyanide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 825 | 13478-93-8 | ✓ | Nickel Dimethylglyoxime | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 826 | 10028-18-9 | ✓ | Nickel Fluoride [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 827 | 3349-06-2 | ✓ | Nickel Formate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 828 | 11113-74-9 | ✓ | Nickel Hydroxide | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 829 | 12054-48-7 | ✓ | Nickel Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 830 | 12125-56-3 | ✓ | Nickel Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 831 | 13462-90-3 | ✓ | Nickel Iodide [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 832 | 1313-99-1 | ✓ | Nickel Monoxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 833 | 13138-45-9 | ✓ | Nickel Nitrate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 834 | 547-67-1 | ✓ | Nickel Oxalate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 835 | 1313-99-1 | ✓ | Nickel Oxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 836 | 13520-61-1 | ✓ | Nickel Perchlorate Hexahydrate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 837 | 10381-36-9 | ✓ | Nickel Phosphate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 838 | 0-87-0 | | Nickel Refinery Dust (from the pyrometallurgical process) | | 1.5 mg/m ³ TLV {inhalable fraction} | CP65 | |
| 839 | 1314-06-3 | ✓ | Nickel Sesquioxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 840 | 12035-72-2 | ✓ | Nickel Sub sulfide | I | 0.1 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|------------|------------------|--|------------------|---------------------------------------|----------------------------|------------------|
| 841 | 13770-89-3 | ✓ | Nickel Sulfamate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 842 | 7786-81-4 | ✓ | Nickel Sulfate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 843 | 37227-61-5 | ✓ | Nickel-Beryllium Alloy, as Ni fume or dust [also see Be] | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 844 | 1271-28-9 | ✓ | Nickelocene | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 845 | 61-57-4 | ? | Niridazole | | n.o.s. | I-2B, CP65 | |
| 846 | 1929-82-4 | | Nitrapyrin | | 10 mg/m ³ TLV | CP65 | |
| 847 | 0-19-0 | ? | Nitrate or nitrite (ingested) under conditions that result in endogenous nitrosation | I | n.o.s. | I-2A | |
| 848 | 139-13-9 | ? | Nitrilotriacetic Acid (and its salts) | I | n.o.s. | I-2B, N-2, CP65 | |
| 849 | 10042-84-9 | ? | Nitrilotriacetic Acid, Sodium Salt (unspecified) | I | n.o.s. | I-2B, N-2, CP65 | |
| 850 | 15467-20-6 | ? | Nitrilotriacetic Acid, Disodium Salt | I | n.o.s. | I-2B, N-2, CP65 | |
| 851 | 23255-03-0 | ? | Nitrilotriacetic Acid, Disodium Salt, Hydrate | I | n.o.s. | I-2B, N-2, CP65 | |
| 852 | 18994-66-6 | ? | Nitrilotriacetic Acid, Monosodium Salt | I | n.o.s. | I-2B, N-2, CP65 | |
| 853 | 5064-31-3 | ? | Nitrilotriacetic Acid, Trisodium Salt | I | n.o.s. | I-2B, N-2, CP65 | |
| 854 | 18662-53-8 | ? | Nitrilotriacetic Acid, Trisodium Salt, Hydrate | I | n.o.s. | I-2B, N-2, CP65 | |
| 855 | 531-82-8 | ? | N-[4-(5-Nitro-2-furyl)-2-thiazolyl]acetamide | | n.o.s. | I-2B, CP65 | |
| 856 | 602-87-9 | ? | 5-Nitroacenaphthene | | n.o.s. | I-2B, CP65 | |
| 857 | 91-23-6 | ? | 2-Nitroanisole | | n.o.s. | I-2B, N-2, CP65 | |
| 858 | 91-23-6 | ? | <i>o</i> -Nitroanisole | | n.o.s. | I-2B, N-2, CP65 | |
| 859 | 98-95-3 | ? | Nitrobenzene | S | 1 ppm PEL {5 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 860 | 92-93-3 | ✓ | 4-Nitrobiphenyl | S | [1910.1003] | O, G-A2, CP65 | |
| 861 | 100-00-5 | | <i>p</i> -Nitrochlorobenzene | S | 1 mg/m ³ PEL {0.1 ppm TLV} | G-A3, CP65 | |
| 862 | 7496-02-8 | ? | 6-Nitrochrysene | I | n.o.s. | I-2B, N-2, CP65 | |
| 863 | 92-93-3 | ✓ | 4-Nitrodiphenyl | S | [1910.1003] | O, G-A2, CP65 | |
| 864 | 1836-75-5 | ? | Nitrofen (technical grade) | | n.o.s. | I-2B, N-2, CP65 | |
| 865 | 607-57-8 | ? | 2-Nitrofluorene | I | n.o.s. | I-2B, CP65 | |
| 866 | 59-87-0 | | Nitrofurazone | | n.o.s. | CP65 | |
| 867 | 555-84-0 | ? | 1-[(5-Nitrofurfurylidene)amino]-2-imidazolidinone | | n.o.s. | I-2B, CP65 | |
| 868 | 51-75-2 | ? | Nitrogen Mustard | | n.o.s. | I-2A, N-2, CP65 | |
| 869 | 55-86-7 | ? | Nitrogen Mustard Hydrochloride | | n.o.s. | N-2, CP65 | |
| 870 | 126-85-2 | ? | Nitrogen Mustard N-oxide | | n.o.s. | I-2B, CP65 | |
| 871 | 302-70-5 | ? | Nitrogen Mustard N-oxide Hydrochloride | | n.o.s. | I-2B, CP65 | |
| 872 | 75-52-5 | ? | Nitromethane | | 20 ppm TLV {49.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 873 | 79-46-9 | ? | 2-Nitropropane | I | 10 ppm TLV {37 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 874 | 5522-43-0 | ? | 1-Nitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 875 | 57835-92-4 | ? | 4-Nitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 876 | 1116-54-7 | ? | N-Nitrosodiethanolamine | | n.o.s. | I-2B, N-2, CP65 | |
| 877 | 55-18-5 | ? | N-Nitrosodiethylamine | | n.o.s. | I-2A, N-2, CP65 | |
| 878 | 62-75-9 | ✓ | N-Nitrosodimethylamine | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 879 | 924-16-3 | ? | N-Nitrosodi- <i>n</i> -butylamine | | n.o.s. | I-2B, N-2, CP65 | |
| 880 | 621-64-7 | ? | N-Nitrosodi- <i>n</i> -propylamine | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|--|-------------------------|-------------------------------------|-----------------------------------|-------------------------|
| 881 | 86-30-6 | | N-Nitrosodiphenylamine | n.o.s. | | CP65 | |
| 882 | 156-10-5 | | <i>p</i> -Nitrosodiphenylamine | n.o.s. | | CP65 | |
| 883 | 64091-91-4 | ✓ | 4-(N-Nitrosomethylamino)-1-(3-pyridyl)-1-butanone | n.o.s. | | I-1, N-2, CP65 | |
| 884 | 60153-49-3 | ? | 3-(N-Nitrosomethylamino)propionitrile | n.o.s. | | I-2B, CP65 | |
| 885 | 10595-95-6 | ? | N-Nitrosomethylethylamine | n.o.s. | | I-2B, CP65 | |
| 886 | 4549-40-0 | ? | N-Nitrosomethylvinylamine | n.o.s. | | I-2B, N-2, CP65 | |
| 887 | 59-89-2 | ? | N-Nitrosomorpholine | n.o.s. | | I-2B, N-2, CP65 | |
| 888 | 38252-74-3 | ? | N-Nitroso- <i>n</i> -butyl-N-(3-carboxypropyl)amine | n.o.s. | | N-2 | |
| 889 | 3817-11-6 | ? | N-Nitroso- <i>n</i> -butyl-N-(4-hydroxybutyl)amine | n.o.s. | | N-2 | |
| 890 | 759-73-9 | ? | N-Nitroso-N-ethylurea | n.o.s. | | I-2A, N-2, CP65 | |
| 891 | 684-93-5 | ? | N-Nitroso-N-methylurea | n.o.s. | | I-2A, N-2, CP65 | |
| 892 | 615-53-2 | ? | N-Nitroso-N-methylurethane | n.o.s. | | I-2B, CP65 | |
| 893 | 16543-55-8 | ✓ | N'-Nitrosornicotine | n.o.s. | | I-1, N-2, CP65 | |
| 894 | 100-75-4 | ? | N-Nitrosopiperidine | n.o.s. | | I-2B, N-2, CP65 | |
| 895 | 930-55-2 | ? | N-Nitrosopyrrolidine | n.o.s. | | I-2B, N-2, CP65 | |
| 896 | 13256-22-9 | ? | N-Nitrososarcosine | n.o.s. | | I-2B, N-2, CP65 | |
| 897 | 88-72-2 | | <i>o</i> -Nitrotoluene | S | 2 ppm TLV {11.2 mg/m ³ } | CP65 | |
| 898 | 64091-91-4 | ✓ | NNK | n.o.s. | | I-1, N-2, CP65 | |
| 899 | 16543-55-8 | ✓ | NNN | n.o.s. | | I-1, N-2, CP65 | |
| 900 | 0-95-0 | ? | Non-Arsenical Insecticides (occ. exposures in spraying and application of) | I | n.o.s. | I-2A | |
| 901 | 68-22-4 | ? | Norethindrone | n.o.s. | | I-2B, N-2, CP65 | |
| 902 | 68-22-4 | ? | Norethisterone | n.o.s. | | I-2B, N-2, CP65 | |
| 903 | 68-23-5 | | Norethynodrel | n.o.s. | | CP65 | |
| 904 | 303-47-9 | ? | Ochratoxin A | G | n.o.s. | I-2B, N-2, CP65 | |
| 905 | 61288-13-9 | ? | Octabromobiphenyl {PBBs} | n.o.s. | | N-2, CP65 | |
| 906 | 117-81-7 | ? | <i>di</i> - <i>sec</i> -Octylphthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 907 | 0-34-0 | ✓ | Oestrogen (see Estrogen) | SG | n.o.s. | I-1 | |
| 908 | 2646-17-5 | ? | Oil Orange SS | n.o.s. | | I-2B, CP65 | |
| 909 | 0-38-0 | ✓ | Oral contraceptives, combined estrogen-progestogen | G | n.o.s. | I-1, CP65 | |
| 910 | 0-39-0 | ✓ | Oral contraceptives, sequential | n.o.s. | | I-1 | |
| 911 | 19666-30-9 | | Oxadiazon | n.o.s. | | CP65 | |
| 912 | 604-75-1 | ? | Oxazepam | n.o.s. | | I-2B, CP65 | |
| 913 | 101-80-4 | ? | 4,4'-Oxydianiline | n.o.s. | | I-2B, N-2, CP65 | |
| 914 | 434-07-1 | ? | Oxymetholone | n.o.s. | | N-2, CP65 | |
| 915 | 2439-01-2 | | Oxythioquinox | n.o.s. | | CP65 | |
| 916 | 3697-24-3 | ? | PAH {5-Methylchrysene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 917 | 194-59-2 | ? | PAH {7H-Dibenzo[<i>c,g</i>]carbazole} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 918 | 56-55-3 | ? | PAH {Benz[<i>a</i>]anthracene} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 919 | 202-33-5 | ? | PAH {Benz[<i>j</i>]aceanthrylene} | I | 0.2 mg/m ³ PEL | I-2B | |
| 920 | 50-32-8 | ✓ | PAH {Benzo[<i>a</i>]pyrene} | | 0.2 mg/m ³ PEL | G-A2, I-1, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|--|-----------------------------------|-------------------------|
| 921 | 205-99-2 | ? | PAH {Benzo[<i>b</i>]fluoranthene} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 922 | 195-19-7 | ? | PAH {Benzo[<i>c</i>]phenanthrene} | I | 0.2 mg/m ³ PEL | I-2B | |
| 923 | 205-82-3 | ? | PAH {Benzo[<i>j</i>]fluoranthene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 924 | 207-08-9 | ? | PAH {Benzo[<i>k</i>]fluoranthene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 925 | 27208-37-3 | ? | PAH {Cyclopenta[<i>cd</i>]pyrene} | I | 0.2 mg/m ³ PEL | I-2A | |
| 926 | 226-36-8 | ? | PAH {Dibenz[<i>a,h</i>]acridine} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 927 | 53-70-3 | ? | PAH {Dibenz[<i>a,h</i>]anthracene} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 928 | 224-42-0 | ? | PAH {Dibenz[<i>a,j</i>]acridine} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 929 | 192-65-4 | ? | PAH {Dibenzo[<i>a,e</i>]pyrene} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 930 | 189-64-0 | ? | PAH {Dibenzo[<i>a,h</i>]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 931 | 189-55-9 | ? | PAH {Dibenzo[<i>a,i</i>]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 932 | 191-30-0 | ? | PAH {Dibenzo[<i>a,l</i>]pyrene} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 933 | 193-39-5 | ? | PAH {Indeno[1,2,3- <i>cd</i>]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 934 | 0-50-0 | ? | PAH {Polycyclic Aromatic Hydrocarbon(s); see 15 specific chemicals} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 935 | 0-96-0 | ✓ | Painter (occ. exposure as a) | | n.o.s. | I-1 | |
| 936 | 12174-11-7 | ? | Palygorskite (long fibers, > 5 µm) | I | n.o.s. | I-2B, CP65 | |
| 937 | 794-93-4 | ? | Panfuran S (containing dihydroxymethylfuratrizine) | | n.o.s. | I-2B, CP65 | |
| 938 | 30525-89-4 | ✓ | Paraformaldehyde | IA | C 0.3 ppm TLV {C 0.37 mg/m ³ } | O, G-A2, I-2A, N-2 | |
| 939 | 65996-93-2 | ✓ | Particulate Polycyclic Aromatic Hydrocarbons [PPAH] | I | 0.2 mg/m ³ PEL | G-A1, I-1, N-1 | |
| 940 | 0-97-0 | ✓ | Paving and roofing with coal-tar pitch | IS | n.o.s. | I-1 | |
| 941 | 59536-65-1 | ? | PBBs {Polybrominated Biphenyls} | | n.o.s. | I-2B, N-2, CP65 | |
| 942 | 67774-32-7 | ? | PBBs {Polybrominated Biphenyls} | | n.o.s. | I-2B, N-2, CP65 | |
| 943 | 1336-36-3 | ? | PCBs {Polychlorinated Biphenyls} | | n.o.s. | I-2A, N-2, CP65 | |
| 944 | 87-86-5 | ? | Pentachlorophenol | S | 0.5 mg/m ³ PEL | G-A3, I-2B, CP65 | |
| 945 | 127-18-4 | ? | Perchloroethylene | | 25 ppm TLV {170 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 946 | 0-98-0 | ? | Petroleum Refining (occ. exposure in) | | n.o.s. | I-2A | |
| 947 | 122-60-1 | ? | PGE | S | 0.1 ppm TLV {0.6 mg/m ³ ; Sensitizer} | G-A3, I-2B, CP65 | |
| 948 | 62-44-2 | ? | Phenacetin | | n.o.s. | I-2A, N-2, CP65 | |
| 949 | 0-41-0 | ✓ | Phenacetin, analgesic mixtures containing | | n.o.s. | I-1, N-1, CP65 | |
| 950 | 94-78-0 | ? | Phenazopyridine | | n.o.s. | N-2, CP65 | |
| 951 | 136-40-3 | ? | Phenazopyridine Hydrochloride | | n.o.s. | I-2B, N-2, CP65 | |
| 952 | 3546-10-9 | | Phenesterin | | n.o.s. | CP65 | |
| 953 | 50-06-6 | ? | Phenobarbital | | n.o.s. | I-2B, CP65 | |
| 954 | 77-09-8 | ? | Phenolphthalein | | n.o.s. | I-2B, N-2, CP65 | |
| 955 | 59-96-1 | | Phenoxybenzamine | | n.o.s. | CP65 | |
| 956 | 63-92-3 | ? | Phenoxybenzamine Hydrochloride | | n.o.s. | I-2B, N-2, CP65 | |
| 957 | 122-60-1 | ? | Phenyl Glycidyl Ether | S | 0.1 ppm TLV {0.6 mg/m ³ ; Sensitizer} | G-A3, I-2B, CP65 | |
| 958 | 95-54-5 | | <i>o</i> -Phenylenediamine (and its salts) | | 0.1 mg/m ³ TLV | G-A3, CP65 | |
| 959 | 100-42-5 | ? | Phenylethylene | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 960 | 100-63-0 | | Phenylhydrazine (and its salts) | S | 0.1 ppm TLV {0.44 mg/m ³ } | G-A3, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|------|--------------|-------------------------|--|-------------------------|---|-----------------------------------|-------------------------|
| 961 | 132-27-4 | ? | <i>o</i> -Phenylphenate, Sodium | | n.o.s. | I-2B, CP65 | |
| 962 | 90-43-7 | | <i>o</i> -Phenylphenol | | n.o.s. | CP65 | |
| 963 | 57-41-0 | ? | Phenytoin | | n.o.s. | I-2B, N-2, CP65 | |
| 964 | 630-93-3 | | Phenytoin (sodium salt) | | n.o.s. | CP65 | |
| 965 | 105650-23-5 | ? | PhIP | | n.o.s. | I-2B, N-2, CP65 | |
| 966 | 7723-14-0 | ✓ | Phosphorus (as ³² P, as phosphate) | | n.o.s. | I-1 | |
| 967 | 7280-37-7 | ✓ | Piperazine Estrone Sulfate | | n.o.s. | N-1, CP65 | |
| 968 | 7440-07-5 | ✓ | Plutonium (as ²³⁹ Pu, and its decay products [may contain other isotopes], as aerosols) | | n.o.s. | I-1 | |
| 969 | 59536-65-1 | ? | Polybrominated Biphenyls {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 970 | 67774-32-7 | ? | Polybrominated Biphenyls {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 971 | 1336-36-3 | ? | Polychlorinated Biphenyls (containing 60 or more percent chlorine by molecular weight) | | n.o.s. | CP65 | |
| 972 | 1336-36-3 | ? | Polychlorinated Biphenyls {PCBs} | | n.o.s. | I-2A, N-2, CP65 | |
| 973 | 8001-35-2 | ? | Polychlorinated Camphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 974 | 0-26-0 | | Polychlorinated Dibenzofurans | | n.o.s. | CP65 | |
| 975 | 0-25-0 | | Polychlorinated Dibenzo- <i>p</i> -dioxins | | n.o.s. | CP65 | |
| 976 | 0-24-0 | ? | Polychlorophenols (and their sodium salts) (mixed exposure) | | n.o.s. | I-2B | |
| 977 | 0-50-0 | ? | Polycyclic Aromatic Hydrocarbon(s) {PAH; see 15 specific chemicals} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 978 | 53973-98-1 | | Polygeenan | | n.o.s. | CP65 | |
| 979 | 3564-09-8 | ? | Ponceau 3R | | n.o.s. | I-2B, CP65 | |
| 980 | 3761-53-3 | ? | Ponceau MX | | n.o.s. | I-2B, CP65 | |
| 981 | 7784-41-0 | ✓ | Potassium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 982 | 13464-35-2 | ✓ | Potassium Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 983 | 7758-01-2 | ? | Potassium Bromate | | n.o.s. | I-2B, CP65 | |
| 984 | 7789-00-6 | ✓ | Potassium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 985 | 7778-50-9 | ✓ | Potassium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 986 | 125-33-7 | | Primidone | | n.o.s. | CP65 | |
| 987 | 0-99-0 | ? | Printing Processes (occ. exposure in) | | n.o.s. | I-2B | |
| 988 | 671-16-9 | ? | Procarbazine | | n.o.s. | I-2A, N-2, CP65 | |
| 989 | 366-70-1 | ? | Procarbazine Hydrochloride | | n.o.s. | I-2A, N-2, CP65 | |
| 990 | 32809-16-8 | | Procymidone | | n.o.s. | CP65 | |
| 991 | 57-83-0 | ? | Progesterone (Indirect) | | n.o.s. | N-2, CP65 | |
| 992 | 0-35-0 | ? | Progestins | | n.o.s. | I-2B | |
| 993 | 0-40-0 | ? | Progestogen-only Contraceptives | | n.o.s. | I-2B | |
| 994 | 23950-58-5 | | Pronamide | | n.o.s. | CP65 | |
| 995 | 1918-16-7 | | Propachlor | | n.o.s. | CP65 | |
| 996 | 1120-71-4 | ? | 1,3-Propane Sultone | | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 997 | 2312-35-8 | | Propargite | | n.o.s. | CP65 | |
| 998 | 57-57-8 | ✓ | <i>beta</i> -Propiolactone | S | [1910.1003] {0.5 ppm TLV, 1.5 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 999 | 114-26-1 | | Propoxur | | 0.5 mg/m ³ TLV | G-A3, CP65 | |
| 1000 | 136-45-8 | | <i>di-n</i> -Propyl Isocinchomerate | | n.o.s. | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|------|------------|------------------|---|------------------|---|----------------------------|------------------|
| 1001 | 78-87-5 | | Propylene Dichloride | | 10 ppm TLV {46 mg/m ³ ; Sensitizer} | CP65 | |
| 1002 | 57018-52-7 | | Propylene Glycol Mono-t-Butyl Ether | | n.o.s. | CP65 | |
| 1003 | 75-56-9 | ? | Propylene Oxide | | 2 ppm TLV {4.8 mg/m ³ ; Sensitizer} | G-A3, I-2B, N-2, CP65 | |
| 1004 | 75-55-8 | ? | Propyleneimine | S | 2 ppm PEL {4.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 1005 | 51-52-5 | ? | Propylthiouracil | | n.o.s. | I-2B, N-2, CP65 | |
| 1006 | 110-86-1 | | Pyridine | | 1 ppm TLV | G-A3, CP65 | |
| 1007 | 14808-60-7 | ✓ | Quartz {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 1008 | 91-22-5 | | Quinoline (and its strong acid salts) | | n.o.s. | CP65 | |
| 1009 | 0-75-0 | ✓ | Radioiodines (short-lived isotopes including ¹³¹ I) | | n.o.s. | I-1 | |
| 1010 | 0-76-0 | ✓ | Radionuclides, <i>alpha</i> -particle-emitting (internally deposited) | | n.o.s. | I-1, CP65 | |
| 1011 | 0-77-0 | ✓ | Radionuclides, <i>beta</i> -particle-emitting (internally deposited) | | n.o.s. | I-1, CP65 | |
| 1012 | 7440-14-4 | ✓ | Radium (as ²²⁴ Ra, and its decay products) | | n.o.s. | I-1 | |
| 1013 | 7440-14-4 | ✓ | Radium (as ²²⁶ Ra, and its decay products) | | n.o.s. | I-1 | |
| 1014 | 7440-14-4 | ✓ | Radium (as ²²⁸ Ra, and its decay products) | | n.o.s. | I-1 | |
| 1015 | 10043-92-2 | ✓ | Radon (as ²²² Rn, and its decay products) | IG | 0.2–0.7 pCi/L EPA {indoor < outdoor} | I-1, N-1 | |
| 1016 | 409-21-2 | ? | Refractory Ceramic Fiber | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 1017 | 50-55-5 | ? | Reserpine | | n.o.s. | N-2, CP65 | |
| 1018 | 68476-33-5 | ? | Residual (Heavy) Fuel Oil | IS | n.o.s. | I-2B, CP65 | |
| 1019 | 23246-96-0 | ? | Riddelliine | | n.o.s. | I-2B, CP65 | |
| 1020 | 0-44-0 | ? | Rockwool | I | 1 f/cc TLV (respirable fibers) | G-A3, I-2B | |
| 1021 | 569-61-9 | ? | <i>p</i> -Rosaniline | IS | n.o.s. | I-2B, N-2, CP65 | |
| 1022 | 1-00-0 | ✓ | Rubber Industry | | n.o.s. | I-1 | |
| 1023 | 13446-72-5 | ✓ | Rubidium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1024 | 13446-73-6 | ✓ | Rubidium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1025 | 94-59-7 | ? | Safrole | | n.o.s. | I-2B, N-2, CP65 | |
| 1026 | 599-79-1 | | Salicylazosulfapyridine | | n.o.s. | CP65 | |
| 1027 | 16565-96-1 | ✓ | Samarium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1028 | 58569-17-8 | ✓ | Samarium Chromate Dihydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1029 | 58477-24-0 | ✓ | Samarium Chromate Heptahydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1030 | 7446-34-6 | ? | Selenium Sulfide | | n.o.s. | N-2, CP65 | |
| 1031 | 13909-09-6 | ✓ | Semustine | | n.o.s. | I-1, N-1, CP65 | |
| 1032 | 68308-34-9 | ✓ | Shale Oils | | n.o.s. | I-1, CP65 | |
| 1033 | 14464-46-1 | ✓ | Silica (respirable) - Crystalline {Cristobalite} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 1034 | 14808-60-7 | ✓ | Silica (respirable) - Crystalline {Quartz} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 1035 | 1317-95-9 | ? | Silica (respirable) - Crystalline {Tripoli} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-2A, CP65 | |
| 1036 | 409-21-2 | ? | Silicon Carbide (fibrous forms, including whiskers) | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 1037 | 7631-86-9 | ✓ | Silicon Dioxide - [see specific crystalline silica form] | I | 0.05 - 0.1 mg/m ³ PEL | I-2A, N-1, CP65 | |
| 1038 | 7784-01-2 | ✓ | Silver Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1039 | 7784-02-3 | ✓ | Silver Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1040 | 0-45-0 | ? | Slagwool | I | 1 f/cc TLV (respirable fibers) | G-A3, I-2B | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|------|------------|------------------|---|------------------|--|----------------------------|------------------|
| 1041 | 7631-89-2 | ✓ | Sodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1042 | 15120-17-9 | ✓ | Sodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1043 | 7784-46-5 | ✓ | Sodium Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1044 | 7775-11-3 | ✓ | Sodium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1045 | 10588-01-9 | ✓ | Sodium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1046 | 12018-32-5 | ✓ | Sodium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1047 | 16680-47-0 | ✓ | Sodium Equilin Sulfate | | n.o.s. | N-1 | |
| 1048 | 438-67-5 | ✓ | Sodium Estrone Sulfate | | n.o.s. | N-1 | |
| 1049 | 132-27-4 | ? | Sodium <i>o</i> -Phenylphenate | | n.o.s. | I-2B, CP65 | |
| 1050 | 0-67-0 | ✓ | Solar Radiation, as UV radiation | S | n.o.s. | I-1, N-1 | |
| 1051 | 0-52-0 | ✓ | Soot extracts (containing PAHs) | ISG | n.o.s. | N-1, CP65 | |
| 1052 | 0-59-0 | ✓ | Soots {PAH} | ISG | n.o.s. | I-1, N-1, CP65 | |
| 1053 | 0-46-0 | ? | Special-purpose fibers (such as E-glass and '475' glass fibers) | | 1 f/cc TLV | G-A3, I-2B | |
| 1054 | 52-01-7 | | Spirolactone | | n.o.s. | CP65 | |
| 1055 | 38455-77-5 | ✓ | Stannic Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1056 | 10418-03-8 | | Stanozolol | | n.o.s. | CP65 | |
| 1057 | 10048-13-2 | ? | Sterigmatocystin | | n.o.s. | I-2B, CP65 | |
| 1058 | 18883-66-4 | ? | Streptozocin | | n.o.s. | I-2B, N-2, CP65 | |
| 1059 | 18883-66-4 | ? | Streptozotocin | | n.o.s. | I-2B, N-2, CP65 | |
| 1060 | 0-65-0 | ✓ | Strong Inorganic Acid Mists Containing Sulfuric Acid (occ. exposure to) | IS | 0.2 mg/m ³ TLV (thoracic fraction) | G-A2, I-1, N-1, CP65 | |
| 1061 | 7789-06-2 | ✓ | Strontium Chromate, as Cr ⁶⁺ | I | 0.5 µg/m ³ TLV | O, G-A2, I-1, N-1, CP65 | |
| 1062 | 54322-60-0 | ✓ | Strontium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1063 | 96-09-3 | ? | Styrene Epoxide | | n.o.s. | I-2A, N-2, CP65 | |
| 1064 | 96-09-3 | ? | Styrene Oxide | | n.o.s. | I-2A, N-2, CP65 | |
| 1065 | 100-42-5 | ? | Styrene, Monomer | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 1066 | 96-09-3 | ? | Styrene-7,8-oxide | | n.o.s. | I-2A, N-2, CP65 | |
| 1067 | 95-06-7 | ? | Sulfallate | | n.o.s. | I-2B, N-2, CP65 | |
| 1068 | 505-60-2 | ✓ | Sulfur Mustard | IA | n.o.s. | I-1, N-1, CP65 | |
| 1069 | 0-65-0 | ✓ | Sulfuric Acid Mist (occ. exposure to strong inorganic acid mists) | IS | 0.2 mg/m ³ TLV (thoracic fraction) | G-A2, I-1, N-1, CP65 | |
| 1070 | 0-72-0 | ✓ | Sunlamps and sunbeds, use of [as UV radiation] | S | n.o.s. | I-2A, N-1 | |
| 1071 | 0-42-0 | ? | Synthetic Vitreous Fibers (see glasswool, rockwool, slagwool) | IS | 1 f/cc TLV (respirable fibers) | I-2B, N-2 | |
| 1072 | 93-76-5 | ? | 2,4,5-T | S | 10 mg/m ³ PEL | I-2B | |
| 1073 | 0-20-0 | ✓ | Talc (containing asbestiform fibers) | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1, CP65 | |
| 1074 | 0-21-0 | ? | Talc-based body powder (perineal use of) | | n.o.s. | I-2B | |
| 1075 | 10540-29-1 | ✓ | Tamoxifen (and its salts) | | n.o.s. | I-1, N-1, CP65 | |
| 1076 | 0-60-0 | ✓ | Tars | I | n.o.s. | N-1, CP65 | |
| 1077 | 1746-01-6 | ✓ | TCDD | S | n.o.s. | I-1, N-1, CP65 | |
| 1078 | 584-84-9 | ? | TDI | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 1079 | 29767-20-2 | ? | Teniposide | | n.o.s. | I-2A | |
| 1080 | 2593-15-9 | | Terrazole | | n.o.s. | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|------|--------------|-------------------------|--|-------------------------|--|-----------------------------------|-------------------------|
| 1081 | 58-22-0 | | Testosterone (and its esters) | | n.o.s. | CP65 | |
| 1082 | 2475-45-8 | ? | 1,4,5,8-Tetraamino-9,10-anthracenedione | I | n.o.s. | I-2B, N-2, CP65 | |
| 1083 | 1746-01-6 | ✓ | 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin | S | n.o.s. | I-1, N-1, CP65 | |
| 1084 | 79-34-5 | | 1,1,2,2-Tetrachloroethane | S | 1 ppm TLV {6.9 mg/m ³ } | G-A3, CP65 | |
| 1085 | 127-18-4 | ? | Tetrachloroethylene | | 25 ppm TLV {170 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 1086 | 56-23-5 | ? | Tetrachloromethane | IS | 5 ppm TLV {31.5 mg/m ³ } | G-A2, I-2B, N-2, CP65 | |
| 1087 | 5216-25-1 | | <i>p-a,a,a</i> -Tetrachlorotoluene | | n.o.s. | CP65 | |
| 1088 | 17786-31-1 | ? | Tetracobalt Dodecacarbonyl, as Co | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 1089 | 116-14-3 | ? | Tetrafluoroethylene | | 2 ppm TLV | G-A3, I-2B, N-2, CP65 | |
| 1090 | 509-14-8 | ? | Tetranitromethane | I | 5 ppb TLV {0.04 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 1091 | 1-01-0 | ? | Textile Manufacturing Industry (work in) | | n.o.s. | I-2B | |
| 1092 | 13473-75-1 | ✓ | Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1093 | 15190-21-3 | ✓ | Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1094 | 22534-09-4 | ✓ | Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1095 | 13453-35-5 | ✓ | Thallium Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1096 | 62-55-5 | ? | Thioacetamide | | n.o.s. | I-2B, N-2, CP65 | |
| 1097 | 139-65-1 | ? | 4,4'-Thiodianiline | | n.o.s. | I-2B, N-2, CP65 | |
| 1098 | 59669-26-0 | | Thiodicarb | | n.o.s. | CP65 | |
| 1099 | 52-24-4 | ✓ | Thiotepa | | n.o.s. | I-1, N-1, CP65 | |
| 1100 | 141-90-2 | ? | Thiouracil | | n.o.s. | I-2B, CP65 | |
| 1101 | 62-56-6 | ? | Thiourea | | n.o.s. | N-2, CP65 | |
| 1102 | 7440-29-1 | ✓ | Thorium (as ²³² Th, and its decay products, administered intravenously) | J | n.o.s. | I-1 | |
| 1103 | 1314-20-1 | ✓ | Thorium Dioxide - [see Thorium] | J | n.o.s. | N-1, CP65 | |
| 1104 | 38455-77-5 | ✓ | Tin (IV) Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1105 | 13463-67-7 | ? | Titanium Dioxide | | 10 mg/m ³ TLV | I-2B | |
| 1106 | 0-09-0 | ✓ | Tobacco Smoking and Tobacco Smoke | I | n.o.s. | I-1, N-1, CP65 | |
| 1107 | 0-11-0 | ✓ | Tobacco, Smokeless (CP65: oral use of smokeless products) | S | n.o.s. | I-1, N-1, CP65 | |
| 1108 | 119-93-7 | ? | <i>o</i> -Tolidine | S | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 1109 | 26471-62-5 | ? | Toluene Diisocyanate | | n.o.s. {Sensitizer} | I-2B, N-2, CP65 | |
| 1110 | 95-80-7 | ? | Toluene-2,4-diamine | | n.o.s. | I-2B, N-2, CP65 | |
| 1111 | 584-84-9 | ? | Toluene-2,4-diisocyanate | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 1112 | 91-08-7 | ? | Toluene-2,6-diisocyanate | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 1113 | 95-53-4 | ? | <i>o</i> -Toluidine | S | 2 ppm TLV {8.8 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 1114 | 636-21-5 | ? | <i>o</i> -Toluidine Hydrochloride | | n.o.s. | N-2, CP65 | |
| 1115 | 8001-35-2 | ? | Toxaphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 1116 | 14567-73-8 | ✓ | Tremolite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 1117 | 299-75-2 | ✓ | Treosulfan | | n.o.s. | I-1, CP65 | |
| 1118 | 299-75-2 | ✓ | Treosulphan | | n.o.s. | I-1, CP65 | |
| 1119 | 817-09-4 | ? | Trichlormethine | | n.o.s. | I-2B, CP65 | |
| 1120 | 50-29-3 | ? | 1,1,1-Trichloro-2,2- <i>bis</i> (<i>p</i> -chlorophenyl)ethane | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 1121 | | 1,1,2-Trichloroethane | S | 10 ppm PEL {55 mg/m ³ } | G-A3, CP65 | |
| 1122 | ? | Trichloroethylene | | 10 ppm TLV | G-A2, I-2A, N-2, CP65 | |
| 1123 | ? | Trichloromethane | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 1124 | ? | 2,4,5-Trichlorophenol | S | n.o.s. | I-2B | |
| 1125 | ? | 2,4,6-Trichlorophenol | S | n.o.s. | I-2B, N-2, CP65 | |
| 1126 | ? | (2,4,5-Trichlorophenoxy) Acetic Acid | S | 10 mg/m ³ PEL | I-2B | |
| 1127 | ? | 1,2,3-Trichloropropane | S | 10 ppm TLV {60.3 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 1128 | | Trimethyl Phosphate | | n.o.s. | CP65 | |
| 1129 | | 2,4,5-Trimethylaniline (and its strong acid salts) | | n.o.s. | CP65 | |
| 1130 | | 2,4,5-Trimethylaniline Hydrochloride | | n.o.s. | CP65 | |
| 1131 | ? | Trimustine Hydrochloride | | n.o.s. | I-2B, CP65 | |
| 1132 | | Triphenyltin Hydroxide | | n.o.s. | CP65 | |
| 1133 | ? | Tripoli {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-2A, CP65 | |
| 1134 | ✓ | Trisodium Arsenate Heptahydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1135 | ? | Trp-P-1 | | n.o.s. | I-2B, CP65 | |
| 1136 | ? | Trp-P-2 | | n.o.s. | I-2B, CP65 | |
| 1137 | ? | Trypan Blue (commercial grade) | | n.o.s. | I-2B, CP65 | |
| 1138 | ? | Tryptophan-P-1 | | n.o.s. | I-2B, CP65 | |
| 1139 | ? | Tryptophan-P-2 | | n.o.s. | I-2B, CP65 | |
| 1140 | | UDMH | IS | 0.01 ppm TLV {0.025 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 1141 | ✓ | Ultraviolet Radiation – Broad Spectrum | S | n.o.s. | N-1 | |
| 1142 | ? | Ultraviolet–A Radiation {UV–A @ 315–400 nm} | S | n.o.s. | I-2A, N-2 | |
| 1143 | ? | Ultraviolet–B Radiation {UV–B @ 280–315 nm} | S | n.o.s. | I-2A, N-2 | |
| 1144 | ? | Ultraviolet–C Radiation {UV–C @ 100–280 nm} | S | n.o.s. | I-2A, N-2 | |
| 1145 | ? | Unleaded Gasoline (wholly vaporized) | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B, CP65 | |
| 1146 | ? | Uracil Mustard | | n.o.s. | I-2B, CP65 | |
| 1147 | ✓ | Uranium, natural [soluble & insoluble compounds] | I | 0.05 mg/m ³ PEL (sol.); 0.25 mg/m ³ PEL (insol.) | G-A1 | |
| 1148 | ? | Urethane | | n.o.s. | I-2A, N-2, CP65 | |
| 1149 | ? | Vanadium Pentoxide (CP65: orthorhombic crystalline form) | I | 0.02 mg/m ³ TLV (inhalable fraction) | G-A3, I-2B, CP65 | 2007 |
| 1150 | | Vinclozolin | | n.o.s. | CP65 | |
| 1151 | ? | Vinyl Acetate | | 10 ppm TLV | G-A3, I-2B | |
| 1152 | ? | Vinyl Benzene | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 1153 | ? | Vinyl Bromide | | 0.5 ppm TLV {2.2 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 1154 | ✓ | Vinyl Chloride [1910.1017] | | 1 ppm PEL | O, G-A1, I-1, N-1, CP65 | |
| 1155 | ✓ | Vinyl Cyanide [1910.1045] | IS | 2 ppm PEL {4.3 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 1156 | ? | 4-Vinyl Cyclohexene | S | 0.1 ppm TLV {0.44 mg/m ³ } | G-A3, I-2B, CP65 | |
| 1157 | ? | Vinyl Cyclohexene Dioxide | IS | 0.1 ppm TLV {0.57 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 1158 | ? | Vinyl Fluoride | | 1 ppm TLV | G-A2, I-2A, N-2, CP65 | |
| 1159 | | Vinyl Trichloride | S | 10 ppm PEL {55 mg/m ³ } | G-A3, CP65 | |
| 1160 | ? | 4-Vinyl-1-cyclohexene Diepoxide | IS | 0.1 ppm TLV {0.57 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 Alphabetically-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|------|--------------|-------------------------|--|-------------------------|--|-----------------------------------|-------------------------|
| 1161 | 0-61-0 | ? | Welding Fumes | I | 5 mg/m ³ TLV | I-2B | |
| 1162 | 0-62-0 | ✓ | Wood Dust | I | 1.0 mg/m ³ TLV (inhalable fraction) | I-1, N-1 | |
| 1163 | 0-64-0 | ? | Wood Dust (birch, mahogany, teak, walnut) | I | 1.0 mg/m ³ TLV (inhalable fraction) | G-A2 | |
| 1164 | 0-63-0 | ✓ | Wood Dust (oak and beech) | I | 1.0 mg/m ³ TLV (inhalable fraction) | G-A1 | |
| 1165 | 0-78-0 | ✓ | X-Radiation | | n.o.s. | I-1, N-1 | |
| 1166 | 87-62-7 | ? | 2,6-Xylidine | | n.o.s. | I-2B, CP65 | |
| 1167 | 7481-89-2 | ? | Zalcitabine | | n.o.s. | I-2B | |
| 1168 | 30516-87-1 | ? | Zidovudine | | n.o.s. | I-2B | |
| 1169 | 111406-87-2 | | Zileuton | | n.o.s. | CP65 | |
| 1170 | 39413-47-3 | ✓ | Zinc Beryllium Silicate, as Be | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1171 | 1308-13-0 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1172 | 1328-67-2 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1173 | 13530-65-9 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1174 | 14675-41-3 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1175 | 37300-23-5 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1176 | 57486-12-1 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1177 | 12206-12-1 | ✓ | Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1178 | 15930-94-6 | ✓ | Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1179 | 66516-58-3 | ✓ | Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1180 | 11103-86-9 | ✓ | Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1181 | 12527-08-1 | ✓ | Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1182 | 37809-34-0 | ✓ | Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1183 | 1308-13-0 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1184 | 1328-67-2 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1185 | 13530-65-9 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1186 | 14675-41-3 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1187 | 37300-23-5 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1188 | 57486-12-1 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|-------------------------------------|----------------------------|------------------|
| 1 | 0-01-0 | ✓ Alcoholic Beverages (CP65: assoc. w/alcohol abuse) | G | n.o.s. | I-1, N-1, CP65 | |
| 2 | 0-01-0 | ✓ Ethanol in alcoholic beverages | G | n.o.s. | I-1, N-1, CP65 | |
| 3 | 0-01-0 | ✓ Ethyl Alcohol (in alcoholic beverages) | G | n.o.s. | I-1, N-1, CP65 | |
| 4 | 0-02-0 | ✓ Areca Nut | | n.o.s. | I-1, CP65 | |
| 5 | 0-03-0 | ? Aristolochic Acids (naturally occurring mixtures) | | n.o.s. | I-2A, CP65 | |
| 6 | 0-04-0 | ✓ Betel quid with or without tobacco | | n.o.s. | I-1, CP65 | |
| 7 | 0-05-0 | ? Bracken Fern | | n.o.s. | I-2B, CP65 | |
| 8 | 0-06-0 | ? Coffee (urinary bladder only) | G | n.o.s. | I-2B | |
| 9 | 0-07-0 | ✓ Herbal Remedies (containing plant species of the genus Aristolochia) | | n.o.s. | I-1, CP65 | |
| 10 | 0-08-0 | ? Hot Mate | | n.o.s. | I-2A | |
| 11 | 0-09-0 | ✓ Tobacco Smoking and Tobacco Smoke | I | n.o.s. | I-1, N-1, CP65 | |
| 12 | 0-10-0 | ✓ Involuntary Smoking (exposure to secondhand or 'environmental' tobacco smoke) | I | n.o.s. | I-1 | |
| 13 | 0-11-0 | ✓ Tobacco, Smokeless (CP65: oral use of smokeless products) | S | n.o.s. | I-1, N-1, CP65 | |
| 14 | 0-12-0 | ? Cobalt metal with tungsten carbide | I | 0.02 mg/m ³ TLV | G-A3, I-2A | |
| 15 | 0-13-0 | ✓ Copper (II) Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 16 | 0-14-0 | Diaminotoluene (mixed) | | n.o.s. | CP65 | |
| 17 | 0-15-0 | 2,4-/2,6-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | CP65 | |
| 18 | 0-16-0 | 2,4-Hexadienal (89% trans, trans isomer, 11% cis, trans isomer) | | n.o.s. | CP65 | |
| 19 | 0-17-0 | ✓ Lithium Bichromate Dihydrate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 20 | 0-18-0 | ? Methylmercury compounds | | 0.01 mg/m ³ PEL | I-2B, CP65 | |
| 21 | 0-19-0 | ? Nitrate or nitrite (ingested) under conditions that result in endogenous nitrosation | I | n.o.s. | I-2A | |
| 22 | 0-20-0 | ✓ Talc (containing asbestiform fibers) | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1, CP65 | |
| 23 | 0-21-0 | ? Talc-based body powder (perineal use of) | | n.o.s. | I-2B | |
| 24 | 0-22-0 | ? <i>alpha</i> -Chlorinated Toluenes and Benzoyl Chloride (combined exposures) | | n.o.s. | I-2A | |
| 25 | 0-23-0 | ? Chlorophenoxy Herbicides | S | 10 mg/m ³ PEL | I-2B | |
| 26 | 0-24-0 | ? Polychlorophenols (and their sodium salts) (mixed exposure) | | n.o.s. | I-2B | |
| 27 | 0-25-0 | Polychlorinated Dibenzo- <i>p</i> -dioxins | | n.o.s. | CP65 | |
| 28 | 0-26-0 | Polychlorinated Dibenzofurans | | n.o.s. | CP65 | |
| 29 | 0-27-0 | ? Benzidine-based Dyes | | n.o.s. | I-2A, CP65 | |
| 30 | 0-28-0 | ✓ Dyes that metabolize to benzidine | IS | n.o.s. | N-1 | |
| 31 | 0-29-0 | ✓ MOPP and other combined chemotherapy including alkylating agents | | n.o.s. | I-1 | |
| 32 | 0-30-0 | ? Androgenic (anabolic) steroids | | n.o.s. | I-2A | |
| 33 | 0-31-0 | Estrogens, Conjugated (Indirect) | SG | n.o.s. | CP65 | |
| 34 | 0-32-0 | ✓ Estrogen, Nonsteroidal | SG | n.o.s. | I-1 | |
| 35 | 0-33-0 | ✓ Estrogen, Steroidal | SG | n.o.s. | I-1, N-1, CP65 | |
| 36 | 0-34-0 | ✓ Oestrogen (see Estrogen) | SG | n.o.s. | I-1 | |
| 37 | 0-35-0 | ? Progestins | | n.o.s. | I-2B | |
| 38 | 0-36-0 | ✓ Estrogen-Progestogen Menopausal Therapy (combined) | | n.o.s. | I-1 | |
| 39 | 0-37-0 | ✓ Estrogen Therapy, Postmenopausal | | n.o.s. | I-1 | |
| 40 | 0-38-0 | ✓ Estrogen-progestogen oral contraceptives (combined) | G | n.o.s. | I-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 41 | 0-38-0 | ✓ Oral contraceptives, combined estrogen-progestogen | G | n.o.s. | I-1, CP65 | |
| 42 | 0-39-0 | ✓ Oral contraceptives, sequential | | n.o.s. | I-1 | |
| 43 | 0-40-0 | ? Progestogen-only Contraceptives | | n.o.s. | I-2B | |
| 44 | 0-41-0 | ✓ Analgesic mixtures containing phenacetin | | n.o.s. | I-1, N-1, CP65 | |
| 45 | 0-41-0 | ✓ Phenacetin, analgesic mixtures containing | | n.o.s. | I-1, N-1, CP65 | |
| 46 | 0-42-0 | ? Synthetic Vitreous Fibers (see glasswool, rockwool, slagwool) | IS | 1 f/cc TLV (respirable fibers) | I-2B, N-2 | |
| 47 | 0-43-0 | ? Glasswool (CP65: airborne particles of respirable size) | IS | 1 f/cc TLV (respirable fibers) | G-A3, I-2B, N-2, CP65 | |
| 48 | 0-44-0 | ? Rockwool | I | 1 f/cc TLV (respirable fibers) | G-A3, I-2B | |
| 49 | 0-45-0 | ? Slagwool | I | 1 f/cc TLV (respirable fibers) | G-A3, I-2B | |
| 50 | 0-46-0 | ? Special-purpose fibers (such as E-glass and '475' glass fibers) | | 1 f/cc TLV | G-A3, I-2B | |
| 51 | 0-47-0 | ? Diesel Engine Exhaust | I | n.o.s. | I-2A, N-2, CP65 | |
| 52 | 0-48-0 | ? Engine Exhaust, Gasoline (condensates/extracts) | I | n.o.s. | I-2B, CP65 | |
| 53 | 0-48-0 | ? Gasoline Engine Exhaust (condensates/extracts) | I | n.o.s. | I-2B, CP65 | |
| 54 | 0-49-0 | ? Gasoline, unleaded (wholly vaporized) | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B, CP65 | |
| 55 | 0-49-0 | ? Unleaded Gasoline (wholly vaporized) | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B, CP65 | |
| 56 | 0-50-0 | ? PAH {Polycyclic Aromatic Hydrocarbon(s); see 15 specific chemicals} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 57 | 0-50-0 | ? Polycyclic Aromatic Hydrocarbon(s) {PAH; see 15 specific chemicals} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 58 | 0-51-0 | ? Carbon Black extracts (benzene solvent) {PAH} | | n.o.s. | I-2B, CP65 | |
| 59 | 0-52-0 | ✓ Soot extracts (containing PAHs) | ISG | n.o.s. | N-1, CP65 | |
| 60 | 0-53-0 | ? High-temperature frying, emissions from | I | n.o.s. | I-2A | |
| 61 | 0-54-0 | ? Household combustion of biomass fuel (primarily wood), indoor emissions from | I | n.o.s. | I-2A | |
| 62 | 0-55-0 | ✓ Household combustion of coal, indoor emissions from | I | n.o.s. | I-1 | |
| 63 | 0-56-0 | ✓ Coal-tar Distillation | I | n.o.s. | I-1 | |
| 64 | 0-57-0 | ✓ Coal Gasification | I | n.o.s. | I-1 | |
| 65 | 0-58-0 | ✓ Coke Oven Emissions [1910.1029] {PAH} | IS | 150 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 66 | 0-59-0 | ✓ Soots {PAH} | ISG | n.o.s. | I-1, N-1, CP65 | |
| 67 | 0-60-0 | ✓ Tars | I | n.o.s. | N-1, CP65 | |
| 68 | 0-61-0 | ? Welding Fumes | I | 5 mg/m ³ TLV | I-2B | |
| 69 | 0-62-0 | ✓ Wood Dust | I | 1.0 mg/m ³ TLV (inhalable fraction) | I-1, N-1 | |
| 70 | 0-63-0 | ✓ Wood Dust (oak and beech) | I | 1.0 mg/m ³ TLV (inhalable fraction) | G-A1 | |
| 71 | 0-64-0 | ? Wood Dust (birch, mahogany, teak, walnut) | I | 1.0 mg/m ³ TLV (inhalable fraction) | G-A2 | |
| 72 | 0-65-0 | ✓ Strong Inorganic Acid Mists Containing Sulfuric Acid (occ. exposure to) | IS | 0.2 mg/m ³ TLV (thoracic fraction) | G-A2, I-1, N-1, CP65 | |
| 73 | 0-65-0 | ✓ Sulfuric Acid Mist (occ. exposure to strong inorganic acid mists) | IS | 0.2 mg/m ³ TLV (thoracic fraction) | G-A2, I-1, N-1, CP65 | |
| 74 | 0-66-0 | ✓ Isopropyl Alcohol Manufacture (strong-acid process) | IS | n.o.s. | I-1, N-1 | |
| 75 | 0-67-0 | ✓ Solar Radiation, as UV radiation | S | n.o.s. | I-1, N-1 | |
| 76 | 0-68-0 | ✓ Broad Spectrum Ultraviolet Radiation | S | n.o.s. | N-1 | |
| 77 | 0-68-0 | ✓ Ultraviolet Radiation – Broad Spectrum | S | n.o.s. | N-1 | |
| 78 | 0-69-0 | ? Ultraviolet–A Radiation {UV–A @ 315-400 nm} | S | n.o.s. | I-2A, N-2 | |
| 79 | 0-70-0 | ? Ultraviolet–B Radiation {UV–B @ 280-315 nm} | S | n.o.s. | I-2A, N-2 | |
| 80 | 0-71-0 | ? Ultraviolet–C Radiation {UV–C @ 100-280 nm} | S | n.o.s. | I-2A, N-2 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|---|----------------------------|------------------|
| 81 | 0-72-0 ✓ | Sunlamps and sunbeds, use of [as UV radiation] | S | n.o.s. | I-2A, N-1 | |
| 82 | 0-73-0 ✓ | Gamma Radiation | | n.o.s. | I-1, N-1 | |
| 83 | 0-74-0 ✓ | Neutrons | | n.o.s. | I-1, N-1 | |
| 84 | 0-75-0 ✓ | Radioiodines (short-lived isotopes including ¹³¹ I) | | n.o.s. | I-1 | |
| 85 | 0-76-0 ✓ | Radionuclides, <i>alpha</i> -particle-emitting (internally deposited) | | n.o.s. | I-1, CP65 | |
| 86 | 0-77-0 ✓ | Radionuclides, <i>beta</i> -particle-emitting (internally deposited) | | n.o.s. | I-1, CP65 | |
| 87 | 0-78-0 ✓ | X-Radiation | | n.o.s. | I-1, N-1 | |
| 88 | 0-79-0 ? | Magnetic Fields (extremely low frequency) | | n.o.s. | I-2B | |
| 89 | 0-80-0 ✓ | Aluminum Production | I | n.o.s. | I-1 | |
| 90 | 0-81-0 ✓ | Auramine (manufacture of) | | n.o.s. | I-1 | |
| 91 | 0-82-0 ? | Carbon electrode manufacture | I | n.o.s. | I-2A | |
| 92 | 0-83-0 ✓ | Chromite Ore Processing, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | G-A1 | |
| 93 | 0-84-0 ✓ | Hematite Mining (underground) with exposure to radon | | n.o.s. | I-1 | |
| 94 | 0-85-0 ✓ | Iron and Steel Founding | I | n.o.s. | I-1 | |
| 95 | 0-86-0 ✓ | Magenta (manufacture of) | I | n.o.s. | I-1 | |
| 96 | 0-87-0 | Nickel Refinery Dust (from the pyrometallurgical process) | | 1.5 mg/m ³ TLV {inhalable fraction} | CP65 | |
| 97 | 0-88-0 ? | Art Glass, Glass Containers, and Pressed Ware (manufacture of) | I | n.o.s. | I-2A | |
| 98 | 0-89-0 ✓ | Boot and Shoe Manufacture and Repair | | n.o.s. | I-1 | |
| 99 | 0-90-0 ? | Carpentry and Joinery | I | n.o.s. | I-2B | |
| 100 | 0-91-0 ✓ | Chimney Sweeping | IS | n.o.s. | I-1 | |
| 101 | 0-92-0 ? | Dry Cleaning (occ. exposure in) | | n.o.s. | I-2B | |
| 102 | 0-93-0 ✓ | Furniture and Cabinet Making | I | n.o.s. | I-1 | |
| 103 | 0-94-0 ? | Hairdresser or Barber (occ. exposure as a) | | n.o.s. | I-2A | |
| 104 | 0-95-0 ? | Non-Arsenical Insecticides (occ. exposures in spraying and application of) | I | n.o.s. | I-2A | |
| 105 | 0-96-0 ✓ | Painter (occ. exposure as a) | | n.o.s. | I-1 | |
| 106 | 0-97-0 ✓ | Paving and roofing with coal-tar pitch | IS | n.o.s. | I-1 | |
| 107 | 0-98-0 ? | Petroleum Refining (occ. exposure in) | | n.o.s. | I-2A | |
| 108 | 0-99-0 ? | Printing Processes (occ. exposure in) | | n.o.s. | I-2B | |
| 109 | 1-00-0 ✓ | Rubber Industry | | n.o.s. | I-1 | |
| 110 | 1-01-0 ? | Textile Manufacturing Industry (work in) | | n.o.s. | I-2B | |
| 111 | 50-00-0 ✓ | Formaldehyde [1910.1048] | IA | C 0.3 ppm TLV {C 0.37 mg/m ³ ; Sensitizer} | O, G-A2, I-1, N-2, CP65 | |
| 112 | 50-06-6 ? | Phenobarbital | | n.o.s. | I-2B, CP65 | |
| 113 | 50-07-7 ? | Mitomycin C | | n.o.s. | I-2B, CP65 | |
| 114 | 50-18-0 ✓ | Cyclophosphamide (hydrated) | GJ | n.o.s. | I-1, N-1, CP65 | |
| 115 | 50-28-2 ✓ | Estradiol-17B | SG | n.o.s. | I-1, N-2, CP65 | |
| 116 | 50-29-3 ? | DDT | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 117 | 50-29-3 ? | <i>p,p'</i> -DDT | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 118 | 50-29-3 ? | Dichlorodiphenyltrichloroethane | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 119 | 50-29-3 ? | 1,1,1-Trichloro-2,2-bis(<i>p</i> -chlorophenyl)ethane | IS | 1 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 120 | 50-32-8 ✓ | Benzo[<i>a</i>]pyrene {PAH} | | 0.2 mg/m ³ PEL | G-A2, I-1, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|---|----------------------------|------------------|
| 121 | ✓ | PAH {Benzo[<i>a</i>]pyrene} | | 0.2 mg/m ³ PEL | G-A2, I-1, N-2, CP65 | |
| 122 | ? | Reserpine | | n.o.s. | N-2, CP65 | |
| 123 | | Actinomycin D | | n.o.s. | CP65 | |
| 124 | ? | Propylthiouracil | | n.o.s. | I-2B, N-2, CP65 | |
| 125 | ? | Mechlorethamine | | n.o.s. | I-2A, N-2, CP65 | |
| 126 | ? | N-Methyl- <i>bis</i> (2-chloroethyl) Amine | | n.o.s. | I-2A, N-2, CP65 | |
| 127 | ? | Nitrogen Mustard | | n.o.s. | I-2A, N-2, CP65 | |
| 128 | ? | Carbamic Acid, Ethyl Ester | | n.o.s. | I-2A, N-2, CP65 | |
| 129 | ? | Ethyl Carbamate | | n.o.s. | I-2A, N-2, CP65 | |
| 130 | ? | Urethane | | n.o.s. | I-2A, N-2, CP65 | |
| 131 | | Spirolactone | | n.o.s. | CP65 | |
| 132 | ✓ | <i>tris</i> (1-Aziridiny)phosphine Sulfide | | n.o.s. | I-1, N-1, CP65 | |
| 133 | ✓ | Thiotepa | | n.o.s. | I-1, N-1, CP65 | |
| 134 | | Lynestrenol | | n.o.s. | CP65 | |
| 135 | ✓ | Estrone | SG | n.o.s. | I-1, N-2, CP65 | |
| 136 | ? | Dibenz[<i>a,h</i>]anthracene {PAH} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 137 | ? | PAH {Dibenz[<i>a,h</i>]anthracene} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 138 | ✓ | 2-Acetylaminofluorene | IS | [1910.1003] | O, N-2, CP65 | |
| 139 | ? | DEN | | n.o.s. | I-2A, N-2, CP65 | |
| 140 | ? | Diethylnitrosamine | | n.o.s. | I-2A, N-2, CP65 | |
| 141 | ? | NDEA | | n.o.s. | I-2A, N-2, CP65 | |
| 142 | ? | N-Nitrosodiethylamine | | n.o.s. | I-2A, N-2, CP65 | |
| 143 | ? | Mechlorethamine Hydrochloride | | n.o.s. | N-2, CP65 | |
| 144 | ? | Nitrogen Mustard Hydrochloride | | n.o.s. | N-2, CP65 | |
| 145 | ✓ | Busulfan | G | n.o.s. | I-1, N-1, CP65 | |
| 146 | ✓ | 1,4-Butanediol Dimethylsulfonate | G | n.o.s. | I-1, N-1, CP65 | |
| 147 | ✓ | Myleran [®] | G | n.o.s. | I-1, N-1, CP65 | |
| 148 | ? | Methylthiouracil | | n.o.s. | I-2B, CP65 | |
| 149 | ? | Carbon Tetrachloride | IS | 5 ppm TLV {31.5 mg/m ³ } | G-A2, I-2B, N-2, CP65 | |
| 150 | ? | Tetrachloromethane | IS | 5 ppm TLV {31.5 mg/m ³ } | G-A2, I-2B, N-2, CP65 | |
| 151 | | 3-Methylcholanthrene | | n.o.s. | CP65 | |
| 152 | ✓ | DES | G | n.o.s. | I-1, N-1, CP65 | |
| 153 | ✓ | Diethylstilbestrol | G | n.o.s. | I-1, N-1, CP65 | |
| 154 | ? | Benz[<i>a</i>]anthracene {PAH} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 155 | ? | PAH {Benz[<i>a</i>]anthracene} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 156 | ? | Chloramphenicol | | n.o.s. | I-2A, N-2, CP65 | |
| 157 | ? | 1,1-Dimethylhydrazine | IS | 0.01 ppm TLV {0.025 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 158 | ? | UDMH | IS | 0.01 ppm TLV {0.025 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 159 | ? | Diphenylhydantoin | | n.o.s. | I-2B, N-2, CP65 | |
| 160 | ? | Phenytoin | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---------------------------------|------------------|---|----------------------------|------------------|
| 161 | ✓ | beta-Propiolactone | S | [1910.1003] {0.5 ppm TLV, 1.5 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 162 | ✓ | Ethinylestradiol | SG | n.o.s. | I-1, N-2, CP65 | |
| 163 | ? | Chlordane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, CP65 | |
| 164 | ? | Progesterone (Indirect) | | n.o.s. | N-2, CP65 | |
| 165 | | 7,12-Dimethylbenz(a)anthracene | | n.o.s. | CP65 | |
| 166 | | Testosterone (and its esters) | | n.o.s. | CP65 | |
| 167 | ? | gamma-Hexachlorocyclohexane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 168 | ? | Lindane | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 169 | | Nitrofurazone | | n.o.s. | CP65 | |
| 170 | ? | N-Nitrosomorpholine | | n.o.s. | I-2B, N-2, CP65 | |
| 171 | | Phenoxybenzamine | | n.o.s. | CP65 | |
| 172 | ? | p-Aminoazobenzene | | n.o.s. | I-2B, CP65 | |
| 173 | ✓ | 4-Dimethylaminoazobenzene | S | [1910.1003] | O, I-2B, N-2, CP65 | |
| 174 | ✓ | p-Dimethylaminoazobenzene | S | [1910.1003] | O, I-2B, N-2, CP65 | |
| 175 | | Methylhydrazine (and its salts) | S | 0.01 ppm TLV {19 µg/m ³ } | G-A3, CP65 | |
| 176 | ? | Acetamide | | n.o.s. | I-2B, CP65 | |
| 177 | | Dieldrin | S | 0.25 mg/m ³ PEL | CP65 | |
| 178 | ? | Niridazole | | n.o.s. | I-2B, CP65 | |
| 179 | ? | 3-Amino-1,2,4-triazole | | 0.2 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 180 | ? | Amitrole | | 0.2 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 181 | ? | Phenacetin | | n.o.s. | I-2A, N-2, CP65 | |
| 182 | ? | Ethyl Methanesulfonate | | n.o.s. | I-2B, N-2, CP65 | |
| 183 | | Aniline | S | 2 ppm TLV {7.6 mg/m ³ } | G-A3, CP65 | |
| 184 | ? | Thioacetamide | | n.o.s. | I-2B, N-2, CP65 | |
| 185 | ? | Thiourea | | n.o.s. | N-2, CP65 | |
| 186 | ? | DDVP | S | 0.1 mg/m ³ TLV {Sensitizer} | I-2B, CP65 | |
| 187 | ? | Dichlorvos | S | 0.1 mg/m ³ TLV {Sensitizer} | I-2B, CP65 | |
| 188 | ✓ | N,N-Dimethylnitrosoamine | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 189 | ✓ | DMN | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 190 | ✓ | N-Nitrosodimethylamine | S | [1910.1003] | O, G-A3, I-2A, N-2, CP65 | |
| 191 | ? | Phenoxybenzamine Hydrochloride | | n.o.s. | I-2B, N-2, CP65 | |
| 192 | ? | Diethylsulfate | | n.o.s. | I-2A, N-2, CP65 | |
| 193 | ? | Methyl Methanesulfonate | | n.o.s. | I-2A, N-2, CP65 | |
| 194 | ? | Uracil Mustard | | n.o.s. | I-2B, CP65 | |
| 195 | | Furazolidone | | n.o.s. | CP65 | |
| 196 | ? | Chloroform | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 197 | ? | Trichloromethane | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 198 | ? | Hexachloroethane | SG | 1 ppm PEL {9.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 199 | ? | Norethindrone | | n.o.s. | I-2B, N-2, CP65 | |
| 200 | ? | Norethisterone | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 201 | | 68-23-5 Norethynodrel | | n.o.s. | CP65 | |
| 202 | ? | 70-25-7 N-Methyl-N'-nitro-N-nitrosoguanidine | | n.o.s. | I-2A, N-2, CP65 | |
| 203 | ? | 70-25-7 MNNG | | n.o.s. | I-2A, N-2, CP65 | |
| 204 | ✓ | 71-43-2 Benzene [1910.1028] | IS | 0.5 ppm TLV { 1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 205 | ? | 71-48-7 Cobalt (II) Acetate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 206 | ? | 71-58-9 Medroxyprogesterone Acetate | | n.o.s. | I-2B, CP65 | |
| 207 | ✓ | 72-33-3 Mestranol | SG | n.o.s. | I-1, N-2, CP65 | |
| 208 | | 72-54-8 DDD | | n.o.s. | CP65 | |
| 209 | | 72-54-8 Dichlorodiphenyldichloroethane | | n.o.s. | CP65 | |
| 210 | | 72-55-9 DDE | | n.o.s. | CP65 | |
| 211 | | 72-55-9 Dichlorodiphenyldichloroethylene | | n.o.s. | CP65 | |
| 212 | ? | 72-57-1 C.I. Direct Blue 14 | I | n.o.s. | I-2B, CP65 | |
| 213 | ? | 72-57-1 Trypan Blue (commercial grade) | | n.o.s. | I-2B, CP65 | |
| 214 | | 74-88-4 Methyl Iodide | S | 2 ppm TLV { 11.6 mg/m ³ } | CP65 | |
| 215 | | 74-96-4 Bromoethane | S | 5 ppm TLV { 23 mg/m ³ } | G-A3, CP65 | |
| 216 | | 74-96-4 Ethyl Bromide | S | 5 ppm TLV { 23 mg/m ³ } | G-A3, CP65 | |
| 217 | | 75-00-3 Chloroethane | S | 100 ppm TLV { 264 mg/m ³ } | G-A3, CP65 | |
| 218 | | 75-00-3 Ethyl Chloride | S | 100 ppm TLV { 264 mg/m ³ } | G-A3, CP65 | |
| 219 | ✓ | 75-01-4 Chloroethylene [1910.1017] | | 1 ppm PEL | O, G-A1, I-1, N-1, CP65 | |
| 220 | ✓ | 75-01-4 Vinyl Chloride [1910.1017] | | 1 ppm PEL | O, G-A1, I-1, N-1, CP65 | |
| 221 | ? | 75-02-5 Vinyl Fluoride | | 1 ppm TLV | G-A2, I-2A, N-2, CP65 | |
| 222 | ? | 75-07-0 Acetaldehyde | | C 25 ppm TLV { C 45 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 223 | ✓ | 75-09-2 Dichloromethane [1910.1052] | IS | 25 ppm PEL { 87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 224 | ✓ | 75-09-2 Methane Dichloride [1910.1052] | IS | 25 ppm PEL { 87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 225 | ✓ | 75-09-2 Methylene Chloride [1910.1052] | IS | 25 ppm PEL { 87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 226 | ✓ | 75-21-8 Ethylene Oxide [1910.1047] | I | 1 ppm PEL { 1.8 mg/m ³ } | O, G-A2, I-1, N-1, CP65 | |
| 227 | | 75-25-2 Bromoform | S | 0.5 ppm PEL { 5 mg/m ³ } | G-A3, CP65 | |
| 228 | ? | 75-27-4 Bromodichloromethane | | n.o.s. | I-2B, N-2, CP65 | |
| 229 | | 75-34-3 1,1-Dichloroethane | | 100 ppm PEL { 400 mg/m ³ } | CP65 | |
| 230 | ? | 75-52-5 Nitromethane | | 20 ppm TLV { 49.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 231 | ? | 75-55-8 2-Methylaziridine | S | 2 ppm PEL { 4.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 232 | ? | 75-55-8 Propyleneimine | S | 2 ppm PEL { 4.7 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 233 | ? | 75-56-9 1,2-Epoxypropane | | 2 ppm TLV { 4.8 mg/m ³ ; Sensitizer } | G-A3, I-2B, N-2, CP65 | |
| 234 | ? | 75-56-9 Propylene Oxide | | 2 ppm TLV { 4.8 mg/m ³ ; Sensitizer } | G-A3, I-2B, N-2, CP65 | |
| 235 | | 75-60-5 Cacodylic Acid | | 0.5 mg/m ³ PEL | CP65 | |
| 236 | ? | 76-44-8 Heptachlor | S | 0.05 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 237 | | 76-87-9 Triphenyltin Hydroxide | | n.o.s. | CP65 | |
| 238 | ? | 77-09-8 Phenolphthalein | | n.o.s. | I-2B, N-2, CP65 | |
| 239 | ? | 77-78-1 Dimethylsulfate | S | 0.1 ppm TLV { 0.5 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 240 | ? | 78-79-5 Isopentadiene | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 241 | ? | Isoprene | | n.o.s. | I-2B, N-2, CP65 | |
| 242 | ? | 2-Methyl-1,3-butadiene | | n.o.s. | I-2B, N-2, CP65 | |
| 243 | | 1,2-Dichloropropane | | 10 ppm TLV {46 mg/m ³ ; Sensitizer} | CP65 | |
| 244 | | Propylene Dichloride | | 10 ppm TLV {46 mg/m ³ ; Sensitizer} | CP65 | |
| 245 | | 1,1,2-Trichloroethane | S | 10 ppm PEL {55 mg/m ³ } | G-A3, CP65 | |
| 246 | | Vinyl Trichloride | S | 10 ppm PEL {55 mg/m ³ } | G-A3, CP65 | |
| 247 | ? | Trichloroethylene | | 10 ppm TLV | G-A2, I-2A, N-2, CP65 | |
| 248 | ? | Acrylamide | IS | 0.03 mg/m ³ TLV | G-A3, I-2A, N-2, CP65 | |
| 249 | | 1,1,2,2-Tetrachloroethane | S | 1 ppm TLV {6.9 mg/m ³ } | G-A3, CP65 | |
| 250 | ? | Dichloroacetic Acid | S | 0.5 ppm TLV | G-A3, I-2B, CP65 | |
| 251 | ? | Dimethylcarbamoyl Chloride | IS | 5 ppb TLV | G-A2, I-2A, N-2, CP65 | |
| 252 | ? | 2-Nitropropane | I | 10 ppm TLV {37 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 253 | ? | 1-Amino-2,4-dibromoanthraquinone | | n.o.s. | N-2, CP65 | |
| 254 | | D&C Red No. 19 | | n.o.s. | CP65 | |
| 255 | ? | 1-Amino-2-methylantraquinone | I | n.o.s. | N-2, CP65 | |
| 256 | ? | C.I. Disperse Orange 11 | I | n.o.s. | N-2, CP65 | |
| 257 | | Dienestrol | | n.o.s. | CP65 | |
| 258 | | N-Nitrosodiphenylamine | | n.o.s. | CP65 | |
| 259 | | Carbazole | | n.o.s. | CP65 | |
| 260 | | Cinnamyl Anthranilate | | n.o.s. | CP65 | |
| 261 | ? | 2,6-Dimethylaniline | | n.o.s. | I-2B, CP65 | |
| 262 | ? | 2,6-Xylidine | | n.o.s. | I-2B, CP65 | |
| 263 | ? | Pentachlorophenol | S | 0.5 mg/m ³ PEL | G-A3, I-2B, CP65 | |
| 264 | ? | 2,4,6-Trichlorophenol | S | n.o.s. | I-2B, N-2, CP65 | |
| 265 | | <i>o</i> -Nitrotoluene | S | 2 ppm TLV {11.2 mg/m ³ } | CP65 | |
| 266 | ? | <i>o</i> -Anisidine | S | 0.5 mg/m ³ PEL {0.1 ppm} | G-A3, I-2B, CP65 | |
| 267 | | <i>o</i> -Phenylphenol | | n.o.s. | CP65 | |
| 268 | ? | 4,4'-(Dimethylamino) Benzophenone | | n.o.s. | N-2, CP65 | |
| 269 | ? | <i>bis</i> -(Dimethylamino) Benzophenone | | n.o.s. | N-2, CP65 | |
| 270 | ? | Michler's Ketone | | n.o.s. | N-2, CP65 | |
| 271 | ? | Toluene-2,6-diisocyanate | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 272 | ? | Naphthalene | IS | 10 ppm PEL {50 mg/m ³ } | I-2B, N-2, CP65 | |
| 273 | | Quinoline (and its strong acid salts) | | n.o.s. | CP65 | |
| 274 | ? | 2-Nitroanisole | | n.o.s. | I-2B, N-2, CP65 | |
| 275 | ? | <i>o</i> -Nitroanisole | | n.o.s. | I-2B, N-2, CP65 | |
| 276 | ✓ | 2-Aminonaphthalene | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 277 | ✓ | 2-Naphthylamine | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 278 | ✓ | <i>beta</i> -Naphthylamine | | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 279 | ✓ | 3,3'-Dichlorobenzidine | IS | [1910.1003] | O, G-A3, I-2B, N-2, CP65 | |
| 280 | ✓ | 4-Aminobiphenyl | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 281 | ✓ | 4-Aminodiphenyl | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 282 | ✓ | Benzidine | IS | [1910.1003] | O, G-A1, I-1, N-1, CP65 | |
| 283 | ✓ | 4-Nitrobiphenyl | S | [1910.1003] | O, G-A2, CP65 | |
| 284 | ✓ | 4-Nitrodiphenyl | S | [1910.1003] | O, G-A2, CP65 | |
| 285 | ? | Methyleugenol | n.o.s. | | N-2, CP65 | |
| 286 | ? | 2,4,5-T | S | 10 mg/m ³ PEL | I-2B | |
| 287 | ? | (2,4,5-Trichlorophenoxy) Acetic Acid | S | 10 mg/m ³ PEL | I-2B | |
| 288 | ? | Dihydrosafrole | n.o.s. | | I-2B, CP65 | |
| 289 | ? | Safrole | n.o.s. | | I-2B, N-2, CP65 | |
| 290 | ? | 2,4-D | S | 10 mg/m ³ PEL | I-2B | |
| 291 | ? | (2,4-Dichlorophenoxy) Acetic Acid | S | 10 mg/m ³ PEL | I-2B | |
| 292 | ? | Phenazopyridine | n.o.s. | | N-2, CP65 | |
| 293 | ? | N, N-Diethyldithiocarbamic Acid 2-Chloroallyl Ester | n.o.s. | | I-2B, N-2, CP65 | |
| 294 | ? | Sulfallate | n.o.s. | | I-2B, N-2, CP65 | |
| 295 | ? | <i>o</i> -Toluidine | S | 2 ppm TLV {8.8 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 296 | ? | <i>o</i> -Phenylenediamine (and its salts) | S | 0.1 mg/m ³ TLV | G-A3, CP65 | |
| 297 | ? | 2-Chlorophenol | S | n.o.s. | I-2B | |
| 298 | ? | 4-Chloro-2-methylbenzenamine (and its strong acid salts) | n.o.s. | | I-2A, N-2, CP65 | |
| 299 | ? | 4-Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | I-2A, N-2, CP65 | |
| 300 | ? | <i>p</i> -Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | I-2A, N-2, CP65 | |
| 301 | ? | 5-Chloro- <i>o</i> -toluidine (and its strong acid salts) | n.o.s. | | CP65 | |
| 302 | ? | 2,4-Diaminotoluene | n.o.s. | | I-2B, N-2, CP65 | |
| 303 | ? | Toluene-2,4-diamine | n.o.s. | | I-2B, N-2, CP65 | |
| 304 | ? | 4-Chloro- <i>o</i> -phenylenediamine | n.o.s. | | I-2B, N-2, CP65 | |
| 305 | ? | 2,4,5-Trichlorophenol | S | n.o.s. | I-2B | |
| 306 | ? | Epoxystyrene | n.o.s. | | I-2A, N-2, CP65 | |
| 307 | ? | Styrene Epoxide | n.o.s. | | I-2A, N-2, CP65 | |
| 308 | ? | Styrene Oxide | n.o.s. | | I-2A, N-2, CP65 | |
| 309 | ? | Styrene-7,8-oxide | n.o.s. | | I-2A, N-2, CP65 | |
| 310 | ✓ | DBCP [1910.1044] | IS | 1 ppb PEL | O, I-2B, N-2, CP65 | |
| 311 | ✓ | 1,2-Dibromo-3-chloropropane [1910.1044] | IS | 1 ppb PEL | O, I-2B, N-2, CP65 | |
| 312 | ? | DBP | n.o.s. | | I-2B, N-2, CP65 | |
| 313 | ? | 2,3-Dibromo-1-propanol | n.o.s. | | I-2B, N-2, CP65 | |
| 314 | ? | 2,3-Dibromopropan-1-ol | n.o.s. | | I-2B, N-2, CP65 | |
| 315 | ? | 1,2,3-Trichloropropane | S | 10 ppm TLV {60.3 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 316 | ? | Ethylene Thiourea | n.o.s. | | N-2, CP65 | |
| 317 | ? | <i>o</i> -Aminoazotoluene | n.o.s. | | I-2B, N-2, CP65 | |
| 318 | ? | Benzotrichloride | S | C 0.1 ppm TLV {C 0.8 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 319 | ? | Benzal Chloride (and Benzoyl Chloride [combined exposure]) | n.o.s. | | I-2A | |
| 320 | ? | Benzoyl Chloride (and <i>alpha</i> -Chlorinated Toluenes [combined exposure]) | n.o.s. | C 0.5 ppm TLV | I-2A | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 321 | 98-95-3 | ? Nitrobenzene | S | 1 ppm PEL {5 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 322 | 100-00-5 | 1-Chloro-4-nitrobenzene | S | 1 mg/m ³ PEL {0.1 ppm TLV} | G-A3, CP65 | |
| 323 | 100-00-5 | <i>p</i> -Nitrochlorobenzene | S | 1 mg/m ³ PEL {0.1 ppm TLV} | G-A3, CP65 | |
| 324 | 100-40-3 | ? 4-Vinyl Cyclohexene | S | 0.1 ppm TLV {0.44 mg/m ³ } | G-A3, I-2B, CP65 | |
| 325 | 100-41-4 | ? Ethylbenzene | | 100 ppm PEL {435 mg/m ³ } | G-A3, I-2B, CP65 | |
| 326 | 100-42-5 | ? Phenylethylene | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 327 | 100-42-5 | ? Styrene, Monomer | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 328 | 100-42-5 | ? Vinyl Benzene | S | 20 ppm TLV {85 mg/m ³ } | I-2B | |
| 329 | 100-44-7 | ? Benzyl Chloride | | 1 ppm PEL {5 mg/m ³ } | G-A3, I-2A, CP65 | |
| 330 | 100-63-0 | Phenylhydrazine (and its salts) | S | 0.1 ppm TLV {0.44 mg/m ³ } | G-A3, CP65 | |
| 331 | 100-75-4 | ? N-Nitrosopiperidine | | n.o.s. | I-2B, N-2, CP65 | |
| 332 | 101-14-4 | ? MBOCA | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 333 | 101-14-4 | ? 4,4'-Methylene bis(2-Chloroaniline) | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 334 | 101-14-4 | ? MOCA [®] | S | 0.01 ppm TLV {0.11 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 335 | 101-61-1 | ? 4,4'-Methylene bis(N,N-dimethyl) Benzenamine | | n.o.s. | N-2, CP65 | |
| 336 | 101-61-1 | ? Michler's Base | | n.o.s. | N-2, CP65 | |
| 337 | 101-77-9 | ✓ MDA [1910.1050] | S | 10 ppb PEL {0.081 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 338 | 101-77-9 | ✓ 4,4'-Methylenedianiline [1910.1050] | S | 10 ppb PEL {0.081 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 339 | 101-80-4 | ? 4,4'-Diaminodiphenyl Ether | | n.o.s. | I-2B, N-2, CP65 | |
| 340 | 101-80-4 | ? 4,4'-Oxydianiline | | n.o.s. | I-2B, N-2, CP65 | |
| 341 | 101-90-6 | ? DGRE | | n.o.s. | I-2B, N-2, CP65 | |
| 342 | 101-90-6 | ? Diglycidyl Resorcinol Ether | | n.o.s. | I-2B, N-2, CP65 | |
| 343 | 103-33-3 | Azobenzene | | n.o.s. | CP65 | |
| 344 | 106-46-7 | ? 1,4-Dichlorobenzene | IA | 10 ppm TLV {60 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 345 | 106-46-7 | ? <i>p</i> -Dichlorobenzene | IA | 10 ppm TLV {60 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 346 | 106-47-8 | ? 4-Chloroaniline | | n.o.s. | I-2B, CP65 | |
| 347 | 106-47-8 | ? <i>p</i> -Chloroaniline | | n.o.s. | I-2B, CP65 | |
| 348 | 106-48-9 | ? 4-Chlorophenol | S | n.o.s. | I-2B | |
| 349 | 106-87-6 | ? Vinyl Cyclohexene Dioxide | IS | 0.1 ppm TLV {0.57 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 350 | 106-87-6 | ? 4-Vinyl-1-cyclohexene Diepoxide | IS | 0.1 ppm TLV {0.57 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 351 | 106-88-7 | ? 1,2-Epoxybutane | | n.o.s. | I-2B | |
| 352 | 106-89-8 | ? 1-Chloro-2,3-epoxy-propane | IS | 0.5 ppm TLV {1.9 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 353 | 106-89-8 | ? Epichlorohydrin | IS | 0.5 ppm TLV {1.9 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 354 | 106-93-4 | ? 1,2-Dibromoethane | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 355 | 106-93-4 | ? EDB | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 356 | 106-93-4 | ? Ethylene Dibromide | IS | 20 ppm PEL | G-A3, I-2A, N-2, CP65 | |
| 357 | 106-99-0 | ✓ 1,3-Butadiene [1910.1051] | I | 1 ppm PEL {2.2 mg/m ³ } | O, G-A2, I-2A, N-1, CP65 | |
| 358 | 107-06-2 | ? 1,2-Dichloroethane | | 10 ppm TLV {40.5 mg/m ³ } | I-2B, N-2, CP65 | |
| 359 | 107-06-2 | ? Ethylene Dichloride | | 10 ppm TLV {40.5 mg/m ³ } | I-2B, N-2, CP65 | |
| 360 | 107-13-1 | ✓ Acrylonitrile [1910.1045] | IS | 2 ppm PEL {4.3 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 361 | 107-13-1 | ✓ Vinyl Cyanide [1910.1045] | IS | 2 ppm PEL {4.3 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 362 | 107-30-2 | ✓ Chloromethyl Methyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 363 | 107-30-2 | ✓ Methylchloro Methyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 364 | 107-30-2 | ✓ Monochlorodimethyl Ether | IS | [1910.1003] | O, G-A2, I-1, N-1, CP65 | |
| 365 | 108-05-4 | ? Vinyl Acetate | | 10 ppm TLV | G-A3, I-2B | |
| 366 | 108-43-0 | ? 3-Chlorophenol | S | n.o.s. | I-2B | |
| 367 | 108-60-1 | <i>bis</i> (2-Chloro-1-methylethyl) Ether (technical grade) | | n.o.s. | CP65 | |
| 368 | 110-00-9 | ? Furan | | n.o.s. | I-2B, N-2, CP65 | |
| 369 | 110-86-1 | Pyridine | | 1 ppm TLV | G-A3, CP65 | |
| 370 | 111-44-4 | <i>bis</i> (2-Chloroethyl) Ether | S | 5 ppm TLV {29 mg/m ³ } | CP65 | |
| 371 | 111-44-4 | Dichloroethyl Ether | S | 5 ppm TLV {29 mg/m ³ } | CP65 | |
| 372 | 114-26-1 | Propoxur | | 0.5 mg/m ³ TLV | G-A3, CP65 | |
| 373 | 115-02-6 | ? Azaserine | | n.o.s. | I-2B, CP65 | |
| 374 | 115-09-3 | ? Methylmercury Chloride | | n.o.s. | I-2B, CP65 | |
| 375 | 115-28-6 | ? Chlorendic Acid | | n.o.s. | I-2B, N-2, CP65 | |
| 376 | 115-96-8 | <i>tris</i> (2-Chloroethyl) Phosphate | | n.o.s. | CP65 | |
| 377 | 116-14-3 | ? Tetrafluoroethylene | | 2 ppm TLV | G-A3, I-2B, N-2, CP65 | |
| 378 | 117-10-2 | ? Chrysazin | | n.o.s. | I-2B, N-2, CP65 | |
| 379 | 117-10-2 | ? Dantron | | n.o.s. | I-2B, N-2, CP65 | |
| 380 | 117-10-2 | ? 1,8-Dihydroxyanthraquinone | | n.o.s. | I-2B, N-2, CP65 | |
| 381 | 117-79-3 | ? 2-Aminoanthraquinone | | n.o.s. | N-2, CP65 | |
| 382 | 117-81-7 | ? DEHP | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 383 | 117-81-7 | ? <i>bis</i> (2-Ethylhexyl) Phthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 384 | 117-81-7 | ? <i>di</i> (2-Ethylhexyl) Phthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 385 | 117-81-7 | ? <i>di-sec</i> -Octylphthalate | | 5 mg/m ³ PEL | G-A3, N-2, CP65 | |
| 386 | 118-74-1 | ? Hexachlorobenzene | S | 2 µg/m ³ TLV | G-A3, I-2B, N-2, CP65 | |
| 387 | 119-34-6 | 4-Amino-2-nitrophenol | | n.o.s. | CP65 | |
| 388 | 119-90-4 | ? <i>o</i> -Dianisidine Based Dyes | | n.o.s. | I-2B, N-2, CP65 | |
| 389 | 119-90-4 | ? 3,3'-Dimethoxybenzidine | | n.o.s. | I-2B, N-2, CP65 | |
| 390 | 119-90-4 | ? Dyes that metabolize to 3,3'-Dimethylbenzidine | | n.o.s. | N-2 | |
| 391 | 119-93-7 | ? 3,3'-Dimethylbenzidine | S | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 392 | 119-93-7 | ? Dyes that metabolize to 3,3'-Dimethylbenzidine | S | n.o.s. | N-2 | |
| 393 | 119-93-7 | ? <i>o</i> -Tolidine | S | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 394 | 120-71-8 | ? <i>p</i> -Cresidine | | n.o.s. | I-2B, N-2, CP65 | |
| 395 | 120-71-8 | ? Methyl- <i>o</i> -anisidine | | n.o.s. | I-2B, N-2, CP65 | |
| 396 | 120-80-9 | ? Catechol | S | 5 ppm TLV | G-A3, I-2B, CP65 | |
| 397 | 121-14-2 | ? 2,4-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | I-2B, CP65 | |
| 398 | 122-60-1 | ? PGE | S | 0.1 ppm TLV {0.6 mg/m ³ ; Sensitizer} | G-A3, I-2B, CP65 | |
| 399 | 122-60-1 | ? Phenyl Glycidyl Ether | S | 0.1 ppm TLV {0.6 mg/m ³ ; Sensitizer} | G-A3, I-2B, CP65 | |
| 400 | 122-66-7 | ? 1,2-Diphenylhydrazine | | n.o.s. | N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 401 | ? | Hydrazobenzene | | n.o.s. | N-2, CP65 | |
| 402 | ? | 1,4-Dioxane | IS | 20 ppm TLV {72 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 403 | | Primidone | | n.o.s. | CP65 | |
| 404 | ? | Griseofulvin | | n.o.s. | I-2B, CP65 | |
| 405 | ? | tris(2,3-Dibromopropyl) Phosphate | | n.o.s. | I-2A, N-2, CP65 | |
| 406 | ? | Nitrogen Mustard N-oxide | | n.o.s. | I-2B, CP65 | |
| 407 | ? | beta-Chloroprene | S | 10 ppm TLV | I-2B, N-2, CP65 | |
| 408 | ? | Perchloroethylene | | 25 ppm TLV {170 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 409 | ? | Tetrachloroethylene | | 25 ppm TLV {170 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 410 | ? | 2-Methyl-1-nitroanthraquinone | | n.o.s. | I-2B, CP65 | |
| 411 | ? | 1-Hydroxyanthraquinone | | n.o.s. | I-2B, CP65 | |
| 412 | ? | o-Phenylphenate, Sodium | | n.o.s. | I-2B, CP65 | |
| 413 | ? | Sodium o-Phenylphenate | | n.o.s. | I-2B, CP65 | |
| 414 | | Captan | | 5 mg/m ³ TLV {Sensitizer} | G-A3, CP65 | |
| 415 | | Folpet | | n.o.s. | CP65 | |
| 416 | ? | o-Anisidine Hydrochloride | | n.o.s. | N-2, CP65 | |
| 417 | ✓ | 1-Naphthylamine | | [1910.1003] | O, CP65 | |
| 418 | ✓ | alpha-Naphthylamine | | [1910.1003] | O, CP65 | |
| 419 | ? | Cupferron | | n.o.s. | N-2, CP65 | |
| 420 | ? | DAAB | | n.o.s. | N-2, CP65 | |
| 421 | ? | Diazoaminobenzene | | n.o.s. | N-2, CP65 | |
| 422 | ? | Phenazopyridine Hydrochloride | | n.o.s. | I-2B, N-2, CP65 | |
| 423 | | MGK Repellant 326 | | n.o.s. | CP65 | |
| 424 | | di-n-Propyl Isocinchomeronate | | n.o.s. | CP65 | |
| 425 | | 2,4,5-Trimethylaniline (and its strong acid salts) | | n.o.s. | CP65 | |
| 426 | | Metham Sodium | | n.o.s. | CP65 | |
| 427 | ? | Nitritotriacetic Acid (and its salts) | I | n.o.s. | I-2B, N-2, CP65 | |
| 428 | ? | 4,4'-Thiodianiline | | n.o.s. | I-2B, N-2, CP65 | |
| 429 | | 5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone | | n.o.s. | CP65 | |
| 430 | ? | Aramite [®] | | n.o.s. | I-2B, CP65 | |
| 431 | ? | Butylphenoxyisopropyl Chloroethyl Sulfite | | n.o.s. | I-2B, CP65 | |
| 432 | | Estragole | | n.o.s. | CP65 | |
| 433 | ? | Ethyl Acrylate | IS | 5 ppm TLV {20 mg/m ³ } | I-2B, CP65 | |
| 434 | ? | Thiouracil | | n.o.s. | I-2B, CP65 | |
| 435 | | Aniline Hydrochloride | | n.o.s. | CP65 | |
| 436 | ? | Chlordecone | | n.o.s. | I-2B, N-2, CP65 | |
| 437 | ? | Kepone [®] | | n.o.s. | I-2B, N-2, CP65 | |
| 438 | ✓ | Melphalan | | n.o.s. | I-1, N-1, CP65 | |
| 439 | ✓ | Aziridine | IS | [1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ } | O, G-A3, I-2B, CP65 | |
| 440 | ✓ | Ethyleneimine | IS | [1910.1003] {0.5 ppm TLV, 0.88 mg/m ³ } | O, G-A3, I-2B, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|------------------------------------|----------------------------|------------------|
| 441 | | 153-78-6 2-Aminofluorene | | n.o.s. | CP65 | |
| 442 | ? | 154-93-8 BCNU | | n.o.s. | I-2A, N-2, CP65 | |
| 443 | ? | 154-93-8 Carmustine | | n.o.s. | I-2A, N-2, CP65 | |
| 444 | ? | 154-93-8 bis(Chloroethyl) Nitrosourea | | n.o.s. | I-2A, N-2, CP65 | |
| 445 | | 156-10-5 p-Nitrosodiphenylamine | | n.o.s. | CP65 | |
| 446 | ? | 189-55-9 Dibenzo[a,i]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 447 | ? | 189-55-9 PAH {Dibenzo[a,i]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 448 | ? | 189-64-0 Dibenzo[a,h]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 449 | ? | 189-64-0 PAH {Dibenzo[a,h]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 450 | ? | 191-30-0 Dibenzo[a,l]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 451 | ? | 191-30-0 PAH {Dibenzo[a,l]pyrene} | I | 0.2 mg/m ³ PEL | I-2A, N-2, CP65 | |
| 452 | ? | 192-65-4 Dibenzo[a,e]pyrene {PAH} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 453 | ? | 192-65-4 PAH {Dibenzo[a,e]pyrene} | I | 0.2 mg/m ³ PEL | N-2, CP65 | |
| 454 | ? | 193-39-5 Indeno[1,2,3-cd]pyrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 455 | ? | 193-39-5 PAH {Indeno[1,2,3-cd]pyrene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 456 | ? | 194-59-2 7H-Dibenzo[c,g]carbazole {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 457 | ? | 194-59-2 PAH {7H-Dibenzo[c,g]carbazole} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 458 | ? | 195-19-7 Benzo[c]phenanthrene {PAH} | I | 0.2 mg/m ³ PEL | I-2B | |
| 459 | ? | 195-19-7 PAH {Benzo[c]phenanthrene} | I | 0.2 mg/m ³ PEL | I-2B | |
| 460 | ? | 202-33-5 Benz[j]aceanthrylene {PAH} | I | 0.2 mg/m ³ PEL | I-2B | |
| 461 | ? | 202-33-5 PAH {Benz[j]aceanthrylene} | I | 0.2 mg/m ³ PEL | I-2B | |
| 462 | ? | 205-82-3 Benzo[j]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 463 | ? | 205-82-3 PAH {Benzo[j]fluoranthene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 464 | ? | 205-99-2 Benzo[b]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 465 | ? | 205-99-2 PAH {Benzo[b]fluoranthene} | I | 0.2 mg/m ³ PEL | G-A2, I-2B, N-2, CP65 | |
| 466 | ? | 207-08-9 Benzo[k]fluoranthene {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 467 | ? | 207-08-9 PAH {Benzo[k]fluoranthene} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 468 | ? | 218-01-9 Chrysene | S | 0.2 mg/m ³ PEL | G-A3, CP65 | |
| 469 | ? | 224-42-0 Dibenz[a,j]acridine {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 470 | ? | 224-42-0 PAH {Dibenz[a,j]acridine} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 471 | ? | 226-36-8 Dibenz[a,h]acridine {PAH} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 472 | ? | 226-36-8 PAH {Dibenz[a,h]acridine} | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 473 | ? | 271-89-6 Benzofuran | | n.o.s. | I-2B, CP65 | |
| 474 | ✓ | 298-81-7 Methoxsalen | S | n.o.s. | I-1 | |
| 475 | ✓ | 298-81-7 Methoxsalen plus UV-A radiation | S | n.o.s. | I-1, N-1, CP65 | |
| 476 | ✓ | 298-81-7 8-Methoxypsoralen plus UV-A radiation | S | n.o.s. | I-1, N-1, CP65 | |
| 477 | ✓ | 299-75-2 Treosulfan | | n.o.s. | I-1, CP65 | |
| 478 | ✓ | 299-75-2 Treosulphan | | n.o.s. | I-1, CP65 | |
| 479 | ? | 301-04-2 Lead Acetate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 480 | ? | 302-01-2 Hydrazine | S | 10 ppb TLV {13 µg/m ³ } | G-A3, I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|---|----------------------------|------------------|
| 481 | | 302-15-8 Methylhydrazine Sulfate | | n.o.s. | CP65 | |
| 482 | ? | 302-70-5 Nitrogen Mustard N-oxide Hydrochloride | | n.o.s. | I-2B, CP65 | |
| 483 | ? | 303-34-4 Lasiocarpine | | n.o.s. | I-2B, CP65 | |
| 484 | ? | 303-47-9 Ochratoxin A | G | n.o.s. | I-2B, N-2, CP65 | |
| 485 | ✓ | 305-03-3 Chlorambucil | G | n.o.s. | I-1, N-1, CP65 | |
| 486 | | 309-00-2 Aldrin | S | 0.05 mg/m ³ TLV | G-A3, CP65 | |
| 487 | ? | 315-22-0 Monocrotaline | | n.o.s. | I-2B, CP65 | |
| 488 | ? | 319-84-6 <i>alpha</i> -Hexachlorocyclohexane | | n.o.s. | I-2B, N-2, CP65 | |
| 489 | ? | 319-85-7 <i>beta</i> -Hexachlorocyclohexane | | n.o.s. | I-2B, N-2, CP65 | |
| 490 | ? | 320-67-2 5-AzaC | | n.o.s. | I-2A, N-2, CP65 | |
| 491 | ? | 320-67-2 Azacitidine | | n.o.s. | I-2A, N-2, CP65 | |
| 492 | ? | 320-67-2 5-Azacytidine [®] | | n.o.s. | I-2A, N-2, CP65 | |
| 493 | | 330-54-1 Diuron | | 10 mg/m ³ TLV | CP65 | |
| 494 | ? | 331-39-5 Caffeic Acid | | n.o.s. | I-2B, CP65 | |
| 495 | ? | 334-88-3 Diazomethane | | 0.2 ppm PEL {0.34 mg/m ³ } | G-A2 | |
| 496 | ? | 366-70-1 Procarbazine Hydrochloride | | n.o.s. | I-2A, N-2, CP65 | |
| 497 | ✓ | 373-02-4 Nickel Acetate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 498 | | 389-08-2 Nalidixic Acid | | n.o.s. | CP65 | |
| 499 | ? | 409-21-2 Ceramic Fiber (CP65: airborne particles of respirable size) | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 500 | ? | 409-21-2 Refractory Ceramic Fiber | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 501 | ? | 409-21-2 Silicon Carbide (fibrous forms, including whiskers) | I | 0.2 f/cc TLV (respirable fibers) | G-A2, I-2B, N-2, CP65 | |
| 502 | ? | 434-07-1 Oxymetholone | | n.o.s. | N-2, CP65 | |
| 503 | ✓ | 438-67-5 Sodium Estrone Sulfate | | n.o.s. | N-1 | |
| 504 | ? | 443-48-1 Metronidazole | | n.o.s. | I-2B, N-2, CP65 | |
| 505 | ✓ | 446-86-6 Azathioprine | J | n.o.s. | I-1, N-1, CP65 | |
| 506 | ? | 484-20-8 5-Methoxypsoralen | | n.o.s. | I-2A | |
| 507 | ? | 484-20-8 5-Methoxypsoralen plus UV-A radiation | | n.o.s. | I-2A, CP65 | |
| 508 | ? | 492-80-8 Auramine (manufacture of) | | n.o.s. | I-2B, CP65 | |
| 509 | ✓ | 494-03-1 Chlornaphazine | | n.o.s. | I-1, CP65 | |
| 510 | ✓ | 494-03-1 N,N-bis(2-Chloroethyl)-2-naphthylamine | | n.o.s. | I-1, CP65 | |
| 511 | ? | 502-39-6 Methylmercury Dicyandiamide | | n.o.s. | I-2B, CP65 | |
| 512 | ✓ | 505-60-2 2,2'-Dichlorodiethylsulfide | IA | n.o.s. | I-1, N-1, CP65 | |
| 513 | ✓ | 505-60-2 Mustard Gas | IA | n.o.s. | I-1, N-1, CP65 | |
| 514 | ✓ | 505-60-2 Sulfur Mustard | IA | n.o.s. | I-1, N-1, CP65 | |
| 515 | ✓ | 506-66-1 Beryllium Carbide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 516 | ? | 509-14-8 Tetranitromethane | I | 5 ppb TLV {0.04 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 517 | | 510-15-6 Ethyl-4,4'-dichlorobenzilate | | n.o.s. | CP65 | |
| 518 | | 512-56-1 Trimethyl Phosphate | | n.o.s. | CP65 | |
| 519 | ? | 513-37-1 1-Chloro-2-methylpropene | | n.o.s. | I-2B, N-2, CP65 | |
| 520 | ? | 513-37-1 Dimethylvinyl Chloride | | n.o.s. | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 521 | ✓ | Cadmium Carbonate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 522 | ? | Cobalt (II) Carbonate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 523 | ? | Merphalan | n.o.s. | | I-2B, CP65 | |
| 524 | ? | Furathiazole | n.o.s. | | I-2B, CP65 | |
| 525 | ? | N-[4-(5-Nitro-2-furyl)-2-thiazolyl]acetamide | n.o.s. | | I-2B, CP65 | |
| 526 | ? | 1,2-Dimethylhydrazine | n.o.s. | | I-2A, CP65 | |
| 527 | | Isobutyl Nitrite | | C 1 ppm TLV | G-A3, CP65 | |
| 528 | ? | 1,3-Dichloropropene (technical grade) | S | 1 ppm TLV {4.5 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 529 | ✓ | Cadmium Cyanide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 530 | ? | Cobalt (II) Cyanide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 531 | ✓ | bis(Chloromethyl) Ether | I | [1910.1003] {1 ppb TLV, 4.7 µg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 532 | ✓ | Beryllium Acetate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 533 | ✓ | Cadmium Acetate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 534 | ? | Cobalt (II) Formate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 535 | ✓ | Nickel Oxalate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 536 | ? | 1-[(5-Nitrofurfurylidene)amino]-2-imidazolidinone | n.o.s. | | I-2B, CP65 | |
| 537 | ? | Glycidol | ISG | 2 ppm TLV {6.1 mg/m ³ } | G-A3, I-2A, N-2, CP65 | |
| 538 | ✓ | Nickel Cyanide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 539 | ? | 3-Chloro-2-methylpropene | n.o.s. | | N-2, CP65 | |
| 540 | | Chlorotrianiene | n.o.s. | | CP65 | |
| 541 | ? | C.I. Basic Red 9 Monohydrochloride | IS | n.o.s. | I-2B, N-2, CP65 | |
| 542 | ? | p-Rosaniline | IS | n.o.s. | I-2B, N-2, CP65 | |
| 543 | ? | TDI | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 544 | ? | Toluene-2,4-diisocyanate | | 1 ppb TLV {7.2 µg/m ³ ; Sensitizer} | G-A3, I-2B, N-2 | 2006 |
| 545 | | Methylazoxymethanol | n.o.s. | | CP65 | |
| 546 | ? | Methylazoxymethanol Acetate | n.o.s. | | I-2B, CP65 | |
| 547 | ? | Lead Thiocyanate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 548 | ? | Vinyl Bromide | | 0.5 ppm TLV {2.2 mg/m ³ } | G-A2, I-2A, N-2, CP65 | |
| 549 | | Methyl Carbamate | n.o.s. | | CP65 | |
| 550 | | Salicylazosulfapyridine | n.o.s. | | CP65 | |
| 551 | ? | 5-Nitroacenaphthene | n.o.s. | | I-2B, CP65 | |
| 552 | ? | Oxazepam | n.o.s. | | I-2B, CP65 | |
| 553 | ? | 2,6-Dinitrotoluene | S | 27 ppb TLV {0.2 mg/m ³ } | I-2B, CP65 | |
| 554 | ? | 2-Nitrofluorene | I | n.o.s. | I-2B, CP65 | |
| 555 | ? | Hexachlorocyclohexane | n.o.s. | | I-2B, N-2, CP65 | |
| 556 | | 3,3'-Dimethylbenzidine Dihydrochloride | n.o.s. | | CP65 | |
| 557 | ? | 3,3'-Dichlorobenzidine Dihydrochloride | n.o.s. | | N-2, CP65 | |
| 558 | ? | N,N'-Diacetylbenzidine | n.o.s. | | I-2B, CP65 | |
| 559 | ? | 2,4-Diaminoanisole | n.o.s. | | I-2B, CP65 | |
| 560 | ? | N-Methyl-N-nitrosourethane | n.o.s. | | I-2B, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|---|----------------------------|------------------|
| 561 | ? | N-Nitroso-N-methylurethane | n.o.s. | | I-2B, CP65 | |
| 562 | ? | N-Nitrosodi- <i>n</i> -propylamine | n.o.s. | | I-2B, N-2, CP65 | |
| 563 | | Diphenylhydantoin | n.o.s. | | CP65 | |
| 564 | | Phenytoin (sodium salt) | n.o.s. | | CP65 | |
| 565 | ? | <i>o</i> -Toluidine Hydrochloride | n.o.s. | | N-2, CP65 | |
| 566 | | Clofibrate | n.o.s. | | CP65 | |
| 567 | ? | Procarbazine | n.o.s. | | I-2A, N-2, CP65 | |
| 568 | ? | Hexamethylphosphoramide | IS | n.o.s. | G-A3, I-2B, N-2, CP65 | |
| 569 | ? | N-Methyl-N-nitrosoourea | n.o.s. | | I-2A, N-2, CP65 | |
| 570 | ? | N-Nitroso-N-methylurea | n.o.s. | | I-2A, N-2, CP65 | |
| 571 | ? | 2-Amino-5-(5-nitro-2-furyl)-1,3,4-thiadiazole | n.o.s. | | I-2B, CP65 | |
| 572 | ? | ENU | n.o.s. | | I-2A, N-2, CP65 | |
| 573 | ? | N-Ethyl-N-nitrosoourea | n.o.s. | | I-2A, N-2, CP65 | |
| 574 | ? | N-Nitroso-N-ethylurea | n.o.s. | | I-2A, N-2, CP65 | |
| 575 | ? | 1,4-Dichloro-2-butene | S | 5 ppb TLV {25 µg/m ³ } | G-A2, CP65 | |
| 576 | ? | Glycidaldehyde | n.o.s. | | I-2B, CP65 | |
| 577 | ? | Panfuran S (containing dihydroxymethylfuratrizine) | n.o.s. | | I-2B, CP65 | |
| 578 | ? | Lead Formate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 579 | ? | Cobalt (II) Oxalate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 580 | ? | Trichlormethine | n.o.s. | | I-2B, CP65 | |
| 581 | ? | Trimustine Hydrochloride | n.o.s. | | I-2B, CP65 | |
| 582 | ? | Lead Butyrate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 583 | ? | 4,4'-Methylene bis(2-Methylaniline) | n.o.s. | | I-2B, CP65 | |
| 584 | | C.I. Solvent Yellow 14 | n.o.s. | | CP65 | |
| 585 | ? | Chloroform-d {CDCl ₃ } | IA | 10 ppm TLV {48.9 mg/m ³ } | G-A3, I-2B, N-2, CP65 | |
| 586 | ? | Cobalt (III) Acetate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 587 | ? | N-Nitrosodi- <i>n</i> -butylamine | n.o.s. | | I-2B, N-2, CP65 | |
| 588 | | N-Methylolacrylamide | n.o.s. | | CP65 | |
| 589 | ? | N-Nitrosopyrrolidine | n.o.s. | | I-2B, N-2, CP65 | |
| 590 | ? | Heptachlor Epoxide | S | 0.05 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 591 | ✓ | Chromic Acetate, as Cr ⁶⁺ [water-soluble] | | 5 µg/m ³ PEL | O, N-1, CP65 | |
| 592 | ✓ | Benzene-d ₆ {C ₆ D ₆ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 593 | ✓ | Beryllium Formate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 594 | ? | N-Nitrosodiethanolamine | n.o.s. | | I-2B, N-2, CP65 | |
| 595 | ? | 1,3-Propane Sultone | n.o.s. | | G-A3, I-2B, N-2, CP65 | |
| 596 | ✓ | Benzene-d {C ₆ H ₅ D ₁ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 597 | ✓ | <i>tert</i> -Butyl Chromate, as Cr ⁶⁺ | S | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 598 | ✓ | Nickelocene | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 599 | ✓ | Beryl Ore | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 600 | ✓ | Beryllium Aluminum Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|-----------|------------------|--|------------------|--|----------------------------|------------------|
| 601 | 1303-00-0 | ✓ | Gallium Arsenide | IG | 0.3 µg/m ³ TLV {Respirable} | O, G-A3, I-1, N-1, CP65 | |
| 602 | 1303-28-2 | ✓ | Arsenic Pentoxide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 603 | 1303-32-8 | ✓ | Arsenic Disulfide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 604 | 1303-33-9 | ✓ | Arsenic Trisulfide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 605 | 1303-36-2 | ✓ | Arsenic Triselenide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 606 | 1304-54-7 | ✓ | Beryllium Nitride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 607 | 1304-56-9 | ✓ | Beryllium Oxide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 608 | 1306-19-0 | ✓ | Cadmium Oxide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 609 | 1306-23-6 | ✓ | Cadmium Sulfide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 610 | 1306-24-7 | ✓ | Cadmium Selenide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 611 | 1306-25-8 | ✓ | Cadmium Telluride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 612 | 1307-86-4 | ? | Cobalt (III) Hydroxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 613 | 1307-96-6 | ? | C.I. Pigment Black 13 | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 614 | 1307-96-6 | ? | Cobalt (II) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 615 | 1307-96-6 | ? | Cobalt Monoxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 616 | 1308-04-9 | ? | Cobalt (III) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 617 | 1308-06-1 | ? | Cobalt (II, III) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 618 | 1308-09-4 | ✓ | Basic Copper (II) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 619 | 1308-09-4 | ✓ | Copper Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 620 | 1308-13-0 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 621 | 1308-13-0 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 622 | 1308-13-0 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 623 | 1309-60-0 | ? | Lead Dioxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 624 | 1309-64-4 | ? | Antimony Trioxide (ACGIH [®] : Production) | I | 0.5 mg/m ³ PEL | G-A2, I-2B, CP65 | |
| 625 | 1311-11-1 | ? | Lead Hydroxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 626 | 1313-99-1 | ✓ | Nickel Monoxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 627 | 1313-99-1 | ✓ | Nickel Oxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 628 | 1314-06-3 | ✓ | Nickel Sesquioxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 629 | 1314-20-1 | ✓ | Thorium Dioxide - [see Thorium] | J | n.o.s. | N-1, CP65 | |
| 630 | 1314-27-8 | ? | Lead Sesquioxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 631 | 1314-41-6 | ? | Lead Tetraoxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 632 | 1314-62-1 | ? | Vanadium Pentoxide (CP65: orthorhombic crystalline form) | I | 0.02 mg/m ³ TLV (inhalable fraction) | G-A3, I-2B, CP65 | 2007 |
| 633 | 1314-87-0 | ? | Lead Sulfide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 634 | 1314-91-6 | ? | Lead Telluride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 635 | 1317-36-8 | ? | Lead Monoxide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 636 | 1317-42-6 | ? | Cobalt (II) Sulfide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 637 | 1317-95-9 | ? | Silica (respirable) - Crystalline {Tripoli} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-2A, CP65 | |
| 638 | 1317-95-9 | ? | Tripoli {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-2A, CP65 | |
| 639 | 1319-43-3 | ✓ | Beryllium Carbonate Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 640 | 1319-48-8 | ? | Basic Lead Carbonate Sulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 641 | 1319-48-8 | ? Leadhillite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 642 | 1327-53-3 | ✓ Arsenic Trioxide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 643 | 1327-53-3 | ✓ Fowler's Solution, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 644 | 1328-67-2 | ✓ C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 645 | 1328-67-2 | ✓ Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 646 | 1328-67-2 | ✓ Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 647 | 1332-21-4 | ✓ Asbestos | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1, CP65 | |
| 648 | 1332-52-1 | ✓ Beryllium Acetate, Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 649 | 1333-82-0 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 650 | 1333-82-0 | ✓ Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 651 | 1333-82-0 | ✓ Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 652 | 1333-86-4 | ? Carbon Black (CP65: airborne, unbound particles of respirable size) | I | 3.5 mg/m ³ PEL | I-2B, CP65 | |
| 653 | 1335-32-6 | ? Lead Subacetate | n.o.s. | | G-A3, I-2A, N-2, CP65 | |
| 654 | 1336-36-3 | ? PCBs {Polychlorinated Biphenyls} | n.o.s. | | I-2A, N-2, CP65 | |
| 655 | 1336-36-3 | ? Polychlorinated Biphenyls (containing 60 or more percent chlorine by molecular weight) | n.o.s. | | CP65 | |
| 656 | 1336-36-3 | ? Polychlorinated Biphenyls {PCBs} | n.o.s. | | I-2A, N-2, CP65 | |
| 657 | 1344-38-3 | ✓ Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 658 | 1344-38-3 | ✓ C.I. Pigment Orange 21, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 659 | 1402-68-2 | ✓ Aflatoxins | IG | n.o.s. | I-1, N-1, CP65 | |
| 660 | 1464-53-5 | ? Diepoxybutane | n.o.s. | | I-2B, N-2, CP65 | |
| 661 | 1596-84-5 | Daminozide | n.o.s. | | CP65 | |
| 662 | 1615-80-1 | ? 1,2-Diethylhydrazine | n.o.s. | | I-2B, CP65 | |
| 663 | 1665-00-5 | ✓ Dichloromethane-d ₂ {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 664 | 1665-00-5 | ✓ Methane-d ₂ Dichloride {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 665 | 1665-00-5 | ✓ Methylene-d ₂ Chloride {CD ₂ Cl ₂ } [1910.1052] | IS | 25 ppm PEL {87 mg/m ³ } | O, G-A3, I-2B, N-2, CP65 | |
| 666 | 1684-47-5 | ✓ Benzene-1,3,5-d ₃ {C ₆ H ₃ D ₃ } | IS | 0.5 ppm TLV {1.6 mg/m ³ } | O, G-A1, I-1, N-1, CP65 | |
| 667 | 1694-09-3 | ? Benzyl Violet 4B | n.o.s. | | I-2B, CP65 | |
| 668 | 1746-01-6 | ✓ TCDD | S | n.o.s. | I-1, N-1, CP65 | |
| 669 | 1746-01-6 | ✓ 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin | S | n.o.s. | I-1, N-1, CP65 | |
| 670 | 1836-75-5 | ? 2,4-Dichlorophenyl- <i>p</i> -nitrophenyl Ether | n.o.s. | | I-2B, N-2, CP65 | |
| 671 | 1836-75-5 | ? Nitrofen (technical grade) | n.o.s. | | I-2B, N-2, CP65 | |
| 672 | 1897-45-6 | ? Chlorothalonil | n.o.s. | | I-2B, CP65 | |
| 673 | 1918-16-7 | Propachlor | n.o.s. | | CP65 | |
| 674 | 1929-82-4 | Nitrapyrin | n.o.s. | 10 mg/m ³ TLV | CP65 | |
| 675 | 1937-37-7 | ✓ Direct Black 38 (technical grade) | n.o.s. | | I-2A, N-1, CP65 | |
| 676 | 1937-37-7 | ✓ Direct Black GX | n.o.s. | | I-2A, N-1, CP65 | |
| 677 | 2092-56-0 | D&C Red No. 8 | n.o.s. | | CP65 | |
| 678 | 2223-93-0 | ✓ Cadmium Stearate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 679 | 2312-35-8 | Propargite | n.o.s. | | CP65 | |
| 680 | 2385-85-5 | ? Mirex | n.o.s. | | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|-----------|------------------|---|------------------|----------------------------|----------------------------|------------------|
| 681 | 2425-06-1 | ? | Captafol..... | S | 0.1 mg/m ³ PEL | I-2A, CP65 | |
| 682 | 2429-74-5 | ? | C.I. Direct Blue 15..... | I | n.o.s. | I-2B, CP65 | |
| 683 | 2439-01-2 | | Oxythioquinox..... | | n.o.s. | CP65 | |
| 684 | 2475-45-8 | ? | Disperse Blue 1..... | I | n.o.s. | I-2B, N-2, CP65 | |
| 685 | 2475-45-8 | ? | 1,4,5,8-Tetraamino-9,10-anthracenedione..... | I | n.o.s. | I-2B, N-2, CP65 | |
| 686 | 2593-15-9 | | Terrazole..... | | n.o.s. | CP65 | |
| 687 | 2602-46-2 | ✓ | Direct Blue 6 (technical grade)..... | | n.o.s. | I-2A, N-1, CP65 | |
| 688 | 2646-17-5 | ? | C.I. Solvent Orange 2..... | | n.o.s. | I-2B, CP65 | |
| 689 | 2646-17-5 | ? | Oil Orange SS..... | | n.o.s. | I-2B, CP65 | |
| 690 | 2784-94-3 | ? | HC Blue No.1..... | I | n.o.s. | I-2B, CP65 | |
| 691 | 2973-10-6 | ? | Diisopropylsulfate..... | | n.o.s. | I-2B, CP65 | |
| 692 | 3017-60-5 | ? | Cobalt (II) Thiocyanate..... | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 693 | 3068-88-0 | ? | <i>beta</i> -Butyrolactone..... | | n.o.s. | I-2B, CP65 | |
| 694 | 3165-93-3 | ? | 4-Chloro-2-methylbenzenamine Hydrochloride..... | | n.o.s. | I-2A, N-2, CP65 | |
| 695 | 3165-93-3 | ? | <i>p</i> -Chloro- <i>o</i> -toluidine Hydrochloride..... | | n.o.s. | I-2A, N-2, CP65 | |
| 696 | 3264-82-2 | ✓ | Nickel Acetylacetonate [water soluble]..... | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 697 | 3296-90-0 | ? | BBMP..... | | n.o.s. | I-2B, N-2, CP65 | |
| 698 | 3296-90-0 | ? | 2,2- <i>bis</i> (Bromomethyl)-1,3-propandiol..... | | n.o.s. | I-2B, N-2, CP65 | |
| 699 | 3296-90-0 | ? | 2,2- <i>bis</i> (Bromomethyl)propane-1,3-diol..... | | n.o.s. | I-2B, N-2, CP65 | |
| 700 | 3333-39-3 | ✓ | Nickel Carbonate..... | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 701 | 3333-67-3 | ✓ | Nickel Carbonate..... | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 702 | 3349-06-2 | ✓ | Nickel Formate [water soluble]..... | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 703 | 3468-63-1 | | D&C Orange No. 17..... | | n.o.s. | CP65 | |
| 704 | 3546-10-9 | | Phenesterin..... | | n.o.s. | CP65 | |
| 705 | 3564-09-8 | ? | Ponceau 3R..... | | n.o.s. | I-2B, CP65 | |
| 706 | 3570-75-0 | ? | 2-(2-Formylhydrazino)-4-(5-nitro-2-furyl)thiazole..... | | n.o.s. | I-2B, CP65 | |
| 707 | 3687-31-8 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 708 | 3688-53-7 | ? | AF-2..... | | n.o.s. | I-2B, CP65 | |
| 709 | 3688-53-7 | ? | 2-(2-Furyl)-3-(5-nitro-2-furyl)acrylamide..... | | n.o.s. | I-2B, CP65 | |
| 710 | 3697-24-3 | ? | 5-Methylchrysene {PAH}..... | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 711 | 3697-24-3 | ? | PAH {5-Methylchrysene}..... | I | 0.2 mg/m ³ PEL | I-2B, N-2, CP65 | |
| 712 | 3761-53-3 | ? | Ponceau MX..... | | n.o.s. | I-2B, CP65 | |
| 713 | 3771-19-5 | ? | Nafenopin..... | | n.o.s. | I-2B, CP65 | |
| 714 | 3795-88-8 | ? | 5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone..... | | n.o.s. | I-2B | |
| 715 | 3817-11-6 | ? | N-Nitroso- <i>n</i> -butyl-N-(4-hydroxybutyl)amine..... | | n.o.s. | N-2 | |
| 716 | 4342-03-4 | ? | Dacarbazine..... | | n.o.s. | I-2B, N-2, CP65 | |
| 717 | 4549-40-0 | ? | N-Nitrosomethylvinylamine..... | | n.o.s. | I-2B, N-2, CP65 | |
| 718 | 5064-31-3 | ? | Nitilotriacetic Acid, Trisodium Salt..... | I | n.o.s. | I-2B, N-2, CP65 | |
| 719 | 5118-34-3 | | Methylhydrazine Sulfate..... | | n.o.s. | CP65 | |
| 720 | 5160-02-1 | | D&C Red No. 9..... | | n.o.s. | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|-----------|------------------|--|------------------|--|----------------------------|------------------|
| 721 | 5216-25-1 | | <i>p</i> -a,a,a-Tetrachlorotoluene | | n.o.s. | CP65 | |
| 722 | 5522-43-0 | ? | 1-Nitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 723 | 6055-19-2 | ✓ | Cyclophosphamide (hydrated) | GJ | n.o.s. | I-1, CP65 | |
| 724 | 6109-97-3 | | 3-Amino-9-ethylcarbazole Hydrochloride | | n.o.s. | CP65 | |
| 725 | 6147-53-1 | ? | Cobalt (II) Acetate Tetrahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 726 | 6164-98-3 | | Chlordimeform | | n.o.s. | CP65 | |
| 727 | 6358-53-8 | ? | Citrus Red No.2 | | n.o.s. | I-2B, CP65 | |
| 728 | 6459-94-5 | ? | C.I. Acid Red 114 | I | n.o.s. | I-2B, CP65 | |
| 729 | 6795-23-9 | ? | Aflatoxin M1 | | n.o.s. | I-2B, CP65 | |
| 730 | 7280-37-7 | ✓ | Estropipate | | n.o.s. | N-1, CP65 | |
| 731 | 7280-37-7 | ✓ | Piperazine Estrone Sulfate | | n.o.s. | N-1, CP65 | |
| 732 | 7439-92-1 | ? | Lead & Pb compounds, inorganic, as Pb - [see specific compound] | IG | 50 µg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 733 | 7440-02-0 | ✓ | Nickel metal powder & Ni alloys/compounds, as Ni - [see specific compound] | I | 1 mg/m ³ PEL {inhalable fraction} | I-2B, N-1, CP65 | |
| 734 | 7440-07-5 | ✓ | Plutonium (as ²³⁹ Pu, and its decay products [may contain other isotopes], as aerosols) | | n.o.s. | I-1 | |
| 735 | 7440-14-4 | ✓ | Radium (as ²²⁴ Ra, and its decay products) | | n.o.s. | I-1 | |
| 736 | 7440-14-4 | ✓ | Radium (as ²²⁶ Ra, and its decay products) | | n.o.s. | I-1 | |
| 737 | 7440-14-4 | ✓ | Radium (as ²²⁸ Ra, and its decay products) | | n.o.s. | I-1 | |
| 738 | 7440-29-1 | ✓ | Thorium (as ²³² Th, and its decay products, administered intravenously) | J | n.o.s. | I-1 | |
| 739 | 7440-38-2 | ✓ | Arsenic in Drinking Water | IG | n.o.s. | I-1 | |
| 740 | 7440-38-2 | ✓ | Arsenic, Inorganic [1910.1018] - [see specific compound] | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 741 | 7440-38-2 | ✓ | Inorganic Arsenic [1910.1018] - [see specific compound] | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 742 | 7440-41-7 | ✓ | Beryllium & compounds, as Be - [see specific compound] | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 743 | 7440-43-9 | ✓ | Cadmium & Cd compounds, as Cd [1910.1027] - [see specific compound] | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 744 | 7440-48-4 | | Cobalt metal powder | I | 0.02 mg/m ³ TLV | CP65 | |
| 745 | 7440-61-1 | ✓ | Uranium, natural [soluble & insoluble compounds] | I | 0.05 mg/m ³ PEL (sol.); 0.25 mg/m ³ PEL (insol.) | G-A1 | |
| 746 | 7446-14-2 | ? | Lead Sulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 747 | 7446-15-3 | ? | Lead Selenate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 748 | 7446-27-7 | ? | Lead Phosphate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 749 | 7446-34-6 | ? | Selenium Sulfide | | n.o.s. | N-2, CP65 | |
| 750 | 7481-89-2 | ? | Zalcitabine | | n.o.s. | I-2B | |
| 751 | 7488-51-9 | ? | Lead Selenite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 752 | 7496-02-8 | ? | 6-Nitrochrysene | I | n.o.s. | I-2B, N-2, CP65 | |
| 753 | 7631-86-9 | ✓ | Silicon Dioxide - [see specific crystalline silica form] | I | 0.05 - 0.1 mg/m ³ PEL | I-2A, N-1, CP65 | |
| 754 | 7631-89-2 | ✓ | Sodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 755 | 7645-25-2 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 756 | 7646-79-9 | ? | Cobalt (II) Chloride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 757 | 7718-54-9 | ✓ | Nickel Chloride [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 758 | 7723-14-0 | ✓ | Phosphorus (as ³² P, as phosphate) | | n.o.s. | I-1 | |
| 759 | 7758-01-2 | ? | Potassium Bromate | | n.o.s. | I-2B, CP65 | |
| 760 | 7758-95-4 | ? | Lead Chloride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|-----|--------------|-------------------------|---|-------------------------|--|-----------------------------------|-------------------------|
| 761 | 7758-97-6 | ✓ | C.I. Pigment Yellow 34, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A2, I-1, N-1, CP65 | |
| 762 | 7758-97-6 | ✓ | Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A2, I-1, N-1, CP65 | |
| 763 | 7759-01-5 | ? | Lead Tungstate (VI) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 764 | 7774-41-6 | ✓ | Arsenic Acid Hemihydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 765 | 7775-11-3 | ✓ | Sodium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 766 | 7778-39-4 | ✓ | <i>o</i> -Arsenic Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 767 | 7778-43-0 | ✓ | Disodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 768 | 7778-44-1 | ✓ | Calcium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 769 | 7778-50-9 | ✓ | Potassium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 770 | 7783-46-2 | ? | Lead Fluoride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 771 | 7783-59-7 | ? | Lead Tetrafluoride | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 772 | 7784-01-2 | ✓ | Silver Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 773 | 7784-02-3 | ✓ | Silver Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 774 | 7784-33-0 | ✓ | Arsenic Tribromide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 775 | 7784-34-1 | ✓ | Arsenic Trichloride | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 776 | 7784-35-2 | ✓ | Arsenic Trifluoride | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 777 | 7784-40-9 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 778 | 7784-41-0 | ✓ | Potassium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 779 | 7784-45-4 | ✓ | Arsenic Triiodide | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 780 | 7784-46-5 | ✓ | Sodium Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 781 | 7785-24-2 | ✓ | Cobalt (II) Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 782 | 7786-81-4 | ✓ | Nickel Sulfate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 783 | 7787-46-4 | ✓ | Beryllium Bromide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 784 | 7787-47-5 | ✓ | Beryllium Chloride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 785 | 7787-49-7 | ✓ | Beryllium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 786 | 7787-50-0 | ✓ | Beryllium Potassium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 787 | 7787-52-2 | ✓ | Beryllium Hydride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 788 | 7787-53-3 | ✓ | Beryllium Iodide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 789 | 7787-55-5 | ✓ | Beryllium Nitrate Trihydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 790 | 7787-56-6 | ✓ | Beryllium Sulfate Tetrahydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 791 | 7788-98-9 | ✓ | Ammonium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 792 | 7789-00-6 | ✓ | Potassium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 793 | 7789-01-7 | ✓ | Lithium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 794 | 7789-04-0 | ✓ | Chromium Phosphate, as Cr ⁶⁺ [water-soluble] | I | 5 µg/m ³ PEL | O, N-1, CP65 | |
| 795 | 7789-06-2 | ✓ | Strontium Chromate, as Cr ⁶⁺ | I | 0.5 µg/m ³ TLV | O, G-A2, I-1, N-1, CP65 | |
| 796 | 7789-09-5 | ✓ | Ammonium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 797 | 7789-10-8 | ✓ | Mercuric Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 798 | 7789-10-8 | ✓ | Mercury (II) Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 799 | 7789-42-6 | ✓ | Cadmium Bromide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 800 | 7789-43-7 | ? | Cobalt (II) Bromide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 801 | ✓ | Cadmium Fluoride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 802 | ✓ | Cadmium Iodide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 803 | ✓ | Cadmium Tungstate (VI) | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 804 | ? | Cobalt (II) Chloride Hexahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 805 | ? | Chlorinated Camphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 806 | ? | Polychlorinated Camphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 807 | ? | Toxaphene | S | 0.5 mg/m ³ PEL | G-A3, I-2B, N-2, CP65 | |
| 808 | ✓ | Creosotes | IS | n.o.s. | I-2A, N-1, CP65 | |
| 809 | ✓ | Mineral Oil (untreated/poorly and mildly refined/treated) | ISG | 0.2 mg/m ³ TLV (inhalable particulate) | G-A2, I-1, N-1, CP65 | 2001 |
| 810 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 811 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 812 | ? | Gasoline | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B | |
| 813 | ✓ | Coal Tars | I | n.o.s. | I-1, N-1 | |
| 814 | ✓ | Donovan's Solution, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 815 | ? | Mancozeb | | n.o.s. | CP65 | |
| 816 | ✓ | Creosotes (wood) | IS | n.o.s. | N-1, CP65 | |
| 817 | ✓ | Arsenical Dip | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 818 | ✓ | Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 819 | ? | Asphalt (Petroleum) Fumes | I | 0.5 mg/m ³ TLV | I-2B, CP65 | |
| 820 | ? | Bitumen (extracts of steam-refined and air-refined) | I | 0.5 mg/m ³ TLV | I-2B, CP65 | |
| 821 | ? | Carrageenan, degraded | | n.o.s. | I-2B | |
| 822 | ? | Iron Dextran Complex | | n.o.s. | I-2B, N-2, CP65 | |
| 823 | ? | Metiram | | n.o.s. | CP65 | |
| 824 | ? | Cobalt (II) Fluoride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 825 | ? | Cobalt (III) Fluoride | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 826 | ? | Cobalt (II) Nitrate Hexahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 827 | ? | Cobalt Sulfate Heptahydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B, CP65 | |
| 828 | ✓ | Nickel Fluoride [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 829 | ✓ | Lead Arsenite, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 830 | ? | Lead Bromide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 831 | ? | Hydrazine Sulfate | | n.o.s. | N-2, CP65 | |
| 832 | ✓ | Beryllium Selenate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 833 | ? | Nitrotri-acetic Acid, Sodium Salt (unspecified) | I | n.o.s. | I-2B, N-2, CP65 | |
| 834 | ✓ | Radon (as ²²² Rn, and its decay products) | IG | 0.2–0.7 pCi/L EPA {indoor < outdoor} | I-1, N-1 | |
| 835 | ? | Sterigmatocystin | | n.o.s. | I-2B, CP65 | |
| 836 | ✓ | Disodium Arsenate Heptahydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 837 | ✓ | Disodium Hydrogen Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 838 | ? | Lead Nitrate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 839 | ? | Lead Vanadate (V) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 840 | ? | Lead Iodide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-----|------------|------------------|--|------------------|--|----------------------------|------------------|
| 841 | 10101-94-7 | ? | Lead Sodium Thiosulfate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 842 | 10102-48-4 | ✓ | Lead Arsenate, as As ³⁺ | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 843 | 10102-53-1 | ✓ | <i>m</i> -Arsenic Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 844 | 10103-50-1 | ✓ | Magnesium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 845 | 10103-62-5 | ✓ | Calcium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 846 | 10108-64-2 | ✓ | Cadmium Chloride | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 847 | 10124-36-4 | ✓ | Cadmium Sulfate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 848 | 10124-43-3 | ? | Cobalt (II) Sulfate | I | 0.02 mg/m ³ TLV | G-A3, I-2B, N-2, CP65 | |
| 849 | 10141-05-6 | ? | Cobalt (II) Nitrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 850 | 10190-55-3 | ? | Lead Molybdate (VI) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 851 | 10210-64-7 | ✓ | Beryllium Acetylacetonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 852 | 10210-68-1 | ? | Cobalt Carbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 853 | 10210-68-1 | ? | Dicobalt Octacarbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 854 | 10214-39-8 | ? | Lead Borate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 855 | 10290-12-7 | ✓ | Cupric Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 856 | 10294-40-3 | ✓ | Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 857 | 10294-47-0 | ? | Lead Chlorate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 858 | 10294-52-7 | ✓ | C.I. Pigment Yellow 45, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 859 | 10294-52-7 | ✓ | Ferric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 860 | 10294-52-7 | ✓ | Iron (III) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 861 | 10294-53-8 | ✓ | Iron (III) Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 862 | 10294-58-3 | ? | Lead Hypophosphite | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 863 | 10325-94-7 | ✓ | Cadmium Nitrate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 864 | 10381-36-9 | ✓ | Nickel Phosphate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 865 | 10418-03-8 | | Stanozolol | | n.o.s. | CP65 | |
| 866 | 10540-29-1 | ✓ | Tamoxifen (and its salts) | | n.o.s. | I-1, N-1, CP65 | |
| 867 | 10588-01-9 | ✓ | Sodium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 868 | 10595-95-6 | ? | N-Nitrosomethylethylamine | | n.o.s. | I-2B, CP65 | |
| 869 | 11056-06-7 | ? | Bleomycins | | n.o.s. | I-2B | |
| 870 | 11096-82-5 | ? | Aroclor [®] 1260 {PCBs} | S | n.o.s. | N-2, CP65 | |
| 871 | 11097-69-1 | ? | Aroclor [®] 1254 {PCBs} | S | 0.5 mg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 872 | 11097-69-1 | ? | Chlorodiphenyl (54% chlorine) {PCBs} | S | 0.5 mg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 873 | 11103-86-9 | ✓ | Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 874 | 11113-74-9 | ✓ | Nickel Hydroxide | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 875 | 11114-92-4 | ✓ | Cobalt Chromium Alloy, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 876 | 11133-98-5 | ✓ | Beryllium-Copper Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 877 | 12000-34-9 | ✓ | Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 878 | 12001-28-4 | ✓ | Crocidolite | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 879 | 12001-29-5 | ✓ | Chrysotile | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 880 | 12002-03-8 | ✓ | Copper (II) Acetoarsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 881 | 12002-03-8 | ✓ Cupric Acetoarsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 882 | 12016-80-7 | ? Cobalt (III) Oxide Monohydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 883 | 12018-32-5 | ✓ Sodium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 884 | 12035-72-2 | ✓ Nickel Subulfide | I | 0.1 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 885 | 12054-48-7 | ✓ Nickel Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 886 | 12069-68-0 | ? Cobalt (II) Carbonate Hydroxide (1:1) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 887 | 12125-56-3 | ✓ Nickel Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 888 | 12161-82-9 | ✓ Bertrandite | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 889 | 12161-82-9 | ✓ Beryllium Silicate Hydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 890 | 12172-73-5 | ✓ Amosite | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 891 | 12174-11-7 | ? Attapulgite (long fibers, > 5 µm) | I | n.o.s. | I-2B, CP65 | |
| 892 | 12174-11-7 | ? Palygorskite (long fibers, > 5 µm) | I | n.o.s. | I-2B, CP65 | |
| 893 | 12206-12-1 | ✓ Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 894 | 12213-61-5 | ✓ C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 895 | 12213-61-5 | ✓ Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 896 | 12231-18-4 | ✓ Barium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 897 | 12324-05-9 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 898 | 12324-05-9 | ✓ Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 899 | 12324-05-9 | ✓ Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 900 | 12324-08-2 | ✓ Chromic Acid, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 901 | 12324-08-2 | ✓ Chromium Oxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 902 | 12324-08-2 | ✓ Chromium Trioxide, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 903 | 12427-38-2 | Maneb | | n.o.s. | CP65 | |
| 904 | 12510-42-8 | ✓ Erionite | I | n.o.s. | I-1, N-1, CP65 | |
| 905 | 12527-08-1 | ✓ Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 906 | 12602-23-2 | ? Cobalt (II) Carbonate Hydroxide (2:3) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 907 | 12607-70-4 | ✓ Nickel Carbonate Hydroxide | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 908 | 12656-85-8 | ✓ C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 909 | 12656-85-8 | ✓ Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 910 | 12685-29-9 | ✓ Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 911 | 12709-98-7 | ✓ C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 912 | 12709-98-7 | ✓ Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 913 | 12770-50-2 | ✓ Beryllium-Aluminum Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 914 | 12789-03-6 | ? Chlordane (technical grade) | S | 0.5 mg/m ³ TLV | G-A3, I-2B | |
| 915 | 13007-92-6 | ✓ Chromium Carbonyl, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 916 | 13010-47-4 | ? CCNU | | n.o.s. | I-2A, N-2, CP65 | |
| 917 | 13010-47-4 | ? 1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea | | n.o.s. | I-2A, N-2, CP65 | |
| 918 | 13010-47-4 | ? Lomustine | | n.o.s. | I-2A, N-2, CP65 | |
| 919 | 13106-47-3 | ✓ Beryllium Carbonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 920 | 13138-45-9 | ✓ Nickel Nitrate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|---|----------------------------|------------------|
| 921 | | 13194-48-4 Ethoprop | | n.o.s. | CP65 | |
| 922 | ? | 13256-22-9 N-Nitrososarcosine | | n.o.s. | I-2B, N-2, CP65 | |
| 923 | ✓ | 13327-32-7 Beryllium Hydroxide | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 924 | ✓ | 13423-61-5 Magnesium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 925 | ? | 13424-46-9 Lead Azide | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 926 | ✓ | 13444-75-2 Mercuric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 927 | ✓ | 13444-75-2 Mercury (II) Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 928 | ✓ | 13446-72-5 Rubidium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 929 | ✓ | 13446-73-6 Rubidium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 930 | ✓ | 13453-35-5 Thallium Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 931 | ✓ | 13454-78-9 Cesium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 932 | ? | 13455-25-9 Cobalt (II) Chromate (III) | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 933 | ? | 13455-36-2 Cobalt (II) Phosphate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 934 | ✓ | 13462-88-9 Nickel Bromide [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 935 | ✓ | 13462-90-3 Nickel Iodide [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 936 | ✓ | 13463-39-3 Nickel Carbonyl | I | 1 ppb PEL {7 µg/m ³ } | I-1, N-1, CP65 | |
| 937 | ? | 13463-67-7 Titanium Dioxide | | 10 mg/m ³ TLV | I-2B | |
| 938 | ✓ | 13464-35-2 Potassium Arsenite | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 939 | ✓ | 13473-75-1 Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 940 | ✓ | 13478-00-7 Nickel (II) Nitrate Hexahydrate, as Ni [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 941 | ✓ | 13478-93-8 Nickel Dimethylglyoxime | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 942 | ✓ | 13510-48-0 Beryllium Nitrate Tetrahydrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 943 | ✓ | 13510-49-1 Beryllium Sulfate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 944 | ? | 13510-89-9 Lead Antimonate (V) | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 945 | ✓ | 13520-61-1 Nickel Perchlorate Hexahydrate [water soluble] | I | 0.1 mg/m ³ TLV | I-1, N-1, CP65 | |
| 946 | ✓ | 13530-65-9 C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 947 | ✓ | 13530-65-9 Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 948 | ✓ | 13530-65-9 Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 949 | ✓ | 13548-42-0 Copper Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 950 | ✓ | 13548-42-0 Cupric Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 951 | ? | 13552-44-8 4,4'-Methylenedianiline Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 952 | ? | 13596-22-0 Cobalt (II) Potassium Sulfate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 953 | ✓ | 13597-95-0 Beryllium Perchlorate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 954 | ✓ | 13597-99-4 Beryllium Nitrate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 955 | ✓ | 13598-00-0 Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 956 | ✓ | 13598-15-7 Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 957 | ✓ | 13598-26-0 Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 958 | ? | 13654-09-6 Decabromobiphenyl {PBBs} | | n.o.s. | N-2, CP65 | |
| 959 | ? | 13762-14-6 Cobalt (II) Molybdenum (VI) Oxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 960 | ✓ | 13765-19-0 Calcium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL {1 µg/m ³ TLV} | O, G-A2, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|---|------------------|--|----------------------------|------------------|
| 961 | ✓ | Nickel Sulfamate | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 962 | ? | Cobalt (III) Potassium Nitrite | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 963 | ✓ | Cadmium Selenate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 964 | ✓ | Lithium Dichromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 965 | ✓ | Beryllium Sodium Fluoride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 966 | ✓ | 1-(2-Chloroethyl)-3-(4-methylcyclohexyl)-1-nitrosourea | n.o.s. | | I-1, N-1, CP65 | |
| 967 | ✓ | MeCCNU | n.o.s. | | I-1, N-1, CP65 | |
| 968 | ✓ | Methyl-CCNU | n.o.s. | | I-1, N-1, CP65 | |
| 969 | ✓ | Semustine | n.o.s. | | I-1, N-1, CP65 | |
| 970 | ✓ | Chromium Carbonyl, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 971 | ✓ | Arsenious Acid | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 972 | ✓ | Lithium Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 973 | ✓ | Cadmium Potassium Cyanide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 974 | ✓ | Cristobalite {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 975 | ✓ | Silica (respirable) - Crystalline {Cristobalite} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 976 | ✓ | Cadmium Fluoborate | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 977 | ✓ | Tremolite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 978 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 979 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 980 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 981 | ✓ | Quartz {Silica (respirable) - Crystalline} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 982 | ✓ | Silica (respirable) - Crystalline {Quartz} | I | 0.025 mg/m ³ TLV (respirable fraction) | G-A2, I-1, N-1, CP65 | |
| 983 | ? | Cycasin | n.o.s. | | I-2B, CP65 | |
| 984 | ✓ | Chromyl Chloride, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 985 | ✓ | Chromium [VI] Chloride | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 986 | ✓ | Chromium Hexachloride, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 987 | ✓ | Sodium Arsenate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 988 | ✓ | Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 989 | ✓ | Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 990 | ✓ | Calcium Arsenite, 2:1 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 991 | ? | Cobalt (II) Iodide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 992 | ? | Nitrotriacetic Acid, Disodium Salt | I | n.o.s. | I-2B, N-2, CP65 | |
| 993 | | Bromate | n.o.s. | | CP65 | |
| 994 | ? | Cisplatin | n.o.s. | | I-2A, N-2, CP65 | |
| 995 | ✓ | Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 996 | | Alachlor | | 1 mg/m ³ TLV {Sensitizer} | G-A3, CP65 | |
| 997 | ? | Direct Brown 95 (technical grade) | n.o.s. | | I-2A, CP65 | |
| 998 | ✓ | N'-Nitrosornicotine | n.o.s. | | I-1, N-2, CP65 | |
| 999 | ✓ | NNN | n.o.s. | | I-1, N-2, CP65 | |
| 1000 | ✓ | Neodymium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|-------|------------------|--|------------------|--|----------------------------|------------------|
| 1001 | ✓ | Samarium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1002 | | Acetaldehyde Methylformylhydrazone | | n.o.s. | CP65 | |
| 1003 | | Gyromitrin | | n.o.s. | CP65 | |
| 1004 | ✓ | Neodymium Chromate Heptahydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1005 | ✓ | Sodium Equilin Sulfate | | n.o.s. | N-1 | |
| 1006 | ? | Cobalt Hydrocarbonyl, as Co | I | 0.1 mg/m ³ TLV | I-2B | |
| 1007 | ✓ | Beryllium Borohydride | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1008 | ? | 1,4-Dioxane-d ₈ | IS | 20 ppm TLV {72 mg/m ³ } | G-A3, I-2B, N-2 | |
| 1009 | ? | Tetracobalt Dodecacarbonyl, as Co | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 1010 | ✓ | Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1011 | ✓ | Chrome Red, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1012 | ✓ | Lead Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1013 | ✓ | Chromium (VI) & inorganic Cr ⁶⁺ compounds - [see specific compound] | I | 5 µg/m ³ PEL | O, I-1, N-1, CP65 | |
| 1014 | ? | Nitritotriacetic Acid, Trisodium Salt, Hydrate | I | n.o.s. | I-2B, N-2, CP65 | |
| 1015 | ? | Streptozocin | | n.o.s. | I-2B, N-2, CP65 | |
| 1016 | ? | Streptozotocin | | n.o.s. | I-2B, N-2, CP65 | |
| 1017 | ✓ | Copper Chromate Oxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1018 | ? | Nitritotriacetic Acid, Monosodium Salt | I | n.o.s. | I-2B, N-2, CP65 | |
| 1019 | ✓ | Beryllium Acetate, Basic | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1020 | | Oxadiazon | | n.o.s. | CP65 | |
| 1021 | | p-Chloroaniline Hydrochloride | | n.o.s. | CP65 | |
| 1022 | ? | o-Dianisidine Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 1023 | ? | 3,3'-Dimethoxybenzidine Dihydrochloride | | n.o.s. | N-2, CP65 | |
| 1024 | ? | Daunomycin | | n.o.s. | I-2B, CP65 | |
| 1025 | ? | Cobalt (II) Hydroxide | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 1026 | ✓ | Cadmium Hydroxide | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 1027 | | 2,4,5-Trimethylaniline Hydrochloride | | n.o.s. | CP65 | |
| 1028 | | Cytembena | | n.o.s. | CP65 | |
| 1029 | ? | Indium Phosphide | | 0.1 mg/m ³ TLV | I-2A, CP65 | |
| 1030 | ? | 3,9-Dinitrofluoranthene | | n.o.s. | I-2B, CP65 | |
| 1031 | ✓ | Thallium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1032 | ? | Adriamycin [®] | | n.o.s. | I-2A, N-2, CP65 | |
| 1033 | ? | Doxorubicin Hydrochloride | | n.o.s. | I-2A, N-2, CP65 | |
| 1034 | ? | Riddelliine | | n.o.s. | I-2B, CP65 | |
| 1035 | ? | Nitritotriacetic Acid, Disodium Salt, Hydrate | I | n.o.s. | I-2B, N-2, CP65 | |
| 1036 | | Pronamide | | n.o.s. | CP65 | |
| 1037 | ✓ | Chromic Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1038 | ? | BHA | | n.o.s. | I-2B, N-2, CP65 | |
| 1039 | ? | Butylated Hydroxyanisole | | n.o.s. | I-2B, N-2, CP65 | |
| 1040 | ? | Adriamycin [®] | | n.o.s. | I-2A, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|------|------------|------------------|--|------------------|--|----------------------------|------------------|
| 1041 | 25316-40-9 | ? | Doxorubicin Hydrochloride | | n.o.s. | I-2A, N-2, CP65 | |
| 1042 | 25808-74-6 | ? | Lead Hexafluorosilicate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 1043 | 25812-30-0 | | Gemfibrozil | | n.o.s. | CP65 | |
| 1044 | 25962-77-0 | ? | <i>trans</i> -2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole | | n.o.s. | I-2B | |
| 1045 | 26148-68-5 | ? | <i>A-alpha</i> -C | | n.o.s. | I-2B, CP65 | |
| 1046 | 26148-68-5 | ? | 2-Amino-9H-pyrido[2,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 1047 | 26471-62-5 | | Toluene Diisocyanate | | n.o.s. {Sensitizer} | I-2B, N-2, CP65 | |
| 1048 | 27152-57-4 | ✓ | Calcium Arsenite, 2:3 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1049 | 27208-37-3 | ? | Cyclopenta[<i>cd</i>]pyrene {PAH} | | 0.2 mg/m ³ PEL | I-2A | |
| 1050 | 27208-37-3 | ? | PAH {Cyclopenta[<i>cd</i>]pyrene} | | 0.2 mg/m ³ PEL | I-2A | |
| 1051 | 28407-37-6 | | C.I. Direct Blue 218 | | n.o.s. | CP65 | |
| 1052 | 28434-86-8 | ? | 3,3'-Dichloro-4,4'-diaminodiphenyl Ether | | n.o.s. | I-2B, CP65 | |
| 1053 | 29191-52-4 | ? | <i>o</i> -Anisidine | S | 0.5 mg/m ³ PEL {0.1 ppm} | G-A3, I-2B | |
| 1054 | 29689-14-3 | ✓ | Chromium Carbonate, as Cr ⁶⁺ [water-soluble] | | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1055 | 29767-20-2 | ? | Teniposide | | n.o.s. | I-2A | |
| 1056 | 30516-87-1 | ? | AZT | | n.o.s. | I-2B | |
| 1057 | 30516-87-1 | ? | Zidovudine | | n.o.s. | I-2B | |
| 1058 | 30525-89-4 | ✓ | Paraformaldehyde | IA | C 0.3 ppm TLV {C 0.37 mg/m ³ } | O, G-A2, I-2A, N-2 | |
| 1059 | 32809-16-8 | | Procymidone | | n.o.s. | CP65 | |
| 1060 | 33419-42-0 | ✓ | Etoposide | | n.o.s. | I-1 | |
| 1061 | 34018-28-5 | ? | Lead Bromate | IG | 50 µg/m ³ PEL | G-A3, I-2A, N-2, CP65 | |
| 1062 | 34256-82-1 | | Acetochlor | | n.o.s. | CP65 | |
| 1063 | 34465-46-8 | | Hexachlorodibenzodioxin | | n.o.s. | CP65 | |
| 1064 | 35089-00-0 | ✓ | Beryllium Phosphate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1065 | 36355-01-8 | ? | Hexabromobiphenyl {PBBs} | | n.o.s. | N-2 | |
| 1066 | 36734-19-7 | | Iprodione | | n.o.s. | CP65 | |
| 1067 | 37227-61-5 | ✓ | Beryllium-Nickel Alloy, as Be fume or dust [also see Ni] | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1068 | 37227-61-5 | ✓ | Nickel-Beryllium Alloy, as Ni fume or dust [also see Be] | I | 0.2 mg/m ³ TLV | G-A1, I-1, N-1, CP65 | |
| 1069 | 37235-82-8 | ✓ | Basic Bismuth Dichromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1070 | 37300-23-5 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1071 | 37300-23-5 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1072 | 37300-23-5 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1073 | 37317-41-2 | ? | Kanechlor [®] 500 {PCBs} | | n.o.s. | N-2, CP65 | |
| 1074 | 37364-06-0 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 1075 | 37809-34-0 | ✓ | Zinc Potassium Chromate (Hydroxide), as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1076 | 38252-74-3 | ? | N-Nitroso- <i>n</i> -butyl-N-(3-carboxypropyl)amine | | n.o.s. | N-2 | |
| 1077 | 38455-77-5 | ✓ | Stannic Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1078 | 38455-77-5 | ✓ | Tin (IV) Chromate, as Cr ⁶⁺ [water soluble] | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1079 | 39156-41-7 | ? | 2,4-Diaminoanisole Sulfate | | n.o.s. | N-2, CP65 | |
| 1080 | 39413-47-3 | ✓ | Beryllium Zinc Silicate, as Be | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|------|------------|------------------|--|------------------|---|----------------------------|------------------|
| 1081 | 39413-47-3 | ✓ | Zinc Beryllium Silicate, as Be | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1082 | 42397-64-8 | ? | 1,6-Dinitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 1083 | 42397-65-9 | ? | 1,8-Dinitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 1084 | 50471-44-8 | | Vinclozolin | | n.o.s. | CP65 | |
| 1085 | 51264-14-3 | ? | Amsacrine | | n.o.s. | I-2B | |
| 1086 | 51839-24-8 | ? | Cobalt (II) Carbonate Hydroxide (2:3) Monohydrate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 1087 | 52740-16-6 | ✓ | Calcium Arsenite, 1:1 | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1088 | 53469-21-9 | ? | Chlorodiphenyl (42% chlorine) {PCBs} | S | 1 mg/m ³ PEL | I-2A, CP65 | |
| 1089 | 53684-48-3 | ✓ | Beryllium Potassium Sulfate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1090 | 53973-98-1 | | Polygeenan | | n.o.s. | CP65 | |
| 1091 | 54322-60-0 | ✓ | Strontium Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1092 | 54692-53-4 | ✓ | Basic Lead Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1093 | 54692-53-4 | ✓ | C.I. Pigment Orange 21, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1094 | 54749-90-5 | ? | Chlorozotocin | | n.o.s. | I-2A, N-2, CP65 | |
| 1095 | 55158-44-6 | ✓ | Beryllium-Copper-Cobalt Alloy, as Be fume or dust | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1096 | 55738-54-0 | | <i>trans</i> -2-[(Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)vinyl]-1,3,4-oxadiazole | | n.o.s. | CP65 | |
| 1097 | 57018-52-7 | | Propylene Glycol Mono-t-Butyl Ether | | n.o.s. | CP65 | |
| 1098 | 57486-12-1 | ✓ | C.I. Pigment Yellow 36, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1099 | 57486-12-1 | ✓ | Zinc Chromate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1100 | 57486-12-1 | ✓ | Zinc Yellow, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1101 | 57835-92-4 | ? | 4-Nitropyrene | I | n.o.s. | I-2B, N-2, CP65 | |
| 1102 | 58477-24-0 | ✓ | Samarium Chromate Heptahydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1103 | 58500-38-2 | ✓ | Beryllium Silicate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1104 | 58569-17-8 | ✓ | Samarium Chromate Dihydrate, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1105 | 59536-65-1 | ? | Firemaster BP-6 {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 1106 | 59536-65-1 | ? | PBBs {Polybrominated Biphenyls} | | n.o.s. | I-2B, N-2, CP65 | |
| 1107 | 59536-65-1 | ? | Polybrominated Biphenyls {PBBs} | | n.o.s. | I-2B, N-2, CP65 | |
| 1108 | 59669-26-0 | | Thiodicarb | | n.o.s. | CP65 | |
| 1109 | 59865-13-3 | ✓ | Ciclosporin | | n.o.s. | I-1, N-1, CP65 | |
| 1110 | 59865-13-3 | ✓ | Ciclosporine | | n.o.s. | I-1, N-1, CP65 | |
| 1111 | 59865-13-3 | ✓ | Cyclosporin A | | n.o.s. | I-1, N-1, CP65 | |
| 1112 | 60153-49-3 | ? | 3-(N-Nitrosomethylamino)propionitrile | | n.o.s. | I-2B, CP65 | |
| 1113 | 60391-92-6 | | N-Carboxymethyl-N-nitrosourea | | n.o.s. | CP65 | |
| 1114 | 60568-05-0 | | Furmecyclox | | n.o.s. | CP65 | |
| 1115 | 61288-13-9 | ? | Octabromobiphenyl {PBBs} | | n.o.s. | N-2, CP65 | |
| 1116 | 61789-51-3 | ? | Cobalt (II) Naphthenate | I | 0.02 mg/m ³ TLV | G-A3, I-2B | |
| 1117 | 62450-06-0 | ? | 3-Amino-1,4-dimethyl-5H-pyrido[4,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |
| 1118 | 62450-06-0 | ? | Trp-P-1 | | n.o.s. | I-2B, CP65 | |
| 1119 | 62450-06-0 | ? | Tryptophan-P-1 | | n.o.s. | I-2B, CP65 | |
| 1120 | 62450-07-1 | ? | 3-Amino-1-methyl-5H-pyrido[4,3- <i>b</i>]indole | | n.o.s. | I-2B, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | CASRN | CHP [†] | Carcinogen Name | R/E ^A | PEL/TLV (8 hr. TWA) | Source Agency ^B | NIC ^C |
|------|------------|------------------|---|------------------|---|----------------------------|------------------|
| 1121 | 62450-07-1 | ? | Trp-P-2 | n.o.s. | | I-2B, CP65 | |
| 1122 | 62450-07-1 | ? | Tryptophan-P-2 | n.o.s. | | I-2B, CP65 | |
| 1123 | 62476-59-9 | | Acifluorfen | n.o.s. | | CP65 | |
| 1124 | 63449-39-8 | ? | Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine) | n.o.s. | | I-2B, N-2 | |
| 1125 | 64070-83-3 | ✓ | Trisodium Arsenate Heptahydrate | IG | 10 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1126 | 64091-91-4 | ✓ | 4-(N-Nitrosomethylamino)-1-(3-pyridyl)-1-butanone | n.o.s. | | I-1, N-2, CP65 | |
| 1127 | 64091-91-4 | ✓ | NNK | n.o.s. | | I-1, N-2, CP65 | |
| 1128 | 64523-06-4 | ✓ | C.I. Pigment Red 104, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1129 | 64523-06-4 | ✓ | Molybdenum Orange, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1130 | 65271-80-9 | ? | Mitoxantrone | n.o.s. | | I-2B | |
| 1131 | 65996-89-6 | ✓ | Coal Tars & Extracts, and high-temp. coal tars | I | n.o.s. | I-1, N-1 | |
| 1132 | 65996-93-2 | ✓ | Coal Tar Pitch Volatiles (as benzene solubles) | I | 0.2 mg/m ³ PEL | G-A1, I-1, N-1 | |
| 1133 | 65996-93-2 | ✓ | Particulate Polycyclic Aromatic Hydrocarbons [PPAH] | I | 0.2 mg/m ³ PEL | G-A1, I-1, N-1 | |
| 1134 | 66104-24-3 | ✓ | Beryllium Carbonate | IS | 0.05 µg/m ³ TLV {Sensitizer} | G-A1, I-1, N-1, CP65 | 2006 |
| 1135 | 66516-58-3 | ✓ | Zinc Chromate Hydroxide, as Cr ⁶⁺ | I | 5 µg/m ³ PEL | O, G-A1, I-1, N-1, CP65 | |
| 1136 | 66733-21-9 | ✓ | Erionite | I | n.o.s. | I-1, N-1, CP65 | |
| 1137 | 67730-10-3 | ? | 2-Aminodipyrido[1,2-a:3',2'-d]imidazole | n.o.s. | | I-2B, CP65 | |
| 1138 | 67730-10-3 | ? | Glu-P-2 | n.o.s. | | I-2B, CP65 | |
| 1139 | 67730-11-4 | ? | 2-Amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole | n.o.s. | | I-2B, CP65 | |
| 1140 | 67730-11-4 | ? | Glu-P-1 | n.o.s. | | I-2B, CP65 | |
| 1141 | 67774-32-7 | ? | Firemaster FF-1 {PBBs} | n.o.s. | | I-2B, N-2, CP65 | |
| 1142 | 67774-32-7 | ? | Hexabromobiphenyl {PBBs} | n.o.s. | | I-2B, N-2, CP65 | |
| 1143 | 67774-32-7 | ? | PBBs {Polybrominated Biphenyls} | n.o.s. | | I-2B, N-2, CP65 | |
| 1144 | 67774-32-7 | ? | Polybrominated Biphenyls {PBBs} | n.o.s. | | I-2B, N-2, CP65 | |
| 1145 | 68006-83-7 | ? | 2-Amino-3-methyl-9H-pyrido[2,3-b]indole | n.o.s. | | I-2B, CP65 | |
| 1146 | 68006-83-7 | ? | MeA- <i>alpha</i> -C | n.o.s. | | I-2B, CP65 | |
| 1147 | 68308-34-9 | ✓ | Shale Oils | n.o.s. | | I-1, CP65 | |
| 1148 | 68334-30-5 | ? | Diesel Fuel #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1149 | 68334-30-5 | ? | Marine Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1150 | 68476-30-2 | ? | Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1151 | 68476-30-2 | ? | Fuel Oil #2 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1152 | 68476-31-3 | ? | Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1153 | 68476-31-3 | ? | Fuel Oil #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1154 | 68476-33-5 | ? | Fuel Oil, Residual (Heavy) | IS | n.o.s. | I-2B, CP65 | |
| 1155 | 68476-33-5 | ? | Residual (Heavy) Fuel Oil | IS | n.o.s. | I-2B, CP65 | |
| 1156 | 68476-34-6 | ? | Diesel Fuel #2 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1157 | 72490-01-8 | | Fenoxycarb | n.o.s. | | CP65 | |
| 1158 | 76180-96-6 | ? | 2-Amino-3-methylimidazo[4,5-f]quinoline | n.o.s. | | I-2A, N-2, CP65 | |
| 1159 | 76180-96-6 | ? | IQ | n.o.s. | | I-2A, N-2, CP65 | |
| 1160 | 77094-11-2 | ? | 2-Amino-3,4-dimethylimidazo[4,5-f]quinoline | n.o.s. | | I-2B, N-2, CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.

Last Revision: 29 June 2007

Prepared by: Jeffrey Schinkel, LANL

2007 CASRN-sorted List — KNOWN AND SUSPECTED HUMAN CARCINOGENS
Carcinogens Reference List

| | <u>CASRN</u> | <u>CHP</u> [†] | <u>Carcinogen Name</u> | <u>R/E</u> ^A | <u>PEL/TLV (8 hr. TWA)</u> | <u>Source Agency</u> ^B | <u>NIC</u> ^C |
|------|--------------|-------------------------|---|-------------------------|--|-----------------------------------|-------------------------|
| 1161 | 77094-11-2 | ? | MeIQ | n.o.s. | | I-2B, N-2, CP65 | |
| 1162 | 77439-76-0 | ? | 3-Chloro-4-dichloromethyl-5-hydroxy-2(5H)-furanone | n.o.s. | | I-2B, CP65 | |
| 1163 | 77439-76-0 | ? | MX | n.o.s. | | I-2B, CP65 | |
| 1164 | 77500-04-0 | ? | 2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline | n.o.s. | | I-2B, N-2, CP65 | |
| 1165 | 77500-04-0 | ? | MeIQx | n.o.s. | | I-2B, N-2, CP65 | |
| 1166 | 77501-63-4 | | Lactofen | n.o.s. | | CP65 | |
| 1167 | 77536-66-4 | ✓ | Actinolite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 1168 | 77536-67-5 | ✓ | Anthophyllite [asbestiform] | I | 0.1 f/cc PEL | O, G-A1, I-1, N-1 | |
| 1169 | 77650-28-3 | ? | Diesel Fuel, Marine | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1170 | 77650-28-3 | ? | Diesel Fuel #4 | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1171 | 77650-28-3 | ? | Marine Diesel Fuel | IS | 100 mg/m ³ TLV | G-A3, I-2B | |
| 1172 | 79217-60-0 | ✓ | Ciclosporin | n.o.s. | | I-1, CP65 | |
| 1173 | 79217-60-0 | ✓ | Cyclosporin | n.o.s. | | I-1, CP65 | |
| 1174 | 79217-60-0 | ✓ | Cyclosporine | n.o.s. | | I-1, CP65 | |
| 1175 | 79748-81-5 | | Fusarin C | n.o.s. | | CP65 | |
| 1176 | 82410-32-0 | | Ganciclovir Sodium | n.o.s. | | CP65 | |
| 1177 | 86290-81-5 | ? | Gasoline | I | 300 ppm TLV {890 mg/m ³ } | G-A3, I-2B | |
| 1178 | 101043-37-2 | ? | Microcystin-LR | n.o.s. | | I-2B | |
| 1179 | 105650-23-5 | ? | 2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine | n.o.s. | | I-2B, N-2, CP65 | |
| 1180 | 105650-23-5 | ? | PhIP | n.o.s. | | I-2B, N-2, CP65 | |
| 1181 | 105735-71-5 | ? | 3,7-Dinitrofluoranthene | n.o.s. | | I-2B, CP65 | |
| 1182 | 108171-26-2 | ? | Chlorinated Paraffins (avg. C ₁₂ , 60% Chlorine) | n.o.s. | | I-2B, N-2, CP65 | |
| 1183 | 111406-87-2 | | Zileuton | n.o.s. | | CP65 | |
| 1184 | 113852-37-2 | | Cidofovir | n.o.s. | | CP65 | |
| 1185 | 116355-83-0 | ? | Fumonisin B1 | n.o.s. | | I-2B, CP65 | |
| 1186 | 132295-56-8 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 1187 | 132295-57-9 | ✓ | Cadmium-Copper Alloy, cadmium nonbase | I | 5 µg/m ³ PEL {2 µg/m ³ respirable TLV} | O, G-A2, I-1, N-1, CP65 | |
| 1188 | 141112-29-0 | | Isoxaflutole | n.o.s. | | CP65 | |

A R/E (Routes of Exposure): I = Inhalation, S = Skin (A = Absorption), G = Ingestion, J = Injection.

B Source Agency: O = OSHA, G = ACGIH, I = IARC, N = NTP, CP65 = California Prop. 65. Categories: 1 = Known, 2 = Suspected, 3 = Animal/Experimental.

Source publications/dates: OSHA – most recent CFR; ACGIH – 2007 TLVs[®], IARC – 30 March 2007 update; NTP – 11th Report on Carcinogens; CP65 – 20 April 2007.

C ACGIH Notice of Intended Changes (NIC) – year of addition or revision.

† CHP: ✓ indicates a Chemical Hygiene Plan (CHP) is required. ? indicates a possible select carcinogen and an evaluation of usage is required; a CHP may be required.